

Ramvac

DENTALEZ

KNOW BEFORE **AT NO CHARGE!**

Nomenclature Key

Series Name	Max Number of Users	Max Input Power
C = Ramvac® Compressor	3 = up to 3 users	12 = 115 volts or 230v
SS = Sound Shield included	5 = up to 5 users	2 = 230 volts
	8 = up to 8 users	
	12 = up to 12 users	
	18 = up to 18 users	



Sizing Guide

Model Number	Description	Number of Users	Number of Heads	Sound Shield
C3-12	Ramvac 3 Compressor	3	2	8658-016 (x2)
C3-12SS	Ramvac 3 Compressor w/Sound Shield	3	2	Included
C5-12	Ramvac 5 Compressor	5	3	8658-016 (x3)
C5-12SS	Ramvac 5 Compressor w/Sound Shield	5	3	Included
C8-2	Ramvac 8 Compressor	8	2	8625-022 (x2)
C8-2SS	Ramvac 8 Compressor w/Sound Shield	8	2	Included
C12-2	Ramvac 12 Compressor	12	2	8625-022 (x2)
C12-2SS	Ramvac 12 Compressor w/Sound Shield	12	2	Included
C18-2	Ramvac 18 Compressor	18	3	8625-022 (x3)
C18-2SS	Ramvac 18 Compressor w/Sound Shield	18	3	Included



Ramvac Compressor without sound shield

Ramvac Compressor with sound shield



NOTES:
Note for all compressors: Pressure is 85-115 PSI. High-Pressure Mode is 105-125 PSI.
Pump Up Cycle Time, 85 to 115 PSI (Sec) is 40-60.

Dry Vacuums

Tanks

Wet Vacuums

Maintenance & Accessories

Accessories

Quick Reference

Warranty

Electrical Requirements

Model Number	Description	Voltage	Amps	Breaker Size	Total HP
C3-12	Ramvac 3 Compressor	115v / 230v	12 / 6.1	15 amp	1.0
C3-12SS	Ramvac 3 Compressor w/Sound Shield	115v / 230v	12 / 6.1	15 amp	1.0
C5-12	Ramvac 5 Compressor	115v / 230v	17.6 / 9	20 / 15 amp	1.5
C5-12SS	Ramvac 5 Compressor w/Sound Shield	115v / 230v	17.6 / 9	20 / 15 amp	1.5
C8-2	Ramvac 8 Compressor	230v	16	20 amp	4
C8-2SS	Ramvac 8 Compressor w/Sound Shield	230v	16	20 amp	4
C12-2	Ramvac 12 Compressor	230v	21	30 amp	4
C12-2SS	Ramvac 12 Compressor w/Sound Shield	230v	21	30 amp	4
C18-2	Ramvac 18 Compressor	230v	30.5	40 amp	6
C18-2SS	Ramvac 18 Compressor w/Sound Shield	230v	30.5	40 amp	6

Weight and Dimensions

Model Number	Description	Weight (lbs)	Dimensions W x D x H (in)	Dimensions w Sound Shield W x D x H (in)	Tank Size (Gallon)
C3-12	Ramvac 3 Compressor	136	30" x 21" x 26"	NA	12
C3-12SS	Ramvac 3 Compressor w/Sound Shield	136	NA	30" x 20" x 26"	12
C5-12	Ramvac 5 Compressor	149	30" x 21" x 26"	NA	12
C5-12SS	Ramvac 5 Compressor w/Sound Shield	149	NA	30" x 20" x 26"	12
C8-2	Ramvac 8 Compressor	230	35" x 25" x 31"	NA	20
C8-2SS	Ramvac 8 Compressor w/Sound Shield	230	NA	35" x 25" x 31"	20
C12-2	Ramvac 12 Compressor	230	35" x 25" x 31"	NA	20
C12-2SS	Ramvac 12 Compressor w/Sound Shield	230	NA	35" x 25" x 31"	20
C18-2	Ramvac 18 Compressor	335	41" x 29" x 32"	NA	30
C18-2SS	Ramvac 18 Compressor w/Sound Shield	335	NA	41" x 29" x 32"	30

Ramvac Compressors



**Ramvac 3
Compressor**
Part Number C3-12



**Ramvac 3
Compressor
with Sound Shield**
Part Number C3-12SS



**Ramvac 5
Compressor**
Part Number C5-12



**Ramvac 5
Compressor
with Sound Shield**
Part Number C5-12SS

NOTES:
Note for all compressors: Pressure is 85-115 PSI. High-Pressure Mode is 105-125 PSI.
Pump Up Cycle Time, 85 to 115 PSI (Sec) is 40-60.

Dry Vacuums

Tanks

Wet Vacuums

Maintenance &
Accessories

Accessories

Quick
Reference

Warranty

Ramvac Compressors



**Ramvac 8
Compressor**

Part Number C8-2



**Ramvac 8
Compressor
with Sound Shield**

Part Number C8-2SS



**Ramvac 12
Compressor**

Part Number C12-2



**Ramvac 12
Compressor
with Sound Shield**

Part Number C12-2SS



**Ramvac 18
Compressor**

Part Number C18-2



**Ramvac 18
Compressor
with Sound Shield**

Part Number C18-2SS

Dry Vacuums

Tanks

Wet Vacuums

Maintenance &
Accessories

Accessories

Quick
Reference

Warranty

