

NAME OF PRODUCT: DUZ-ALL® Liquid

FILE NO.: SDS262 SDS DATE: 04/13/2015

SECTION 1: IDENTIFICATION

PRODUCT NAME: PRODUCT CODES: **IDENTIFIED USES:** USES ADVISED AGAINST: MANUFACTURER: ADDRESS: **TELEPHONE:** FAX: EMAIL: **EMERGENCY PHONE:**

DUZ-ALL Liquid 166260, 166262, 166265, 166269 Dentistry Non-dental use Harry J. Bosworth Company 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA 847-679-3400 847-679-2080 hjbinfo@bosworth.com 800-535-5053 (US and Canada) 352-323-3500 (International)

Flammable liquids (Category 2) Skin irritation (Category 2)

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION:

LABELING: PICTOGRAM:

SIGNAL WORD: HAZARD STATEMENTS:

PRECAUTIONARY STATEMENTS:

Skin sensitization (Category 1)			
Specific target organ toxicity - single exposure (Category 3), Respiratory system			
FDA regulated device - exempt from Regulation (US) 29 CFR 1910.1200.			
Danger			
H225	Highly flammable liquid and vapor.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H335	May cause respiratory irritation.		
P201	Obtain special instructions before use.		
P202	Do not handle until all safety precautions have been read and understood.		
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.		
P234	Keep only in original container.		
P235+P410	Keep cool. Protect from sunlight.		
P240	Ground/bond container and receiving equipment.		
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.		
P264	Wash thoroughly after handling.		
P270	Do not eat, drink or smoke when using this product.		
P271	Use only outdoors or in a well-ventilated area.		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.		
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
P303+P361+P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.		

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

Call a POISON CENTER or doctor/ physician if you feel unwell.

Specific treatment (see supplemental first aid instructions on this label).

- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- Take off contaminated clothing and wash before reuse. P370+P378
 - In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction. Collect spillage.
 - Store in a dry place.

P304+P340

P312

P321

P362

P391

P402

P403+P233 Store in a well-ventilated place. Keep container tightly closed.



NAME OF PRODUCT: DUZ-ALL® Liquid

P501

FILE NO.: SDS262

SDS DATE: 04/13/2015

Dispose of contents/container to an approved waste disposal plant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	%WT	OSHA PEL - TWA	ACGIH TLV - TWA	CLASSIFICATION
Methyl	80-62-6	60-100	100 ppm	50 ppm	Flam. Liq. 2; Skin Irrit. 2; Skin Sens. 1;
methacrylate					STOT SE 3; H225, H315, H317, H335

For full text of H-statements mentioned in this section, see section 16.

SECTION 4: FIRST-AID MEASURES

INHALATION:	Move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
SKIN:	Wash off with soap and plenty of water. Consult a physician.
EYE:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
INGESTION:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water.
	Consult a physician.

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.		
SPECIAL HAZARDS:	Sealed containers exposed to elevated temperatures may rupture explosively due to polymerization. Vapors are heavier than air and may travel to ignition source. Vapors are uninhibited and may form polymers in vents or flame arrestors resulting in stoppage of vents.	
ADVICE FOR FIREFIGHTERS:	Fight fires from safe distance or protected areas. Cool containers of material exposed to heat with cold water spray. Wear self contained breathing apparatus for firefighting if necessary.	

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
ENVIRONMENTAL PRECAUTIONS: CONTAINMENT AND CLEANUP:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Soak up with inert absorbent material and collect with an electrically protected vacuum cleaner or by wet- brushing. Place in suitable, closed container for disposal according to official regulations.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:	Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals. Avoid contact with the eyes and skin.
CONDITIONS FOR SAFE STORAGE:	Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge. Keep away from foodstuffs, beverages and animal feed. Store only in the original package. Keep container tightly sealed in a dry and well-ventilated place. Protect from heat and direct sunlight. Store away from food and beverages.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work.
EYE/FACE PROTECTION:	Safety glasses.
SKIN PROTECTION:	Glove material impermeable and resistant to the product.
BODY PROTECTION:	Protective work clothing.
RESPIRATORY PROTECTION:	NIOSH (US) or CEN (EU) approved respirators and components.
ENVIRONMENTAL EXPOSURE:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES



NAME OF PRODUCT: DUZ-ALL® Liquid

APPEARANCE/COLOR: ODOR: BOILING POINT: FLASH POINT: EVAPORATION RATE (BuAc = 1.0): UPPER FLAMMABILITY LIMIT:	Clear, colorless liquid Acrid 216°F (102°C) 50°F (10°C)
BOILING POINT: FLASH POINT: EVAPORATION RATE (BuAc = 1.0):	216°F (102°C) 50°F (10°C)
FLASH POINT: EVAPORATION RATE (BuAc = 1.0):	50°F (10°C)
EVAPORATION RATE (BuAc = 1.0):	
LIPPER FLAMIMARIELEV LIMIT.	3
	12.5
LOWER FLAMMABILITY LIMIT:	2.1
VAPOR PRESSURE:	29 mmHg
VAPOR DENSITY (AIR=1.0):	3.5
RELATIVE DENSITY (H2O=1.0):	0.95 g/cm ³
WATER SOLUBILITY:	1.5 wt%
SECTION 10: STABILITY AND R	EACTIVITY
CHEMICAL STABILITY:	Stable under recommended storage conditions. Polymerizes with evolution of heat. Avoid contact with incompatible materials. Unless inhibited, product can polymerize, raising temperature and pressure, possibly rupturing container. Check inhibitor content often adding to bulk liquid if needed. Do not blanket or mix with oxygen-free gas as it renders inhibitor ineffective.
HAZARDOUS REACTIONS:	Vapors may form explosive mixture with air. Polymerizes readily unless inhibited.
CONDITIONS TO AVOID:	Heat, flames, sparks, aging, contamination and absence of an oxygen containing atmosphere above the product. May polymerize upon exposure to light. Extremes of temperature and direct sunlight.
INCOMPATIBLE MATERIALS:	Oxidizing agents, peroxides, amines, bases, acids, reducing agents, halogens. Material has strong solvent properties and can soften paint and rubber.
HAZARDOUS DECOMPOSITION PROD	
SECTION 11: TOXICOLOGICAL	INFORMATION
POTENTIAL HEALTH EFFECTS:	EYES: May cause eye irritation with redness, tearing and stinging.

drying, defatting of the skin and dermatitis. INGESTION: May cause mucous membrane and gastrointestinal irritation with nausea, vomiting and diarrhe May cause nervous system depression with symptoms of headache, dizziness, nausea, vomiting, weakness, fatigue, confusion, and unconsciousness. INHALATION: May cause mucous membrane and respiratory irritation and central nervous system depression with symptoms of headache, dizziness, nausea, vomiting, and unconsciousness. High vapor concentrations may cause burning sensation of the nose and throat and watering of the eyes. SKIN SENSITIZATION: May cause allergic skin reaction. CARCINOGENICITY: OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	POTENTIAL HEALTH EFFECTS:	EYES: May cause eye irritation with redness, tearing and stinging.
INGESTION: May cause nervous system depression with symptoms of headache, dizziness, nausea, vomiting, weakness, fatigue, confusion, and unconsciousness.INHALATION: May cause nervous system depression with symptoms of headache, dizziness, nausea, vomiting, weakness, fatigue, confusion, and unconsciousness.INHALATION: May cause mucous membrane and respiratory irritation and central nervous system depression with symptoms of headache, dizziness, drowsiness, nausea, vomiting, and unconsciousness. High vapor concentrations may cause burning sensation of the nose and throat and watering of the eyes.SKIN SENSITIZATION: CARCINOGENICITY:May cause allergic skin reaction.CARCINOGENICITY:OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by ACGIH.		SKIN: May cause skin irritation with redness, swelling and itching. Repeated or prolonged contact may cause
May cause nervous system depression with symptoms of headache, dizziness, nausea, vomiting, weakness, fatigue, confusion, and unconsciousness.INHALATION: May cause mucous membrane and respiratory irritation and central nervous system depression with symptoms of headache, dizziness, drowsiness, nausea, vomiting, and unconsciousness. High vapor concentrations may cause burning sensation of the nose and throat and watering of the eyes.SKIN SENSITIZATION: CARCINOGENICITY:May cause allergic skin reaction.CARCINOGENICITY:OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by ACGIH.		drying, defatting of the skin and dermatitis.
fatigue, confusion, and unconsciousness. INHALATION: May cause mucous membrane and respiratory irritation and central nervous system depression with symptoms of headache, dizziness, drowsiness, nausea, vomiting, and unconsciousness. High vapor concentrations may cause burning sensation of the nose and throat and watering of the eyes. SKIN SENSITIZATION: May cause allergic skin reaction. CARCINOGENICITY: OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by ACGIH. NTTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by ACGIH.		INGESTION: May cause mucous membrane and gastrointestinal irritation with nausea, vomiting and diarrhea.
INHALATION: May cause mucous membrane and respiratory irritation and central nervous system depression with symptoms of headache, dizziness, drowsiness, nausea, vomiting, and unconsciousness. High vapor concentrations may cause burning sensation of the nose and throat and watering of the eyes.SKIN SENSITIZATION: CARCINOGENICITY:May cause allergic skin reaction.OSHA: CARCINOGENICITY:OSHA: no component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA.ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a hown or anticipated carcinogen by NTP.		May cause nervous system depression with symptoms of headache, dizziness, nausea, vomiting, weakness,
SKIN SENSITIZATION:May cause allergic skin reaction.CARCINOGENICITY:OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA.ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by ACGIH.NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by ACGIH.		fatigue, confusion, and unconsciousness.
SKIN SENSITIZATION:May cause burning sensation of the nose and throat and watering of the eyes.CARCINOGENICITY:OSHA:No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA.ACGIH:No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.NTTP:No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by ACGIH.NTTP:No component of this product present at levels greater than or equal to 0.1% is identified as a null carcinogen by ACGIH.		INHALATION: May cause mucous membrane and respiratory irritation and central nervous system depression
SKIN SENSITIZATION: May cause allergic skin reaction. CARCINOGENICITY: OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a hown or anticipated carcinogen by NTP.		with symptoms of headache, dizziness, drowsiness, nausea, vomiting, and unconsciousness. High vapor
CARCINOGENICITY: OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a number of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known of anticipated carcinogen by NTP.		concentrations may cause burning sensation of the nose and throat and watering of the eyes.
carcinogen or possible carcinogen by OSHA. <u>ACGIH</u> : No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. <u>NTP</u> : No component of this product present at levels greater than or equal to 0.1% is identified as a known of anticipated carcinogen by NTP.	SKIN SENSITIZATION:	May cause allergic skin reaction.
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. <u>NTP:</u> No component of this product present at levels greater than or equal to 0.1% is identified as a known of anticipated carcinogen by NTP.	CARCINOGENICITY:	
carcinogen or potential carcinogen by ACGIH. <u>NTP:</u> No component of this product present at levels greater than or equal to 0.1% is identified as a known of anticipated carcinogen by NTP.		
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known of anticipated carcinogen by NTP.		
anticipated carcinogen by NTP.		carcinogen or potential carcinogen by ACGIH.
		NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or
IARC: Methyl methacrylate is identified as not classifiable as to its carcinogenicity to humans by IARC.		anticipated carcinogen by NTP.
		IARC: Methyl methacrylate is identified as not classifiable as to its carcinogenicity to humans by IARC.

SECTION 12: ECOLOGICAL INFORMATION

ADVERSE EFFECTS:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

PRODUCT:	Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.	
CONTAMINATED PACKAGING:	Dispose of as unused product.	

SECTION 14: TRANSPORT INFORMATION



NAME OF PRODUCT: DUZ-ALL® Liquid UN NUMBER: UN1247 PROPER SHIPPING NAME: Methyl r HAZARD CLASS: 3 PACKING GROUP: II

UN1247 Methyl methacrylate monomer, stabilized 3 II Flammable Liquid

FILE NO.: SDS262 SDS DATE: 04/13/2015

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

LABEL STATEMENT:

TSCA: CERCLA:	This product is an FDA regulated device and not subject to TSCA regulations. This product is an FDA regulated device and not subject to reporting requirements. There may be specific reporting requirements at the local, regional, or state level.
SARA 313 TOXIC CHEMICALS:	The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR 372): <i>Methyl Methacrylate, CAS NO. 80-62-6.</i>
SARA 311/312 HAZARDS:	This product is an FDA regulated device and not subject to reporting requirements.
US STATE REGULATIONS	
CALIFORNIA PROPOSITION 65:	This product may contain a chemical known to the State of California to cause cancer and/or reproductive toxicity.
INTERNATIONAL REGULATIONS	
CANADIAN ENVIRONMENTAL PROTECTION ACT: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES	This product is a medical device and not subject to chemical notification requirements.
(EINECS):	This product is a medical device and not subject to chemical notification requirements.

SECTION 16: OTHER INFORMATION

FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTION 3

Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapor.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity – single exposure
NFPA RATING	
Health Hazard	2
Fire Hazard	3
Reactivity Hazard	2

PREPARATION INFORMATION: This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



NAME OF PRODUCT: DUZ-ALL® Powder

FILE NO.: SDS261 SDS DATE: 06/19/2014

SECTION 1: IDENTIFICATION

PRODUCT NAME: PRODUCT CODES: IDENTIFIED USES: USES ADVISED AGAINST: MANUFACTURER: ADDRESS: TELEPHONE: FAX: EMAIL: EMERGENCY PHONE: DUZ-ALL Powder (PINK, VEIN, CLEAR, WHITE, TOOTH SHADE) 166260, 166261, 166264 Dentistry Non-dental use Harry J. Bosworth Company 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA 847-679-3400 847-679-2080 hjbinfo@bosworth.com 800-535-5053 (US and Canada) 352-323-3500 (International)

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION:	Acuto toxicity Oral	(Catagory E)	
CLASSIFICATION.	Acute toxicity, Oral (Category 5) Acute toxicity, Dermal (Category 5)		
	Skin sensitization (Category 1) Eye irritation (Category 2B)		
	Acute toxicity, Inha		
		in toxicity - single exposure (Category 3), Respiratory system	
	Germ cell mutagen		
	Carcinogenicity (Ca		
	Reproductive toxici	in toxicity - repeated exposure (Category 2)	
LABELING:	Chronic aquatic tox	ce - exempt from Regulation (US) 29 CFR 1910.1200.	
PICTOGRAM:		ce - exempt nom Regulation (03) 29 CFR 1910.1200.	
PICTOGRAMI:			
SIGNAL WORD:	Warning		
HAZARD STATEMENTS:	H303	May be harmful if swallowed.	
	H313	May be harmful in contact with skin.	
	H317	May cause an allergic skin reaction.	
	H320	Causes eye irritation.	
	H333	May be harmful if inhaled.	
	H335	May cause respiratory irritation.	
	H341	Suspected of causing genetic defects.	
	H351	Suspected of causing cancer.	
	H361	Suspected of damaging fertility or the unborn child.	
	H373	May cause damage to organs through prolonged or repeated exposure.	
	H413	May cause long lasting harmful effects to aquatic life.	
PRECAUTIONARY STATEMENTS:	P201	Obtain special instructions before use.	
	P202	Do not handle until all safety precautions have been read and understood.	
	P234	Keep only in original container.	
	P235+P410	Keep cool. Protect from sunlight.	
	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
	P264	Wash thoroughly after handling.	
	P270	Do not eat, drink or smoke when using this product.	
	P272	Contaminated work clothing should not be allowed out of the workplace.	
	P273	Avoid release to the environment.	
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.	
	P301+P330	IF SWALLOWED: Rinse mouth.	
	P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
	P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for	
		breathing.	
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
		present and easy to do. Continue rinsing.	
	P308+P313	IF exposed or concerned: Get medical advice/attention.	
	P312	Call a POISON CENTER or doctor/ physician if you feel unwell.	
	P321	Specific treatment (see supplemental first aid instructions on this label).	



FILE NO.: SDS261

NAME OF PRODUCT: DUZ-ALL® Powder

owder	SDS DATE: 06/19/2014
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P402	Store in a dry place.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to an approved waste disposal plant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	%WT	OSHA PEL - TWA	ACGIH TLV - TWA	CLASSIFICATION
Poly(methyl methacrylate)	9011-14-7	60-100	15 mg/m ³ (T); 5 mg/m ³ (R)	10 mg/m ³ (T); 3 mg/m ³ (R)	N/A
Diethyl Phthalate	84-66-2	5-15	5 mg/m ³	5 mg/m ³	Aquatic Acute 3; H402
Benzoyl Peroxide	94-36-0	0.5-2.0	5 mg/m ³	5 mg/m ³	Org. Perox. B; Eye Irrit. 2A; Skin Sens. 1; H241, H317, H319
Cadmium Pigments	7440-43-9	0.1-1.0	0.005 mg/m ³ (as Cd)	0.01 mg/m ³ (T); 0.002 mg/m ³ (R) (as Cd)	Acute Tox. 3; Acute Tox. 4; Acute Tox. 2; Muta. 2; Carc. 1B; Repr. 2; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H312, H330, H341, H350, H361, H372, H410
Titanium Dioxide	13463-67-7	0.1-1.0	15 mg/m ³ (T)	10 mg/m ³	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H315, H319, H332, H335
Iron Oxide	1309-37-1	0.1-1.0	10 mg/m ³ (T)	5 mg/m ³	Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H315, H319, H335

Cadmium pigments and Iron Oxide are not included in clear and white shades; Titanium Dioxide is not included in clear shade. For full text of H-statements mentioned in this section, see section 16.

SECTION 4: FIRST-AID MEASURES

INHALATION:	Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical
	attention.
SKIN:	Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.
EYE:	Flush eyes with water for 15 minutes as a precaution. Get medical attention if irritation develops and persists.
INGESTION:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
HAZARDOUS DECOMPOSITION PRODUCT:	Methacrylate monomers and oxides of carbon.
SPECIAL HAZARDS:	Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately
ADVICE FOR FIREFIGHTERS:	those of coal dust. Avoid extinguishing methods which may generate dust clouds. Water stream can disperse dust into air, producing a fire hazard and possible explosion hazard if exposed to ignition source. Wear self contained breathing apparatus for firefighting if necessary.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
ENVIRONMENTAL PRECAUTIONS:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
CONTAINMENT AND CLEANUP:	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:	Product is intended for dental use only. Handling of this product should be by trained dental healthcare		
	professionals only. Observe normal care for working with chemicals. Avoid contact with skin and eyes. Avoid		



FILE NO.: SDS261 SDS DATE: 06/19/2014

NAME OF PRODUCT: DUZ-ALL® Po	owder	SDS DATE: 06/19/2014
CONDITIONS FOR SAFE STORAGE:	formation of dust and aerosols. Avoid inhalation of dust where dust is formed. Keep away from foodstuffs, beve Store only in the original package. Keep container tight from heat and direct sunlight. Store away from food and	rages and animal feed. y closed in a dry and well-ventilated place. Protect

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work.
EYE/FACE PROTECTION:	Safety glasses.
SKIN PROTECTION:	Glove material impermeable and resistant to the product.
BODY PROTECTION:	Protective work clothing.
RESPIRATORY PROTECTION:	NIOSH (US) or CEN (EU) approved respirators and components.
ENVIRONMENTAL EXPOSURE:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/COLOR:	Fine pink, pink/vein, white or tan powder
ODOR:	Faint odor in bulk
FLASH POINT:	579°F (304°C)
RELATIVE DENSITY (H2O=1.0):	1.25 g/cm ³
WATER SOLUBILITY:	Insoluble

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY:	Stable under recommended storage conditions.	
HAZARDOUS REACTIONS:	No further relevant information available.	
CONDITIONS TO AVOID:	Temperatures above 464°F (240°C).	
INCOMPATIBLE MATERIALS:	Strong oxidizing agents.	
HAZARDOUS DECOMPOSITION PRODUCTS: Methacrylate monomers and oxides of carbon.		

SECTION 11: TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS:	EYES: May cause eye irritation.
	SKIN: May be harmful if absorbed through skin. May cause skin irritation.
	INGESTION: May be harmful if swallowed.
	INHALATION: May be harmful if inhaled. May cause respiratory tract irritation.
CARCINOGENICITY:	OSHA: Cadmium is a regulated carcinogen by OSHA.
	ACGIH: Cadmium is identified as a suspected human carcinogen by ACGIH.
	NTP: Cadmium is identified as a known human carcinogen by NTP.
	IARC: Cadmium is identified as a human carcinogen by IARC. Titanium dioxide is identified as a possible
	human carcinogen by IARC. Benzoyl peroxide is identified as not classifiable as to its carcinogenicity to humans
	by IARC. Iron oxide is identified as not classifiable as to its carcinogenicity to humans by IARC.
REPRODUCTIVE TOXICITY:	Cadmium and diethyl phthalate are suspected human reproductive toxicants. Overexposure may cause reproductive disorders based on tests with laboratory animals.

SECTION 12: ECOLOGICAL INFORMATION

ADVERSE EFFECTS:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. May cau	
	long lasting harmful effects to aquatic life. Avoid release to the environment.	

SECTION 13: DISPOSAL CONSIDERATIONS



FILE NO.: SDS261
SDS DATE: 06/19/2014

NAME OF PRODUCT: DUZ-ALL® Powder PRODUCT: Offer surplus and

PRODUCT:	Offer surplus and non-recyclable solutions to a licensed disposal company. Must not be disposed of together		
	with household garbage. Do not allow product to reach sewage system. Disposal must be made according to		
	official regulations.		
CONTAMINATED PACKAGING:	Dispose of as unused product.		

SECTION 14: TRANSPORT INFORMATION

UN NUMBER:	N/A
PROPER SHIPPING NAME:	N/A
HAZARD CLASS:	N/A
PACKING GROUP:	N/A
LABEL STATEMENT:	N/A
LABEL STATEMENT:	N/A

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS	
TSCA:	This product is an FDA regulated device and not subject to TSCA regulations.
CERCLA:	This product is an FDA regulated device and not subject to reporting requirements. There may be specific reporting requirements at the local, regional, or state level.
SARA 313 TOXIC CHEMICALS:	The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR 372): Cadmium, CAS NO. 7440-43-9; Benzoyl Peroxide, CAS NO. 94-36-0.
SARA 311/312 HAZARDS:	This product is an FDA regulated device and not subject to reporting requirements.
US STATE REGULATIONS	
CALIFORNIA PROPOSITION 65:	This product may contain a chemical known to the State of California to cause cancer and/or reproductive toxicity.
INTERNATIONAL REGULATIONS	
CANADIAN ENVIRONMENTAL PROTECTION ACT: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES	This product is a medical device and not subject to chemical notification requirements.
(EINECS):	This product is a medical device and not subject to chemical notification requirements.

SECTION 16: OTHER INFORMATION

FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTION 3

A suite Teu	
Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Carc.	Carcinogenicity
Eye Irrit.	Eye irritation
H241	Heating may cause a fire or explosion.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Muta.	Germ cell mutagenicity



FILE NO.: SDS261 SDS DATE: 06/19/2014

NAME OF PRODUCT: DUZ-ALL [®] Powder		
Org. Perox.	Organic peroxides	
Repr.	Reproductive toxicity	
Skin Irrit.	Skin irritation	
Skin Sens.	Skin sensitization	
STOT RE	Specific target organ toxicity – repeated exposure	
STOT SE	Specific target organ toxicity – single exposure	
NFPA RATING		
Health Hazard	1	
Fire Hazard	1	
Reactivity Hazard	0	

.

PREPARATION INFORMATION: This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.