Section 1 - Chemical Product and Company Identification

Product Name: Duralay Powder Shades Company Identification: Reliance Dental Mfg., LLC. 5805 W. 117th Place Alsip, IL 60803

For Product Information, call: 708-597-6694 For Medical Information, call: 800-535-5053

Section 2 - Hazards Identification			
EMERGENCY OVERV WARNING:	/IEW:		
For Polymer:		OSHA classifies this material as Particulates, Not Otherwise Classified.	
Acute Hazards:	Eyes:	May be irritating to the eyes by gross overexposure, no matter how generated. Symptoms of overexposure may include redness, itching, irritation, burning pain and watering. Keep dust out of eyes.	
	Ingestion:	Not expected to cause any harmful effects. Ingestion of large amounts may be irritating if product is swallowed, may cause nausea, headache, vomiting and/or diarrhea.	
	Skin:	May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact. Prolonged or repeated contact may cause redness and burning.	
	Inhalation:	May be irritated by gross overexposure, no matter how generated. Vapors or mists may cause irritation the respiratory tract, nausea, central nervous system depression such as drowsiness, dizziness, loss of coordination and fatigue.	
Chronic Hazards:		None known.	
For Diethyl Phthalate:			
Chronic Hazards	: Inhalation:	Persons with impaired lung function or asthma-like conditions may experience additional breathing difficulties.	
	Reproductive:	Possible teratogen.	
	Skin:	Prolonged or repeated contact may cause redness, burning, drying, cracking and dermatitis. Persons with pre-existing skin disorders may be more susceptible to	
CARCINOGENICITY:		this material. IARC lists Benzoyl Peroxide as unclassifiable as to carcinogenicity to humans.	
CARGINOGENION 1.		None of the other components of this material are listed by IARC, NTP, OSHA, or ACGIH as carcinogens.	
PRIMARY ROUTES O	F ENTRY:	Inhalation, Skin or Eyes.	
	Section 3 - Composition, Information on Ingredients		

Item	Chemical Name	CAS #	WT/WT%
01	Polymer	9011-14-7	60.0-100.0
02	Diethyl Phthalate	84-66-2	0.0-20.0
03	Benzoyl Peroxide	94-36-0	0.0-10.0

	ACGIH	OSHA Company				
ITEM	TLV-TWA	TLV-STEL	PEL TWA	PEL CEILING	Recommendation	SKIN
01	10 mg/m₃	NE	15 mg/m₃	NE	15 mg/m₃	NE
02	5 mg/m₃	NE	5 mg/m₃	NE	5 mg/m ₃	NE
03	5 mg/m₃	NE	5 mg/m₃	NE	5 mg/m₃	NE

Section 4 - First Aid Measures

EMERGENCY AND FIRST AID PROCEDURES:

EYES:	If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.
INGESTION:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk.
	Never give anything by mouth to an unconscious person. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Get medical attention immediately.
INHALATION:	Remove to fresh air. Seek immediate medical attention.
SKIN:	If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.
CLOTHING: TREATMENT:	Remove contaminated clothing, wash thoroughly before reuse. Treat symptoms conventionally, after thorough decontamination.

Section 5 - Fire Fighting Measures

FLASH POINT: FLAMMABLE LIMIT, AIR VOL%	304 °C, 580 °F LOWER: NA UPPER: NA
AUTOIGNITION TEMPERATURE:	NE
EXTINGUISHER METHOD:	Water, carbon dioxide, dry chemical.
FIRE AND EXPLOSION HAZARDS:	Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust.
SPECIAL FIRE FIGHTING PROCEDURES:	Avoid extinguishing methods, which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source.
EXPLOSION HAZARD: SENSITIVE TO MECHANICAL IMPACT: SENSITIVE TO STATIC DISCHARGE:	Firefighters should wear self-contained breathing apparatus. For Polymer: No. For Polymer: No.

Section 6 - Accidental Release Measures

ACCIDENTAL RELEASE:	Before cleaning any spill or leak, individuals involved must wear appropriate Personal Protective Equipment (e.g., goggles, gloves). Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.	
9	Section 7 - Handling and Storage	
PRECAUTIONS FOR HANDLING:	Use in well ventilated areas. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Use good personal hygiene and housekeeping.	
PRECAUTIONS FOR STORAGE:	Store containers in a cool, dry location, away from direct sunlight, other I light sources, or sources of intense heat. Keep container closed to prevent water absorption and contamination.	
INDUSTRIAL HYGIENE PRACTICES:	Avoid prolonged contact with the product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.	

Section 8 - Exposure Controls, Personal Protection		
VENTILATION:	When working with large quantities of product provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. Use good local exhaust at processing equipment, including buffers, sanders,	
RESPIRATORY PROTECTION:	grinders and polishers. No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada its provisions E.C. member states, or Australia	
EYE PROTECTION:	Canada, its provinces, E.C. member states, or Australia. Depending on the use of this product, safety glasses or goggles may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.	
PROTECTIVE GLOVES:	If anticipated that prolonged & repeated skin contact will occur during use of this product, wear gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states.	
OTHER PROTECTIVE EQUIPMENT:	No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. An eyewash station and a safety shower are recommended. High temperature processing equipment should be well ventilated.	

Section 9 - Physical and Chemical Properties

APPEARANCE:	Fine clear to nigmented newdor
	Fine clear to pigmented powder.
ODOR:	Faint odor in bulk.
pH:	NA
ODOR THRESHOLD:	ND
BOILING POINT:	NA
FREEZING POINT:	NA
VISCOSITY:	NA
SPECIFIC GRAVITY (H2O=1):	ND
VAPOR PRESSURE:	NA
PERCENT VOLATILE W/W%:	NA
VAPOR DENSITY (AIR=1):	NA
EVAPORATION RATE (BuAc =1):	NA
SOLUBILITY IN WATER:	Insoluble.
COEFFICIENT OF WATER/OIL DISTRIBUTION:	ND

Section 10 - Stability and Reactivity

CONDITIONS TO AVOID: INCOMPATIBILITY (MATERIALS TO AVOID): HAZARDOUS DECOMPOSITION PRODUCTS: HAZARDOUS POLYMERIZATION: STABILITY: Heating above 240 °C, 464 °F. Strong oxidizing agents. Methacrylate Monomer and Oxides of Carbon when burned. MAY OCCUR: WILL NOT OCCUR: X UNSTABLE: STABLE: X

Section 11 - Toxicological Information

TOXICITY DATA:

This product has NOT been tested on animals to obtain toxicology data. There is toxicology data for the components of the product, which is found in scientific literature. This data has not been presented in this document.

MUTAGENICITY DATA: This product is not reported to produce mutagenic effects in humans.

REPRODUCTIVE TOXICITY DATA:

Embryotoxicity: Teratogenicity: Reproductive Toxicity:	This product is not reported to produce embryotoxic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans.	
	Section 12 - Ecological Information	
AQUATIC TOXICITY:	There is no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.	
ENVIRONMENTAL FATE:	There is no specific data available for this product.	
Section 13 - Disposal Considerations		
WASTE DISPOSAL METHOD regulations. DISPOSAL OF EMPTY CONT.		

Section 14 - Transport Information

	Section 15 - Regulatory Information
SARA Reporting Requirements:	Yes
SARA Threshold Planning Quantity:	There may be specific Threshold Planning Quantities for the components of this product.
TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory. For use in FDA regulated products only.
CERCLA Reportable Quantity (RQ):	NĂ
Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).
Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.

This product may contain components that are covered under specific state criteria.

RISK STATEMENTS: SAFETY STATEMENTS:	R36/37/38 – Irritating to eyes, respiratory system and skin. S3 – Keep in a cool place. S7 – Keep container tightly closed. S9 – Keep container in a well-ventilated place. S20 – When using do not eat or drink. S 29 – Do not empty into drains. S37/39 – Wear suitable gloves and eye/face protection.
	Section 16 - Additional Information
HEALTH: FLAMMABILITY: REACTIVITY:	CATION SYSTEM (HMIS) RATING: 1 1 0 EQUIPMENT: Gloves and Safety Glasses or Chemical Goggles.

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD IDENTIFICATION RATING:

1 1 0

HEALTH:	
FLAMMABILITY:	
REACTIVITY:	

ABBREVIATIONS:

ADDIL	ADDREVIATIONS.					
NA:	Not Applicable	ND:	Not Determined	NE:	Not Established	
ppm:	parts per million	G:	Gallon	mg:	Milligram	
L:	Liter	gm:	Gram	mol:	Mole	
kg:	Kilogram	μ:	Micro	mm:	Millimeter p Pico	
Pa:	Pascals	LC:	Lethal Concentration	LD:	Lethal Dose	
TC:	Toxic Concentration	TD:	Toxic Dose	BOD:	Biological Oxygen Demand	
COD:	D: Chemical Oxygen Demand			Lo:	Lowest	
ThOD:	D: Theoretical Oxygen Demand			Tlm:	Threshold Limit	
H:	Hours	M:	Months	D:	Days	
Y:	Years	W:	Weeks			

ACGIH: American Conference of Governmental Industrial Hygienist

- CPR: Controlled Product's Regulation
- DSL: Canadian Domestic Substances List
- NDSL: Canadian Non-domestic Substance List
- IARC: International Agency for Research for Cancer
- NOEL: No Observed Effect Level
- NOAEL: No Observed Adverse Effect Level
- OSHA: Occupational Safety and Health Administration
- PEL: Permissible Exposure Limit
- TLV: Threshold Limit Value

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200), THE COMMONWEALTH OF PENNSYLVANIA REGULATIONS (TITLE 34. CHAPTERS 301-323) AND CANADIAN WHMIS REGULATIONS, ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED. THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.