

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Reviewed on 06/03/2017 Printing date 06/03/2017 1 Identification · Product identifier · Trade name: Paladon 65 powder · Application of the substance / the mixture Manufacture of dental prothesis · Details of the supplier of the safety data sheet Manufacturer/Supplier: Kulzer GmbH Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522 Information department: Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com • Emergency telephone number: Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500 2 Hazard(s) identification · Classification of the substance or mixture Skin Sens. 1 H317 May cause an allergic skin reaction. · Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labeling: dibenzoyl peroxide · Hazard statements May cause an allergic skin reaction. · Précautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Specific treatment (see on this label). Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. Classification system • NFPA ratings for USA (scale 0-4) Health = 1Fire = 1Reactivity = 0(Contd. on page 2) USA



Page 2/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

(Contd. of page 1)

0-5%

< 1%

Trade name: Paladon 65 powder

· HMIS-Ratings (Scale 0-4)

HEALTH \bigcirc Health = 0FIRE1Fire = 1REACTIVITYReactivity = 0

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

· Description: Product based on methacrylate copolymerisates

· Dangerous components:

25086-15-1 Copolymerisat

Flam. Liq. 2, H225

94-36-0 dibenzoyl peroxide

Self-react. B, H241; Org. Perox. B, H241; Eye Irrit. 2A, H319; Skin Sens. 1, H317

4 First-aid measures

· Description of first aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- Information for doctor
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture No further relevant information available.

- · Advice for firefighters
 - · Protective equipment: No special measures required.

(Contd. on page 3)



Page 3/8

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: Paladon 65 powder

· Additional information -

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections
- No dangerous substances are released.
- See Section 8 for information on personal protection equipment.

7 Handling and storage

- · Handling
 - · Precautions for safe handling No special measures required.
 - · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - Storage
 - · Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep cool, if possible (not above 25 °C).
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
 - Components with limit values that require monitoring at the workplace:
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment

- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

recommended • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance

(Contd. on page 4)



Page 4/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: Paladon 65 powder

and has therefore to be checked prior to the application.

(Contd. of page 3)

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Butyl rubber, BR
- Nitrile rubber, NBR
- Eye protection: Not absolutely necessary.
- · Body protection: Light weight protective clothing

9 Physical and chemical properties

 Information on basic physical and chemical properties General Information 	
Appearance: · Form: · Color: · Odor: · Odor threshold: ·	Powder According to product specification Odorless Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	undetermined undetermined
· Flash point:	Not applicable
 Flammability (solid, gaseous) 	Not determined.
· Ignition temperature:	400.0 °C (752 °F)
 Decomposition temperature: 	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive powder/air mixture mis possible.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0 g/cm³ (0 lbs/gal) Not determined. Not applicable. Not applicable.
Solubility in / Miscibility with Water:	Insoluble

USA -



Page 5/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

(Contd. of page 4)

Trade name: Paladon 65 powder

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

· dynamic: · kinematic:

Not applicable. Not applicable.

· Solvent content:

· Solids content: · Other information 100.0 % No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- Possibility of hazardous reactions No dangerous reactions known
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: none
- · Additional information: -

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:
 - · Primary irritant effect:
 - · on the skin: No irritant effect.
 - · on the eye: No irritating effect.
 - · Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

94-36-0 dibenzoyl peroxide

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
 - · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

3



Page 6/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: Paladon 65 powder

(Contd. of page 5)

- Behavior in environmental systems:
 Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- · Additional ecological information:
 - · General notes:
 - Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation
 - Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

· Uncleaned packagings:


• Recommendation: Packaging can be reused or recycled after cleaning.

UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name • DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	Void
· ADR · Class	Void Flammable solids, self-reactive substances solid desensitised explosives
Packing group • DOT, ADR, IMDG, IATA	Void
Environmental hazards: • Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Anne MARPOL73/78 and the IBC Code	x II of Not applicable.
	(Contd. on pa



Page 7/8

Safety Data Sheet acc. to OSHA HCS



H319 Causes serious eye irritation.

· Date of preparation / last revision 06/03/2017 / 2

(Contd. on page 8)



Page 8/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: Paladon 65 powder

(Contd. of page 7)

USA

Abbreviations and acronyms:

 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Flam. Liq. 2: Flammable liquids – Category 2
 Self-react. B: Self-reactive substances and mixtures – Type B
 Org. Perox. B: Organic peroxides – Type B
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Skin Sens. 1: Skin sensitisation – Category 1