

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

070357350

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

070357343 071733450 071733468 071733476 071733484 071733492 071733500 071734102 071734110 071734128  
071734136 071734144 071734151 071734169 071734334 071734342 071734359 071734367 071734375 071734383  
071734391

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

071733385

# Dentsply Intergrity Temporary Crown & Bridge Material

Dentsply Sirona Pty Ltd

Chemwatch Hazard Alert Code: 2

Chemwatch: 4613-53

Version No: 4.1.1.1

Safety Data Sheet according to WHS and ADG requirements

Issue Date: 27/06/2017

Print Date: 10/01/2018

S.GHS.AUS.EN

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### Product Identifier

|                               |   |
|-------------------------------|---|
| Product name                  | Dentsply Intergrity Temporary Crown & Bridge Material |
| Synonyms                      | Not Available   |
| Other means of identification | Not Available   |

### Relevant identified uses of the substance or mixture and uses advised against

|                          |                     |
|--------------------------|---------------------|
| Relevant identified uses | Dental restoration. |
|--------------------------|---------------------|

### Details of the supplier of the safety data sheet

|                         |  |
|-------------------------|--|
| Registered company name | Dentsply Sirona Pty Ltd                            |
| Address                 | 11-21 Gilby Road Mount Waverley VIC 3149 Australia |
| Telephone               | 1300 55 29 29                                      |
| Fax                     | 1300 55 31 31                                      |
| Website                 | www.dentsply.com.au                                |
| Email                   | clientservices@dentsplysirona.com                  |

### Emergency telephone number

|                                   |               |
|-----------------------------------|---------------|
| Association / Organisation        | Not Available |
| Emergency telephone numbers       | 1300 55 29 29 |
| Other emergency telephone numbers | Not Available |

## SECTION 2 HAZARDS IDENTIFICATION

### Classification of the substance or mixture


**HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.**

### CHEMWATCH HAZARD RATINGS

|              | Min | Max |              |
|--------------|-----|-----|--------------|
| Flammability | 1   |     |              |
| Toxicity     | 0   |     | 0 = Minimum  |
| Body Contact | 2   |     | 1 = Low      |
| Reactivity   | 1   |     | 2 = Moderate |
| Chronic      | 2   |     | 3 = High     |
|              |     |     | 4 = Extreme  |

|                               |   |
|-------------------------------|---|
| Poisons Schedule              | Not Applicable  |
| Classification <sup>[1]</sup> | Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Skin Sensitizer Category 1                                  |
| Legend:                       | 1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI |

### Label elements

|                     |   |
|---------------------|---|
| Hazard pictogram(s) |  |
|---------------------|---|

SIGNAL WORD **WARNING**

### Hazard statement(s)

|      |                                      |
|------|--------------------------------------|
| H315 | Causes skin irritation.              |
| H319 | Causes serious eye irritation.       |
| H317 | May cause an allergic skin reaction. |

### Precautionary statement(s) Prevention

|      |  |
|------|--|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
|------|--|

## Dentsply Intergrity Temporary Crown & Bridge Material

|             |  |
|-------------|--|
| <b>P261</b> | Avoid breathing mist/vapours/spray.                                    |
| <b>P272</b> | Contaminated work clothing should not be allowed out of the workplace. |

### Precautionary statement(s) Response

|                       |  |
|-----------------------|--|
| <b>P362</b>           | Take off contaminated clothing and wash before reuse.  |
| <b>P302+P352</b>      | IF ON SKIN: Wash with plenty of soap and water.  |
| <b>P305+P351+P338</b> | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| <b>P333+P313</b>      | If skin irritation or rash occurs: Get medical advice/attention.   |

### Precautionary statement(s) Storage

Not Applicable

### Precautionary statement(s) Disposal

|             |   |
|-------------|---|
| <b>P501</b> | Dispose of contents/container in accordance with local regulations. |
|-------------|---|

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### Substances

See section below for composition of Mixtures

### Mixtures

| CAS No        | %[weight] | Name                           |
|---------------|-----------|--------------------------------|
| Not Available | >35       | barium glass                   |
| 68611-44-9    | <10       | <u>silica amorphous, fumed</u> |
| Not Available | >35       | glycol methacrylate            |
| Not Available | <15       | multifunctional methacrylates  |
| Not Available | <1        | malonylurea derivative         |

## SECTION 4 FIRST AID MEASURES

### Description of first aid measures

|                     |  |
|---------------------|--|
| <b>Eye Contact</b>  | <p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> <li>▶ Immediately hold eyelids apart and flush the eye continuously with running water.</li> <li>▶ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>▶ Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.</li> <li>▶ Transport to hospital or doctor without delay.</li> <li>▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul> |
| <b>Skin Contact</b> | <p>If skin or hair contact occurs:</p> <ul style="list-style-type: none"> <li>▶ Flush skin and hair with running water (and soap if available).</li> <li>▶ Seek medical attention in event of irritation.</li> </ul>   |
| <b>Inhalation</b>   | <ul style="list-style-type: none"> <li>▶ If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>▶ Other measures are usually unnecessary.</li> </ul>  |
| <b>Ingestion</b>    | <ul style="list-style-type: none"> <li>▶ Immediately give a glass of water.</li> <li>▶ First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>  |

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5 FIREFIGHTING MEASURES

### Extinguishing media

- ▶ Foam.
- ▶ Dry chemical powder.
- ▶ BCF (where regulations permit).
- ▶ Carbon dioxide.

### Special hazards arising from the substrate or mixture

|                             |  |
|-----------------------------|--|
| <b>Fire Incompatibility</b> | ▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result |
|-----------------------------|--|

### Advice for firefighters

|                              |  |
|------------------------------|--|
| <b>Fire Fighting</b>         | <ul style="list-style-type: none"> <li>▶ Alert Fire Brigade and tell them location and nature of hazard.</li> <li>▶ Wear breathing apparatus plus protective gloves.</li> <li>▶ Prevent, by any means available, spillage from entering drains or water courses.</li> <li>▶ Use water delivered as a fine spray to control fire and cool adjacent area.</li> </ul> |
| <b>Fire/Explosion Hazard</b> | <ul style="list-style-type: none"> <li>▶ Combustible.</li> <li>▶ Slight fire hazard when exposed to heat or flame.</li> <li>▶ Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>▶ On combustion, may emit toxic fumes of carbon monoxide (CO).</li> </ul> <p>Combustion products include:</p>                        |

## Dentsply Intergrity Temporary Crown &amp; Bridge Material

|                |   |
|----------------|---|
|                | <ul style="list-style-type: none"> <li>, carbon dioxide (CO2)</li> <li>, hydrogen chloride</li> <li>, phosgene</li> <li>, sulfur oxides (SOx)</li> <li>, other pyrolysis products typical of burning organic material.</li> </ul> May emit corrosive fumes. |
| <b>HAZCHEM</b> | Not Applicable  |

## SECTION 6 ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

See section 8

## Environmental precautions

See section 12

## Methods and material for containment and cleaning up

|                     |  |
|---------------------|--|
| <b>Minor Spills</b> | <ul style="list-style-type: none"> <li>▶ Clean up all spills immediately.</li> <li>▶ Avoid contact with skin and eyes.</li> <li>▶ Wear impervious gloves and safety goggles.</li> <li>▶ Trowel up/scrape up.</li> </ul>  |
| <b>Major Spills</b> | Minor hazard. <ul style="list-style-type: none"> <li>▶ Clear area of personnel.</li> <li>▶ Alert Fire Brigade and tell them location and nature of hazard.</li> <li>▶ Control personal contact with the substance, by using protective equipment as required.</li> </ul> |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## SECTION 7 HANDLING AND STORAGE

## Precautions for safe handling

|                          |   |
|--------------------------|---|
| <b>Safe handling</b>     | <ul style="list-style-type: none"> <li>▶ Avoid all personal contact, including inhalation.</li> <li>▶ Wear protective clothing when risk of exposure occurs.</li> <li>▶ Use in a well-ventilated area.</li> <li>▶ Prevent concentration in hollows and sumps.</li> </ul>                              |
| <b>Other information</b> | <ul style="list-style-type: none"> <li>▶ Store in original containers.</li> <li>▶ Keep containers securely sealed.</li> <li>▶ Store in a cool, dry, well-ventilated area.</li> <li>▶ Store away from incompatible materials and foodstuff containers.</li> </ul> <b>DO NOT store above 50 deg. C.</b> |

## Conditions for safe storage, including any incompatibilities

|                                |  |
|--------------------------------|--|
| <b>Suitable container</b>      | <ul style="list-style-type: none"> <li>▶ Metal can or drum</li> <li>▶ Packaging as recommended by manufacturer.</li> <li>▶ Check all containers are clearly labelled and free from leaks.</li> </ul>   |
| <b>Storage incompatibility</b> | <ul style="list-style-type: none"> <li>▶ Avoid reaction with oxidising agents for multifunctional acrylates:</li> <li>▶ Avoid exposure to free radical initiators (peroxides, persulfates) , iron, rust, oxidisers, and strong acids and strong bases.</li> <li>▶ Avoid heat, flame, sunlight, X-rays or ultra-violet radiation.</li> <li>▶ Storage beyond expiration date, may initiate polymerisation. Polymerisation of large quantities may be violent (even explosive)</li> </ul> |

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

## Control parameters

## OCCUPATIONAL EXPOSURE LIMITS (OEL)

## INGREDIENT DATA

Not Available

## EMERGENCY LIMITS


| Ingredient              | Material name           | TEEL-1   | TEEL-2    | TEEL-3    |
|-------------------------|-------------------------|----------|-----------|-----------|
| silica amorphous, fumed | Silica, amorphous fumed | 18 mg/m3 | 100 mg/m3 | 630 mg/m3 |

| Ingredient                    | Original IDLH | Revised IDLH  |
|-------------------------------|---------------|---------------|
| barium glass                  | Not Available | Not Available |
| silica amorphous, fumed       | 3000 mg/m3    | Not Available |
| glycol methacrylate           | Not Available | Not Available |
| multifunctional methacrylates | Not Available | Not Available |
| malonylurea derivative        | Not Available | Not Available |

Continued...

## Dentsply Intergrity Temporary Crown &amp; Bridge Material

## Exposure controls

|   |   |
|---|---|
| <b>Appropriate engineering controls</b> | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.<br>The basic types of engineering controls are:<br>Process controls which involve changing the way a job activity or process is done to reduce the risk.<br>Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. |
| <b>Personal protection</b>              |    |
| <b>Eye and face protection</b>          | <ul style="list-style-type: none"> <li>▶ Chemical goggles.</li> <li>▶ Full face shield may be required for supplementary but never for primary protection of eyes.</li> <li>▶ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.</li> </ul>  |
| <b>Skin protection</b>                  | See Hand protection below   |
| <b>Hands/feet protection</b>            | <ul style="list-style-type: none"> <li>▶ Wear chemical protective gloves, e.g. PVC.</li> <li>▶ Wear safety footwear or safety gumboots, e.g. Rubber</li> </ul> <p><b>NOTE:</b></p> <ul style="list-style-type: none"> <li>▶ The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.</li> <li>▶ Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.</li> </ul>  |
| <b>Body protection</b>                  | See Other protection below  |
| <b>Other protection</b>                 | <ul style="list-style-type: none"> <li>▶ Overalls.</li> <li>▶ P.V.C. apron.</li> <li>▶ Barrier cream.</li> </ul>  |
| <b>Thermal hazards</b>                  | Not Available   |

## Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

| Required minimum protection factor | Maximum gas/vapour concentration present in air p.p.m. (by volume) | Half-face Respirator | Full-Face Respirator |
|------------------------------------|--|----------------------|----------------------|
| up to 10                           | 1000   | -AUS / Class 1 P2    | -                    |
| up to 50                           | 1000   | -                    | -AUS / Class 1 P2    |
| up to 50                           | 5000   | Airline *            | -                    |
| up to 100                          | 5000   | -                    | -2 P2                |
| up to 100                          | 10000  | -                    | -3 P2                |
| 100+                               |  |                      | Airline**            |

\* - Continuous Flow \*\* - Continuous-flow or positive pressure demand

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO<sub>2</sub>), G = Agricultural chemicals, K = Ammonia(NH<sub>3</sub>), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

|   |   |  |                |
|---|---|--|----------------|
| <b>Appearance</b>                                   | White to yellow paste with little odour; does not mix with water. |  |                |
| <b>Physical state</b>                               | Non Slump Paste   | <b>Relative density (Water = 1)</b>            | 1.4            |
| <b>Odour</b>  | Not Available   | <b>Partition coefficient n-octanol / water</b> | Not Available  |
| <b>Odour threshold</b>                              | Not Available   | <b>Auto-ignition temperature (°C)</b>          | Not Available  |
| <b>pH (as supplied)</b>                             | Not Applicable  | <b>Decomposition temperature</b>               | Not Available  |
| <b>Melting point / freezing point (°C)</b>          | Not Applicable  | <b>Viscosity (cSt)</b>                         | Not Available  |
| <b>Initial boiling point and boiling range (°C)</b> | 101   | <b>Molecular weight (g/mol)</b>                | Not Applicable |
| <b>Flash point (°C)</b>                             | >100  | <b>Taste</b>                                   | Not Available  |
| <b>Evaporation rate</b>                             | >1  | <b>Explosive properties</b>                    | Not Available  |
| <b>Flammability</b>                                 | Not Applicable  | <b>Oxidising properties</b>                    | Not Available  |
| <b>Upper Explosive Limit (%)</b>                    | Not Available   | <b>Surface Tension (dyn/cm or mN/m)</b>        | Not Available  |
| <b>Lower Explosive Limit (%)</b>                    | Not Available   | <b>Volatile Component (%vol)</b>               | Not Available  |
| <b>Vapour pressure (kPa)</b>                        | Negligible  | <b>Gas group</b>                               | Not Available  |
| <b>Solubility in water (g/L)</b>                    | Immiscible  | <b>pH as a solution (1%)</b>                   | Not Applicable |
| <b>Vapour density (Air = 1)</b>                     | >1  | <b>VOC g/L</b>                                 | Not Available  |

Continued...

## Dentsply Interglarity Temporary Crown &amp; Bridge Material

## SECTION 10 STABILITY AND REACTIVITY

|                                    |  |
|------------------------------------|--|
| Reactivity                         | See section 7  |
| Chemical stability                 | <ul style="list-style-type: none"> <li>▶ Elevated temperatures.</li> <li>▶ Presence of open flame.</li> <li>▶ Product is considered stable.</li> <li>▶ Hazardous polymerisation will not occur.</li> </ul> |
| Possibility of hazardous reactions | See section 7  |
| Conditions to avoid                | See section 7  |
| Incompatible materials             | See section 7  |
| Hazardous decomposition products   | See section 5  |

## SECTION 11 TOXICOLOGICAL INFORMATION

## Information on toxicological effects

|              |   |
|--------------|---|
| Inhaled      | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. |
| Ingestion    | The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.  |
| Skin Contact | This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition  |
| Eye          | This material can cause eye irritation and damage in some persons.  |
| Chronic      | Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population.   |

|   |                                  |               |  |
|---|----------------------------------|---------------|--|
| Dentsply Interglarity Temporary Crown & Bridge Material | TOXICITY                         | IRRITATION    |  |
|   | Not Available                    | Not Available |  |
| silica amorphous, fumed                                 | TOXICITY                         | IRRITATION    |  |
|   | Oral (rat) LD50: >6000 mg/kg [2] | Not Available |  |

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. \* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

## SILICA AMORPHOUS, FUMED

For silica amorphous:  
When experimental animals inhale synthetic amorphous silica (SAS) dust, it dissolves in the lung fluid and is rapidly eliminated. If swallowed, the vast majority of SAS is excreted in the faeces and there is little accumulation in the body. Following absorption across the gut, SAS is eliminated via urine without modification in animals and humans. SAS is not expected to be broken down (metabolised) in mammals.

For silane, dichloro-methyl-, reaction products with silica: Acute oral toxicity is very low for treated silica. Animals who inhaled these substances recovered from inflammatory changes in the airway when exposure ended. Repeated inhalation in animals caused inflammation and scarring of the lungs with enlarged lymph nodes. Treated silica does not cause mutations or genetic damage and has not been shown to cause cancer.

|                                   |   |                          |   |
|-----------------------------------|---|--------------------------|---|
| Acute Toxicity                    | ☉ | Carcinogenicity          | ☉ |
| Skin Irritation/Corrosion         | ✔ | Reproductiveity          | ☉ |
| Serious Eye Damage/Irritation     | ✔ | STOT - Single Exposure   | ☉ |
| Respiratory or Skin sensitisation | ✔ | STOT - Repeated Exposure | ☉ |
| Mutagenicity                      | ☉ | Aspiration Hazard        | ☉ |

Legend: ✖ - Data available but does not fill the criteria for classification  
✔ - Data available to make classification  
☉ - Data Not Available to make classification

## SECTION 12 ECOLOGICAL INFORMATION

## Toxicity

| ENDPOINT      | TEST DURATION (HR) | SPECIES       | VALUE         | SOURCE        |
|---------------|--------------------|---------------|---------------|---------------|
| Not Available | Not Available      | Not Available | Not Available | Not Available |
| ENDPOINT      | TEST DURATION (HR) | SPECIES       | VALUE         | SOURCE        |
| NOEC          | 24                 | Crustacea     | >=10000mg/L   | 1             |

Legend:  
Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Dentsply Intergrity Temporary Crown & Bridge Material

**Persistence and degradability**

| Ingredient | Persistence: Water/Soil               | Persistence: Air                      |
|------------|---------------------------------------|---------------------------------------|
|            | No Data available for all ingredients | No Data available for all ingredients |

**Bioaccumulative potential**

| Ingredient | Bioaccumulation                       |
|------------|---------------------------------------|
|            | No Data available for all ingredients |

**Mobility in soil**

| Ingredient | Mobility                              |
|------------|---------------------------------------|
|            | No Data available for all ingredients |

**SECTION 13 DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

| Product / Packaging disposal |  |
|------------------------------|--|
|                              | <ul style="list-style-type: none"> <li>▶ Recycle wherever possible or consult manufacturer for recycling options.</li> <li>▶ Consult State Land Waste Management Authority for disposal.</li> <li>▶ Bury residue in an authorised landfill.</li> <li>▶ Recycle containers if possible, or dispose of in an authorised landfill.</li> </ul> |

**SECTION 14 TRANSPORT INFORMATION**

**Labels Required**

| Marine Pollutant |                |
|------------------|----------------|
|                  | NO             |
| HAZCHEM          |                |
|                  | Not Applicable |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

**SECTION 15 REGULATORY INFORMATION**

**Safety, health and environmental regulations / legislation specific for the substance or mixture**

**SILICA AMORPHOUS, FUMED(68611-44-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

| Australia Hazardous Substances Information System - Consolidated Lists |  | Australia Inventory of Chemical Substances (AICS) |
|--|--|---|
| National Inventory   | Status   |   |
| Australia - AICS   | Y  |   |
| Canada - DSL   | Y  |   |
| Canada - NDSL  | N (silica amorphous, fumed)  |   |
| China - IECSC  | Y  |   |
| Europe - EINEC / ELINCS / NLP  | Y  |   |
| Japan - ENCS   | N (silica amorphous, fumed)  |   |
| Korea - KECI   | Y  |   |
| New Zealand - NZIoC  | Y  |   |
| Philippines - PICCS  | Y  |   |
| USA - TSCA   | Y  |   |
| <b>Legend:</b>   | Y = All ingredients are on the inventory<br>N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |   |

**SECTION 16 OTHER INFORMATION**

**Other information**

**Ingredients with multiple cas numbers**

| Name                    | CAS No                              |
|-------------------------|-------------------------------------|
| silica amorphous, fumed | 68611-44-9, 112945-52-5, 60842-32-2 |

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

## Dentsply IntegriTemp Temporary Crown & Bridge Material

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

### Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average  
PC—STEL: Permissible Concentration-Short Term Exposure Limit  
IARC: International Agency for Research on Cancer  
ACGIH: American Conference of Governmental Industrial Hygienists  
STEL: Short Term Exposure Limit  
TEEL: Temporary Emergency Exposure Limit,  
IDLH: Immediately Dangerous to Life or Health Concentrations  
OSF: Odour Safety Factor  
NOAEL :No Observed Adverse Effect Level  
LOAEL: Lowest Observed Adverse Effect Level  
TLV: Threshold Limit Value  
LOD: Limit Of Detection  
OTV: Odour Threshold Value  
BCF: BioConcentration Factors  
BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.