

Printing date 05/09/2016

Version US-EN-Rev 1

Reviewed on 05/09/2016

1 Identification

- · Product identifier
- · Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)
- · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- · Emergency telephone number:

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- Signal word Warning
- · Hazard-determining components of labeling:

dibutyl phthalate

dibenzoyl peroxide

· Hazard statements

Harmful if inhaled.

May cause an allergic skin reaction.

May cause respiratory irritation.

· Precautionary statements

Contaminated work clothing must not be allowed out of the workplace.

(Contd. on page 2)

Printing date 05/09/2016 Version US-EN-Rev 1 Reviewed on 05/09/2016

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 1)

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 1 Reactivity = 1

HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 1 Reactivity = 1

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
84-74-2	dibutyl phthalate	1-5%	
	poly(methyl methacrylate)	1-5%	
94-36-0	dibenzoyl peroxide	< 1%	

Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

Do not use mouth to mouth or mouth to nose resuscitation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

(Contd. on page 3)

Printing date 05/09/2016 Version US-EN-Rev 1 Reviewed on 05/09/2016

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 2)

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

- · Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid formation of dust.

Avoid contact with the eyes and skin.

Wear protective clothing.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

· Methods and material for containment and cleaning up:

Pick up mechanically.

Prevent formation of dust.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

US

Printing date 05/09/2016 Version US-EN-Rev 1 Reviewed on 05/09/2016

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Observe instructions for use.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Do not inhale dust / smoke / mist.

Any deposit of dust which cannot be avoided must be regularly removed.

Avoid contact with the eyes and skin.

Information about protection against explosions and fires:

Dust can combine with air to form an explosive mixture.

- · Storage:
- Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Observe instructions for use / storage.

Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

84-74-2 dibutyl phthalate

PEL Long-term value: 5 mg/m³
REL Long-term value: 5 mg/m³
TLV Long-term value: 5 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

- **Breathing equipment:** Suitable respiratory protective device recommended.
- Protection of hands: Protective gloves
- · Material of gloves

(Contd. on page 5)

Printing date 05/09/2016 Version US-EN-Rev 1 Reviewed on 05/09/2016

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Color: Odor: Odor threshold: OH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Clash point: Clammability (solid, gaseous): Clammability (solid, gase	Free-flowing powder Light Yellow to Light Brown Odorless Not determined. Not applicable. Undetermined. Jundetermined. Not applicable. Not determined. Not determined. Undetermined. Not determined. Not determined.	
Form: Color: Col	Light Yellow to Light Brown Odorless Not determined. Not applicable. Undetermined.	
Color: Odor: Odor threshold: O	Light Yellow to Light Brown Odorless Not determined. Not applicable. Undetermined.	
Odor: Odor threshold: OH-value: OH-value: Ohange in condition Melting point/Melting range: Oling point/Boiling range: Oling point	Odorless Not determined. Not applicable. Undetermined. Undetermined. Not applicable. Not determined. Undetermined. Not determined. Undetermined. Undetermined.	
Odor threshold: OH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Clash point: Clammability (solid, gaseous): Cla	Not determined. Not applicable. Undetermined. Undetermined. Not applicable. Not determined. Undetermined. Undetermined. Undetermined. Undetermined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Clash point: Clammability (solid, gaseous): Cl	Not applicable. Undetermined. Undetermined. Not applicable. Not determined. Undetermined. Undetermined. Undetermined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Clash point: Clammability (solid, gaseous): C	Undetermined. Undetermined. Not applicable. Not determined. Undetermined. Undetermined. Undetermined.	
Melting point/Melting range: Boiling point/Boiling range: Ilash point: Ilammability (solid, gaseous): Ignition temperature: Decomposition temperature: Induction igniting: Ilanger of explosion: Induction ignitis: It is a second of the second	Undetermined. Not applicable. Not determined. Undetermined. Not determined.	
Boiling point/Boiling range: Ilash point: Ilammability (solid, gaseous): Ignition temperature: Ilammability (solid, gaseous): Ignition temperature: Ilammability (solid, gaseous): Ilam	Undetermined. Not applicable. Not determined. Undetermined. Not determined.	
Flash point: Flammability (solid, gaseous): Grition temperature: Flammability (solid, gaseous): Composition temperature: Nuto igniting: Flammability (solid, gaseous): Flammability (so	Not applicable. Not determined. Jndetermined. Not determined.	
Clammability (solid, gaseous): Sprition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower:	Not determined. Undetermined. Not determined.	
gnition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower:	Undetermined. Not determined.	
Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower:	Not determined.	
Auto igniting: Danger of explosion: Explosion limits: Lower:		
Danger of explosion: Explosion limits: Lower:	Product is not self-igniting.	
Explosion limits: Lower:	Product is not self-igniting.	
Lower:	Product does not present an explosion hazard.	
Upper: 2	0.1 Vol %	
	2.0 Vol %	
apor pressure:	Not applicable.	
Density at 20 °C (68 °F):	2.56 g/cm³ (21.363 lbs/gal)	
- · · · · · · · · · · · · · · · · · · ·	Not determined.	
	Not applicable.	
vaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	nsoluble.	
Partition coefficient (n-octanol/water):	Not determined.	
/iscosity:		
Dynamic:	Not applicable.	

Printing date 05/09/2016 Version US-EN-Rev 1 Reviewed on 05/09/2016

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

Solvent content:
Organic solvents:
Other information

Ochet information

(Contd. of page 5)

0.0 %
0.0 %
0.3 %
0.3 %
0.0 %
No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable at ambient temperature.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Reacts with strong acids.
- Hazardous decomposition products:

Carbon monoxide

Flammable gases/vapors

Poisonous gases/vapors

Carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
84-74-2	dibut	yl phthalate
Oral	LD50	8000 mg/kg (rat (f+m))
Dermal	LD50	20000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
poly(methyl methacrylate)	3
dibenzoyl peroxide	3
titanium dioxide	2B
iron(III) oxide	3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 05/09/2016 Version US-EN-Rev 1 Reviewed on 05/09/2016

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 6)

Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

- · Repeated dose toxicity. No further relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

No further relevant information available.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

4 4 📟			4.0
14 Trans	nort int	torma	tion
IT HUIS		Ollina	LIVII

٠	U	N-	·N۱	um	ber
---	---	----	-----	----	-----

- · DOT, ADR, ADN, IMDG, IATA Void
- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA Void

(Contd. on page 8)

Printing date 05/09/2016 Version US-EN-Rev 1 Reviewed on 05/09/2016

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

		(Contd. of page 7
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group DOT, ADR, IMDG, IATA	Void	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Anne MARPOL73/78 and the IBC Code	x II of Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture SARA (Superfund Amendments and Reauthorization Act) · Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): dibutyl phthalate dibenzoyl peroxide · TSCA (Toxic Substances Control Act): poly(methyl methacrylate) glass, oxide, chemicals dibutyl phthalate dibenzoyl peroxide water · Carcinogenic categories · EPA (Environmental Protection Agency) dibutyl phthalate D TLV (Threshold Limit Value established by ACGIH) dibenzoyl peroxide Α4 titanium dioxide A4 iron(III) oxide Α4 · NIOSH-Ca (National Institute for Occupational Safety and Health)

titanium dioxide

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

Printing date 05/09/2016 Version US-EN-Rev 1 Reviewed on 05/09/2016

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 8)

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

dibutyl phthalate

dibenzoyl peroxide

Hazard statements

Harmful if inhaled.

May cause an allergic skin reaction.

May cause respiratory irritation.

· Precautionary statements

Contaminated work clothing must not be allowed out of the workplace.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

- Department issuing SDS: Regulatory Affairs
- Contact:

Regulatory Affairs

Telephone No. +1 (708) 597-0900

sds@gcamerica.com

· Date of preparation / last revision 05/09/2016 / -

Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HCS: Hazard Communication Standard (USA)

MSDS: Material Safety Data Sheet

SDS: Safety Data Sheet

ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)

ECHA: European Chemicals Agency

OSHA: Occupational Safety and Health Administration (USA)

C.I.: Colour Index

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Contd. on page 10)

Printing date 05/09/2016 Version US-EN-Rev 1 Reviewed on 05/09/2016

Trade name: ALIKE (Powder, Shades: 59, 62, 65, 67, 77, and 81)

(Contd. of page 9)

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit

Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Sources

- Manufacturers' MSDSs/SDSs
- OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html)
- TOXNET (http://toxnet.nlm.nih.gov/)
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)

· Notes:

CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

* Data compared to the previous version altered. This version replaces all previous versions.

· Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

HS