DentsplySirona Safety Data Sheet



1. Product and Company Identification

Product Name	SDS Code Number	
Lynal [®] Powder	553005-Powder	
Trade Name & Synonyms	Date of Last Revision	
Lynal [®] Tissue Conditioner and Temporary Reliner	11/19/19	
Manufacturer	Address	
DENTSPLY Milford	38 West Clarke Avenue	
	Milford DE 19963-1805	
	http://www.dentsplysirona.com	
Grades or Minor Variant Identities	Company Telephone Number (Product Inquiries) (302) 422-	
Not Applicable	4511 (8:00 AM – 4:30 PM Eastern Time)	
Product Use (for Canada)	Emergency Telephone Number	
Not Applicable	CHEMTREC: 1-800-424-9300 (24 hours)	
	(Outside U.S. +1-703-527-3887) CCN6510	

2. Hazard(s) Identification



Warning

Causes eye irritation

Causes mild skin irritation (GHS07)

Wash hands thoroughly after handling.

If In Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical attention.

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Benzoyl Peroxide	94-36-0	5.0 mg/M^3	< than 1

Warning: Contains Aspartame: Practioner: Advise Phenylketonurics this product contains phenylalanine.

4. First Aid Measures

Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper		Not Applicable
	and lower eyelids. If symptoms persist consult physician		
Skin	Flush skin with plenty of water for at least 15 minutes, while removing contaminated	Get medical aid if symptoms	Not Applicable
	clothing and shoes. Wash clothing before reuse.	persist.	
Inhalation	Move to fresh air immediately. If not breathing, give artificial respiration. If breathing	Get medical aid.	Not Applicable
	is difficult give oxygen. Consult physician if symptoms persist		
Ingestion	If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Never give	Get medical aid.	Not Applicable
-	anything by mouth to an unconscious person. Do NOT induce vomiting.		
Other	Not Applicable	Not Applicable	Not Applicable
Note to Physicians (Freating Testing and Monitoring): Treat symptomatically	•	

5. Fire and Explosion Data

Flashpoint Method:	Flammable (Explosive) Limits in Air	Autoignition Temperature: >300°C (570°F)	Other: Not	
304°C (572°F) Tag Closed Cup	LEL: 20mg/M ³ (as dust cloud) UEL: Not Applicable	-	Applicable	
Flame Propagation or Burning Rate (for Properties Contributing to Fire Intensity: Not		Flammability Classification:		
Solids) Not Applicable	Applicable	NFPA Flammability =1		
Extinguishing Media: Water spray, water foam, CO ₂ , or extinguishing powder. Fight larger fires		Extinguishing Media to Avoid: Water with fu	ll jet.	
with water spray or alcohol resistant foam.				
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices. Formation of toxic, irritating gases is possible				

from the decomposition of the polymer.

Unusual Fire and Explosion Hazards: Dusts may be combustible when exposed to heat, flame, or oxidizing agents. Although the polymer dust is not easily ignited,

Unusual Fire and Explosion Hazards: Dusts may be combustible when exposed to heat, flame, or oxidizing agents. Although the polymer dust is not easily ignited the explosive limits of the polymer dust suspended in air are approximately those of coal dust therefore, fire fighters should avoid extinguishing methods which generate dust clouds. Formation of toxic, irritating gases is possible from the decomposition of the polymer. In routine use this product does not present an explosion hazard.

6. Accidental Release Measures

Containment Techniques: Material is a solid and as such containment is limited to steps to reduce dust.

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Polymer particles are slippery when spilled on hard floor so sweep immediately and wash area with water to avoid accidental falls. Keep exposure to airborne particles to a minimum when cleaning by using proper ventilation as discussed in section 8.

Special Instructions: Not Applicable **Evacuation Procedures: Not Applicable** Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Minimize dust generation when handling. Avoid inhalation of dust, and contact with eyes. Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals

Storage Practices and Warnings: Store in a cool, dry, well ventilated area. Store only in the original package. Keep package tightly sealed. To prevent water absorption and contamination. Store away from food and beverages.

8. Exposure Control / Personal Protection











Routes of	Personal Protective Equipment	PPE for Eme	ergencies
Entry	(PPE) for Normal Use		
Eye/Face	Wear appropriate protective eyeglasses or safety glasses to prevent exposure during normal use.	For emergency or higher risk of exposure, wear che eye and face protection regulations in 29 CFR 1910	
Skin	During normal use, disposable gloves are recommended to prevent skin exposure.	For emergency or higher risk of exposure, wear pro wear a lab coat to prevent contamination of your clo reuse.	
Inhalation	During normal use with local exhaust, use of a dust mask will provide additional protection.	For emergency or higher risk of exposure, (for exan follow the OSHA respirator regulations found in 29 Always use a NIOSH or European Standard EN149	CFR 1910.134 or European Standard EN149.
Body Protection	Protective work clothing	Not Applicable	
		ing polymer particulate material, use methods to mini and contaminated clothing. Wash hands before breaks	

1910.134 or European Standard EN149. Always use a NIOSH or European Standard EN149 approved respirator to prevent inhalation of dust. Other Protective Measures and Equipment: Facilities should be equipped with an eyewash station.

9. Physical and Chemical Characteristics

Appearance: White free flowing powder.		Odor: Characteristic methacrylate ester odor.		
Normal Physical State: Dry powder (Polymer particles)		Melting Point: Not Applicable		
Specific Gravity: 1.0 g/cm ³ Solubility in Water: Not soluble		pH: Not Applicable		
Vapor Pressure (mm Hg): Not Applicable Vapor Density (AIR=1) Not Applicable		Evaporation Rate (Butyl Acetate =1) Not Applicable		
Other: Decomposition Temperature 200°C (392°F)				

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Strong Oxidizing agents, strong bases, amines and alkalis.		
Hazardous Products Produced During Decomposition: Carbon monoxide, irritating gases and toxic fumes and gases, carbon dioxide.		
Hazardous Polymerization: ☐May Occur ☐May Not Occur ☐Conditions to Avoid: None known		
Stability? Stable Unstable Conditions to Avoid: Excess heat above 200°C (392°F), strong oxidants.		

11. Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: Product may be an irritant to the skin in susceptible persons. On the eye the product has an irritating effect. Certain susceptible persons may be sensitized or allergic to acrylates and methacrylates.

Emergency Overview: Free flowing powder is not known to cause significant health problems. Should be considered an inert or

nuisance c	nuisance dust. Avoid inhalation of dust. Keep dust out of eyes to prevent possible irritation.					
Routes of Single, Repeated, or Lifetime Severity (Mild, Acute and Chron		Acute and Chronic Health Effect(s)	Target Organ(s)			
Exposure	Signs and Symptoms	Exposure	Moderate, Severe)			
Eye	Material can cause	Single	Mild	Irritation and possible corneal damage.	Not Applicable	
	irritation and redness.					
Skin	Material may cause	Single & Repeated. Irritation	Mild	Irritation or possible allergic response.	Not Applicable	
	irritation.	may become more		Some individuals may become sensitized		

		pronounced after repeated		to powder after repeated doses and	
		exposure in some individuals.		develop contact dermatitis.	
Inhalation	Material may cause irritation.	Single & Repeated. Irritation may become more	Not known to cause any health issues so	Some individuals may become sensitized to powder after repeated doses and	Not Applicable
		pronounced after repeated	anticipated response is	develop contact dermatitis.	
		exposure in some individuals.	mild.		
Ingestion	Not a normal route of	Not a normal route of entry.	Not known to cause	Not a normal route of entry.	Not Applicable
	entry. May cause		any health issues so		
	irritation of digestive		anticipated response is		
	tract.		mild.		
Other	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Medical Conditions Aggravated by Exposure: Existing respiratory conditions may be aggravated by inhalation of powders. Individuals with known sensitivity to methacrylates, or acrylates used in Dental products.

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in

compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects: Not considered hazardous to surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4), Health = 1, Fire = 1, Reactivity = 0

12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Material is a solid with low volatility and is insoluble in water. Material is expected to have low toxicity to organisms in the environment. It is not biodegradable. Material is not likely to be removed during biological treatment process.

13. Disposal Considerations

Regulations: May be disposed of in landfill or incinerated. Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations.

Properties (Physical/Chemical) Affecting Disposal: Dry powder. Dispose of material as solid waste in a closed container.

14. Transport Information

Regulated for Shipping: No. Not Regulated	DOT Shipping Name: Not Regulated	Packing Group: Not Applicable
Do Changes in Quantities, packaging, or shipment	DOT Hazard Class: Not Applicable	UN Number: Not Applicable
method change product classification? No		

15. Regulatory Information

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status; All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

International Regulations: Canadian Environmental Protection Act: This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation.

European Inventory of New and Existing Chemicals Substances (EINECS):

This product is a medical device and not subject to chemical notification requirements

Other: Not Applicable

16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

DENTSPLY Milford Safety Data Sheet

1. Product and Company Identification

Product Name	SDS Code Number
Lynal [®] Liquid	553005-Liquid
Trade Name & Synonyms	Date of Last Revision
Lynal® Tissue Conditioner and Temporary Reliner	11/04/16
Manufacturer	Address
DENTSPLY Milford	38 West Clarke Avenue
	Milford DE 19963-1805
	http://www.dentsply.com
Grades or Minor Variant Identities	Information Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada)	Emergency Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)

2. Hazard(s) Identification



Danger Highly Flammable Liquid and Vapour

 $Keep\ away\ from\ heat/sparks/open\ flames\ /\ hot\ surfaces.$

No smoking.

Keep container tightly closed.

Wear protective gloves/eye protection/face protection.

Ground / Bond container and receiving equipment.

Use explosion-proof electrical lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

IF ON SKIN or Hair: Remove / take off immediately all contaminated clothing.

Rinse skin with water / shower.

In case of fire: Use CO₂ sand or extinguishing powder.

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Ethyl Alcohol	64-17-5	1000 ppm	< 10
Triethyl citrate	77-93-0	Not Established	> 90

Note: Flavor additive is artificial mint.

4. First Aid Measures

	I I II St Tild Tyledbaleb					
Routes of	First Aid Instructions	Immediate	Delayed Effects			
Exposure		Medical Attention				
Eye	Rinse opened eye for several minutes under running water. If symptoms persist consult physician	Not Applicable	Not Applicable			
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable			
Inhalation	Supply fresh air	Not Applicable	Not Applicable			
Ingestion	If symptoms persist consult physician	Not Applicable	Not Applicable			
Other	Not Applicable	Not Applicable	Not Applicable			
Note to Phy	sicians (Treating, Testing and Monitoring): Treat symptomatically.					

5. Fire and Explosion Data

Flashpoint Method: 18°C (64°F)	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not Established	Other: Not
Pensky-Marten Closed Cup	LEL: Not Established UEL: Not Established		Applicable
Flame Propagation or Burning Rate	Properties Contributing to Fire Intensity: Not Applicable	Flammability Classification: 3	
(for Solids): Not Applicable			

Extinguishing Media: Dry chemical, alcohol foam, or carbon dioxide. Water may be ineffective, but should be used to keep fire-exposed containers cool.

Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.

Unusual Fire and Explosion Hazards: Formation of toxic gases is possible during heating or in case of fire.

6. Accidental Release Measures

Containment Techniques: Wear proper personal protective equipment as described in section 8. Absorb spill with inert material (e.g. vermiculite, sand, earth), then place material in suitable labeled plastic or metal container.

Spill/Leak Clean-up Procedures and Equipment: Absorb spill with inert material (e.g. vermiculite, sand, and earth), then place material in suitable labeled plastic or metal container. Ensure adequate ventilation.

Evacuation Procedures: Not Applicable

Special Instructions: Not Applicable

Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Wash thoroughly after handling. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals. Avoid ingestion and inhalation.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store away from extreme heat, food and beverages.

8. Exposure Control / Personal Protection









Ventilation: None required during normal intended use of this product Other Engineering Controls: Not Applicable				
Routes of Entry	Personal Protective Equipment (PPE) for Normal Use		PPE for Emergencies	
Eye/Face	Safety Glasses		Not Applicable	
Skin	The glove material has to be impermeable and resist	ant to the product.	Not Applicable	
Inhalation	Not Required for normal volumes used in Dental office.		Not Applicable	
Body Protection	Protective work clothing		Not Applicable	
	General Hygiene Considerations and Work Practices: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.			
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable				
Other Protective N	Other Protective Measures and Equipment: Not Applicable			

9. Physical and Chemical Characteristics

Appearance: Clear liquid.		Odor: Characteristic alcohol odor with mint.	
Normal Physical State: Low Viscosity Liquid		Melting Point: Not Established Boiling Point: 109°C (228°F)	
Specific Gravity: 1.1 g/cm ³ Solubility in Water: Partially		pH: Not Applicable	
Vapor Pressure (mm Hg): N. A.	Vapor Density (AIR=1): Not Established	Evaporation Rate (Butyl Acetate =1) Not Established	
Other: Not Applicable			

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): High temperatures, strong oxidizing agents and acetyl chloride.		
Hazardous Products Produced During Decomposition: Carbon dioxide, and carbon monoxide from incomplete combustion.		
Hazardous Polymerization: ☐May Occur ☐May Not Occur	Conditions to Avoid: High Temperatures, ignition sources.	
Stability? ⊠Stable □Unstable	Conditions to Avoid: High Temperatures, ignition sources.	

11. Toxicological Information

	bidemiology Studies, Carcinogenicity, N as an Oral LD ₅₀ of 7952 mg/Kg .	Neurological Effects, Ge	enetic Effects, Reprodu	ctive Effects, or Structure Activity Dat	a:
Emergency O	verview: Material may cause ey	ye irritation. Breath	ing vapors may ca	use drowsiness and dizziness.	
Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effect(s)	Target Organ(s)
Eye	Material causes severe eye irritation.	Single	Moderate	Irritation and possible corneal damage	Yes
Skin	Material may be an irritant and may be absorbed through the skin.	Single & Repeated	Moderate	Irritation or possible allergic response. Severe allergic response may result in breathing difficulties.	Yes
Inhalation	Inhalation of high concentrations may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma.	Repeated	Moderate	Chronic inhalation may cause effects similar to those of acute inhalation. Causes respiratory tract irritation. May cause motor incoordination and speech abnormalities.	Yes

Ingestion	May cause irritation of the digestive tract.	Single & Repeated	Mild	Not Applicable	No
	N			XX	
Other Central	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
nervous					
system					
Medical Cond	Medical Conditions Aggravated by Exposure Open sores and wounds of the skin. Individuals with known sensitivity to methacrylat				
acrylates, or urethane dimethacrylate resin used in Dental restorative products.					
Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No. All components of this product are in					
compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.					

12. Ecological Information

NFPA Hazard Classification Ratings (Scale 0-4) Health = 1, Fire = 3, Reactivity = 1 Specific Hazard = None

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class2 (Self-assessment): The ethyl alcohol in the product is apt to volatilizes, leech into the ground water, but no data on the rates of theses processes can be found. Its fate in ground water is unknown. When released into water it will volatilize and probably degrade. It would not be expected to adsorb to sediment or bioconcentrate in fish. When released to the atmosphere it will photodegrade in hours to an estimated range of 4 – 6 days in less polluted areas.

13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as liquid waste in a closed container.

RCRA P-Series: None Listed. RCRA U-Series: None Listed. Waste Number D001 (Ignitable Waste)

14. Transport Information

Regulated for Shipping: Yes Proper Shipping Name: Ethyl Alcohol S	olution	Packing Group: II
Do Changes in Quantities, packaging, or shipment method change	Hazard Class: 3	UN Identification Number: 1170
product classification? No		
Other: Not Applicable		



15. Regulatory Information

<u>U.S. Federal Regulations: CERCLA 103 Reportable Quantity:</u> No chemicals have a reportable quantity. Report spills required under federal, state and local regulations. Many states have more stringent release reporting requirements.

RCRA U-Series Hazardous Waste Code : Not Applicable

Section 313 Toxic Chemicals: This product does not contain any chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372).

SARA Codes: CAS# 64-17-5 Ethyl Alcohol: immediate, delayed, fire.

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

<u>Clean Air Act:</u> CAS# 64-17-5 Ethyl Alcohol: is not listed as a hazardous air pollutant (HAP). This material does not contain any Class 1 ozone depletors. This material does not contain any Class 2 depletors.

Clean Water Act: CAS# 64-17-5 Ethyl Alcohol: is not listed as a Hazardous Substance under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA: None of the chemicals in this product are considered highly hazardous by OSHA.

WGK (Water Danger / Protection): CAS# 64-17-5 Ethyl Alcohol: 0

International Regulations: Hazard Symbol: Flammable XI F Risk Phrases: R11 Highly Flammable, R20/21/22 Harmful by inhalation, in contact with skin and if swallowed. R36/37/38 Irritating to eyes, respiratory system. R68 Possible risks of irreversible effects. Safety Phrases: S7/9 Keep container tightly closed and in a well ventilated place. S16 Keep away from sources of ignition – No Smoking. S23 Do not breathe fumes. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37 Wear suitable protective clothing and gloves. S60This material and its container must be disposed of as hazardous waste.

Canada WHMIS for the CAS# 64-17-5 Ethyl Alcohol, classification of B2 D2A, Flammable Liquid is on the Canadian Ingredient Disclosure List.

16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

DENTSPLY Milford Safety Data Sheet

1. Product and Company Identification

Product Name	SDS Code Number
Lynal [®] Separator	553005-Separator
Trade Name & Synonyms	Date of Last Revision
Lynal [®] Tissue Conditioner and Temporary Reliner	11/04/16
Manufacturer	Address
DENTSPLY Milford	38 West Clarke Avenue
	Milford DE 19963-1805
	http://www.dentsply.com
Grades or Minor Variant Identities	Information Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada)	Emergency Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)

2. Hazard(s) Identification

N/A - Not Applicable

3. Composition/Information on Ingredients

		8	
Hazardous Components	C.A.S. Number	Exposure Limits	%
Mineral Oil	8042-47-5	5 mg/M ³ (for oil mist)	100

4. First Aid Measures

Routes of	First Aid Instructions	Immediate	Delayed Effects		
Exposure		Medical Attention			
Eye	If irritation or redness develops, move victim away from exposure and into fresh air. Flush eyes with	Not Applicable	Not Applicable		
	clean water. If symptoms persist consult physician				
Skin	First aid is not normally required. However it is a good practice to wash any chemical from the skin.	Not Applicable	Not Applicable		
Inhalation	First aid is not normally required. If breathing difficulties develop, move victim away from source of	Not Applicable	Not Applicable		
	exposure and into fresh air. Seek immediate medical attention.				
Ingestion	First aid is not normally required; however, if swallowed and symptoms develop, seek medical	Not Applicable	Not Applicable		
	attention.				
Other	Not Applicable	Not Applicable	Not Applicable		
Note to Phys	Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.				

5. Fire and Explosion Data

5.1 ii c und Explosion Duta					
Flashpoint Method: >187.8°C (370°F)	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not Determined	Other: Not		
•	LEL: Not Applicable UEL: Not Applicable		Applicable		
Flame Propagation or Burning Rate (for	Properties Contributing to Fire Intensity: Not	Flammability Classification: Not Applicable			
Solids) Not Applicable	Applicable	-			
Extinguishing Media: Dry chemical, CO ₂ , foam or water spray is recommended. Water or foam Extinguishing Media to Avoid: Water with full jet.			jet.		
may cause frothing of materials heated ab	may cause frothing of materials heated above 212°F (100°C). Carbon dioxide can displace				
oxygen. Use caution when applying carbon dioxide in confined spaces.					
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.					
Unusual Fire and Explosion Hazards: This	Unusual Fire and Explosion Hazards: This material may burn, but will not ignite readily. Vapors are heavier than air and can accumulate in low areas. If container				
is not properly cooled, it can rupture in the	is not properly cooled, it can rupture in the heat of a fire				

6. Accidental Release Measures

١	intainment Techniques: This material may burn, but will not ignite readily. Keep all sources of ignition away from spill/release. Stay upwind and away from			
	spill/release.			
I	Spill/Leak Clean-up Procedures and Equipment: Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural			
	waterways. Dike far ahead of spill for later recovery or disposal. Spilled material may be absorbed into appropriate absorbent material.			
	Evacuation Procedures: Not Applicable	Special Instructions: Not Applicable	Reporting Requirements: Not Applicable	

7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals. Keep away from all ignition sources.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a cool, dry well-ventilated areas away from heat and all sources of ignition. Store away from food and beverages.

8. Exposure Control / Personal Protection









Ventilation: None required during normal intended use of this product Other Engineering Controls: Not Applicable				
Routes of Entry	s of Entry Personal Protective Equipment (PPE) for Normal Use		PPE for Emergencies	
Eye/Face	Safety Glasses		Not Applicable	
Skin	The glove material has to be impermeable and resistant to the product.		Not Applicable	
Inhalation	Not Required		Not Applicable	
Body Protection	Protection Protective work clothing		Not Applicable	
General Hygiene Considerations and Work Practices: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.				
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable				
Other Protective Measures and Equipment: Not Applicable				

9. Physical and Chemical Characteristics

> 1 my bleat and chemical characteristics				
Appearance: Clear liquid				
Normal Physical State: Liquid			Boiling Point: 310°C (590°F)	
Specific Gravity: 0.88 g/cm ³	Solubility in Water: Not soluble	pH: Not Applicable	pH: Not Applicable	
Vapor Pressure (mm Hg): <0.1	Vapor Density (AIR=1): >1	Evaporation Rate (Butyl Acetate :	Evaporation Rate (Butyl Acetate =1) <1	
Other: Not Applicable				

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Strong oxidizing agents.		
Hazardous Products Produced During Decomposition: Carbon, nitrogen and sulfur oxides.		
Hazardous Polymerization: ☐May Occur ☐May Not Occur	Conditions to Avoid: None known	
Stability? ⊠Stable □Unstable	Conditions to Avoid: Avoid all possible sources of ignition.	

11. Toxicological Information

	Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: Oral - the LD ₅₀ for mineral oil in Rats is greater than 5,000 mg/Kg.				
	Emergency Overview: No significant hazards for emergency responses are known.				
	overview: 110 significant nazarus for emerg				
Routes of		Single, Repeated, or	Severity (Mild,	Acute and Chronic	
Exposure	Signs and Symptoms	Lifetime Exposure	Moderate, Severe)	Health Effect(s)	Target Organ(s)
Eye	Not known to be an eye irritant.	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Skin	Not known to be an eye irritant. No harmful effects from	Repeated	Not Applicable	Not Applicable	Not Applicable
	skin absorption have been reported.				
Inhalation	No harmful effects reported.	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ingestion	No harmful effects reported.	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Other	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Medical Con	Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin.				
Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in					
compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.					
Potential En	Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.				
	NFPA Hazard Classification Ratings (Scale 0-4), Health = 0, Fire = 1, Reactivity = 0				

12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water.

13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

14. Transport Information

Regulated for Shipping: No. Not Regulated	DOT Shipping Name: Not Regulated	Packing Group: Not Applicable
Do Changes in Quantities, packaging, or shipment	DOT Hazard Class Not Applicable	UN Number: Not Applicable
method change product classification? No		

15. Regulatory Information

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

Canada Domestic Substance List: Listed

Canada WHMIS, Workplace Hazardous Materials Information System: This product is not a controlled product.

International Regulations: Canadian Environmental Protection Act: This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation.

European Inventory of New and Existing Chemicals Substances (EINECS): This product is a medical device and not subject to chemical notification requirements.

Other: Not Applicable

16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.