Iveri Whitening Inc. MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY INDENTIFICATION

Product Identifier WHIMIS Classification ATHM25PK8%HP, ATHM4PK8%HP ATHM25PK14%HP, ATHM4PK14%HP Product Use Dental Whitening Gel Manufacturer's Name Supplier's Name Iveri Whitening Inc. Street Address Street Address 7-1900 Clark Blvd. Province Province City City Brampton Ontario Ontario Postal Code Emergency Telephone Postal Code **Emergency Telephone** 1.888.451.0555 L6T0E9

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

MDSD Prepared by

Jag Dhamrait

Hazardous Ingredients	%	CAS Number	LD 50 of Ingredient	LC 50 of Ingredient
(specific)			(specify species and route)	(specify species)
Hydrogen Peroxide	8-14%	7722-84-	1.4 mg/m3 (8hr)	1.4 mg/m3 (8hr)
1 CIONICC		•		

SECTION 3 – HAZARDS IDENTIFICATION

(Emergency Overview)

Date MSDS Prepared

Jan 2, 2011

Main Hazards:







Phone Number 416.231.9444

"O" – Oxidizing

R: Phrases

R34 Causes Burns

R36/37/38 Irritating to eyes, respiratory system and skin.

41 Risk of serious damage to eyes

WHIMIS Symbols

Potential Health Effects

Irritation to the eyes and skin.

SECTION 4 - FIRST AID MEASURES

Skin Contact

Immediately rinse with plenty of water.						
Eye Contact Rinse opened eye with plenty of water for several minutes, then consult a doctor.						
Inhalation	n pienty of water it	<u> Severai i</u>	fillidies, their consult a doctor.			
Remove from exposu	re to fresh air imme	ediately. If	breathing is difficult give			
oxygen.						
Ingestion Wash out mouth with	water. Do not indu	ıce vemitin	ng If conscious give half a			
litre of water to	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to					
		250				
SECTION 5 – FIRE F	IGHTING MEASUR	RES				
Flammable		If yes, under which conditions?				
YES Means of Extinction						
	cuate all personnel.	Use prote	ective equipment for fire			
_	•	•	then the product is involved in			
a fire. Contact profes						
Flashpoint (CO) and Method	Upper Flammable Limit (% 2.6	6 by volume)	Lower Flammable Limit (% by volume) 12.5			
60 Autoignition Temperature (C)		ity to Impact	Explosion Date – Sensitivity to Static			
415		, p	Discharge			
Hazardous Combustion Products	N/A		N/A			
SECTION 6 – ACCID	ENTAL RELEASE	MEASUR	ES			
Leak and Spill Procedures						
	plenty of water. Mo	op and disp	pose of in DOT approved			
containers.						
SECTION 7 – HANDLING AND STORAGE						
Handling Procedures and Equipment						
Observe normal safety regulations when handling chemicals. Wash hands						
thoroughly after handling. Store Requirements						
Store in a cool dry place, protected from sunlight.						
SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION						
Exposure Limits			Mb (: f -)			
Specific Engineering Controls (such as ventilation, enclosed process)						
Provide general or local exhaust ventilation.						
Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other						
If checked, please specify type						
Protective gloves and eyewear.						
Section 9 – Physical and Chemical Properties						

Odour and Appearance

Odour Threshold (ppm)

Physical State

Clear,thick gel.	Slight mint odor.	n/a
Specify Gravity	Vapour Density (air = 1)	Vapour Pressure (mmHg)
1.063	2.62	n/a
Evaporation Rate	Boiling Point	Freezing Point (° C)
< 0.1	187	n/a
pH	Coefficient of Water/Oil Distsribution	Solubility in Water
6.5 approx	n/a	Complete

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability	If no, under which conditions?			
Stable – Yes				
Incompatible with Other Substances	If yes, which ones?			
Yes	Strong alkalies, strong acids. Most metals.			
	Peroxides are strong oxidizing agent.			
Reactivity, and under what conditions?				
Acts as an oxidizing agent. Avoid excessive heat and direct sunlight.				
Hazardous Decomposition Products				
Oxygen. Burning may liberate nitrogen oxides, ammonia, carbon dioxide and				
carbon monoxide.				
SECTION 11 – TOXICOLOGICAL INFORMATION				
SECTION IT - TOXICOLOGICAL INFORMATION				
Effects of Acute Exposure				
Irritant	Irritant			
Effects of Chronic Exposure				
n/a				
	Irritancy of Product			
Irritant to the skin and eyes				
Skin Sensitization	Respiratory Sensitization			
No sensitization effects kn	own n/a			
Carcinogenicity – IARC	Carcinogenicity - ACGIH			
n/a	n/a			
Embrotoxicity	Teratogenicity			
n/a	n/a			
Name of synergistic products/effects	Mutagenicity			
n/a	n/a			

SECTION 12 - ECOLOGICAL INFORMATION

Aquatic Toxicity

No data is available on the effects of this material on the environment. Biological decomposability. Biodegradable. No ecological problems to be anticipated if properly handled and used.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal

Take to a waste incineration plant, under conditions approved by the local authority. Consult local, state and federal environmental protection agencies before disposing on any chemical.

SECTION 14 - TRANSPORT INFORMATION

Land Transport

Special Shipping Information

Non-Hazardous for transport in small amounts.

PIN N/A DOT

Not regulated

Land Transport

ADR/RID Class: 5.1 Oxidizing substances

Danger Code: 58
Packing Group: III
Secondary Hazard: 8
UN-Number: 1511

HS Code: 2847-00-00 Hazard Label: 5.1 + 8

AIR Transport

ICAO/IATA Class: 5.1 Oxidizing substances

Danger Code: 58
Packing Group: III
Secondary Hazard: 8
UN-Number: 1511

HS Code: 2847-00-00 Hazard Label: 5.1 + 8

Proper shipping name: Oxidizing Liquid, Corrosive, N.O.S. (Urea Hydrogen

Peroxide, Sodium Hydroxide)

SEA Transport

IMDG Class: 5.1 Oxidizing substances

Danger Code: 58
Packing Group: III
Secondary Code: 8
UN-Number: 1511

HS Code: 2847-00-00 Hazard Label: 5.1 + 8

Proper shipping name: Oxidizing Liquid, Corrosive, N.O.S. (Urea Hydrogen

Peroxide, Sodium Hydroxide)

SECTION 15 - REGULATORY INFORMATION







R Phrases

R10 Flammable
R41 Contact with acids liberates toxic gas
R36/37/38 Irritating to eyes, skin and respiratory system
R43 May cause sensitization by skin contact
R8 Corrosive

S Phrases

S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical attention.

WHMIS Classification	OSHA	
SERA	TSCA	
This product has been classified in accordance with the hazard criteria of the		

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

SECTION 16 – OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Health Hazard: 1; Fire Hazard:1; Reactivity:0;
R10 Flammable
R36/37/38 Irritating to eyes, skin and respiratory system
R43 May cause sensitization by skin contact