## Iveri Whitening Inc. SAFETY DATA SHEET CP PEROXIDE

SECTION 1 - CHEMICAL PRODUCT AND COMPANY INDENTIFICATION

Product Identifier
ATHM25PK16%CP, ATHM4PK16%CP
ATHM25PK22%CP, ATHM4PK22%CP
ATHM25PK35%CP, ATHM4PK35%CP

Product Use

# Dental Whitening Gel

Manufacturer's Name			Supplier's Name		
Iveri Whitening					
Street Address		Street Address			
8 Automatic Rd.					
City	Province		City		Province
Brampton	Ontario				Ontario
Postal Code	Emergency Telephone		Postal Code		Emergency Telephone
L6S5N4	1.888.451.0555				
Date MSDS Prepared	SDS Prepared by			Phone N	lumber
Jan 2, 2018 Jag Dhamrai		t	416.231.9444		

## SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	%	CAS Number	LD 50 of Ingredient	LC 50 of Ingredient
(specific)			(specify species and route)	(specify species)
Carbamide Urea Peroxide	16-35%	124-43-6	1.4 mg/m3 (8hr)	1.4 mg/m3 (8hr)

### SECTION 3 - HAZARDS IDENTIFICATION

(Emergency Overview)

#### Main Hazards:







"O" – Oxidizing R: Phrases

R34 Causes Burns

R36/37/38 Irritating to eyes, respiratory system and skin.

41 Risk of serious damage to eyes

WHIMIS Symbols

Potential Health Effects

Irritation to the eyes and skin.

## SECTION 4 - FIRST AID MEASURES

Skin Contact

Immediately rinse with	n plenty of water				
Eye Contact	i picity of water.				
Rinse opened eye with plenty of water for several minutes, then consult a doctor.					
Inhalation					
Remove from exposur	re to fresh air imme	ediately. If	breathing is difficult give		
oxygen.					
Ingestion	atas Danatian				
	water. Do not indu	ice vomitin	g. If conscious, give half a		
litre of water to					
SECTION 5 – FIRE F	IGHTING MEASUF	RES			
Flammable		If yes, under	which conditions?		
YES					
Means of Extinction					
1	•	•	ective equipment for fire		
0	<b>.</b>	•	hen the product is involved in		
a fire. Contact profes	SIONAL TIFE-TIGNTERS  Upper Flammable Limit (%		Lower Flammable Limit (% by volume)		
60	2.6	o by volume,	12.5		
Autoignition Temperature (° C)	Explosion Date – Sensitiv	ity to Impact	Explosion Date – Sensitivity to Static		
415	N/A		Discharge N/A		
Hazardous Combustion Products	1		IN/A		
	•				
SECTION 6 – ACCIDI	ENTAL RELEASE	<b>MEASURE</b>	ES		
Leak and Spill Procedures					
· ·	olenty of water Mo	on and dist	nose of in DOT approved		
containers.	Scoop up, wash with plenty of water. Mop and dispose of in DOT approved				
SECTION 7 – HANDLING AND STORAGE					
	SECTION 7 - HANDLING AND STORAGE				
Handling Procedures and Equipr		handling	phomicals Wash hands		
1	Observe normal safety regulations when handling chemicals. Wash hands				
thoroughly after handling.  Store Requirements					
Store in a cool dry place, protected from sunlight.					
OFOTION A FYDOG	NIDE CONTROL (E	SEDOONA	DDOTECTION		
SECTION 8 – EXPOS	SURE CONTROL/F	PERSONAL	LPROTECTION		
Exposure Limits					
ACCGIH	OSHA PEL		ther (specify)		
Specific Engineering Controls (su					
Provide general or loc	aı exnaust ventilat	ion.			
Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other					
If checked, please specify type Protective gloves and eyewear.					
	<u> </u>				
Section 9 – Physical a	Section 9 – Physical and Chemical Properties				

Physical State	Odour and Appearance	Odour Threshold (ppm)
Clear,thick gel.	Slight mint odor.	n/a
Specify Gravity	Vapour Density (air = 1)	Vapour Pressure (mmHg)
1.063	2.62	n/a
Evaporation Rate	Boiling Point	Freezing Point (° C)
< 0.1	187	n/a
pH	Coefficient of Water/Oil Distsribution	Solubility in Water
6.5 approx	n/a	Complete

### SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability	If no, under which conditions?				
Stable – Yes					
Incompatible with Other Substances	If yes, which ones?				
Yes	Strong alkalies, strong acids. Most metals.				
	Peroxides are strong oxidizing agent.				
Reactivity, and under what conditions?					
Acts as an oxidizing agent. Avoid excessive heat and direct sunlight.					
Hazardous Decomposition Products					
Oxygen. Burning may liber	rate nitrogen oxides, ammonia, carbon dioxide and				
carbon monoxide.					
SECTION 11 - TOXICOLO	GICAL INFORMATION				
Effects of Acute Exposure					
Irritant					
Effects of Chronic Exposure					
n/a					
Irritancy of Product					
Irritant to the skin and eyes					
Skin Sensitization	Respiratory Sensitization				
No sensitization effects kno	own n/a				
Carcinogenicity – IARC	Carcinogenicity - ACGIH				
n/a	n/a				
Embrotoxicity	Teratogenicity				
n/a	n/a				
Name of synergistic products/effects	Mutagenicity				
n/a	n/a				

### SECTION 12 - ECOLOGICAL INFORMATION

### Aquatic Toxicity

No data is available on the effects of this material on the environment. Biological decomposability. Biodegradable. No ecological problems to be anticipated if properly handled and used.

### SECTION 13 – DISPOSAL CONSIDERATIONS

#### Waste Disposal

Take to a waste incineration plant, under conditions approved by the local authority. Consult local, state and federal environmental protection agencies before disposing on any chemical.

### **SECTION 14 – TRANSPORT INFORMATION**

### **Land Transport**

Special Shipping Information

Non-Hazardous for transport in small amounts.

PIN N/A DOT

Not regulated

Land Transport

ADR/RID Class: 5.1 Oxidizing substances

Danger Code: 58
Packing Group: III
Secondary Hazard: 8
UN-Number: 1511

HS Code: 2847-00-00 Hazard Label: 5.1 + 8

AIR Transport

ICAO/IATA Class: 5.1 Oxidizing substances

Danger Code: 58
Packing Group: III
Secondary Hazard: 8
UN-Number: 1511

HS Code: 2847-00-00 Hazard Label: 5.1 + 8

Proper shipping name: Oxidizing Liquid, Corrosive, N.O.S. (Urea Hydrogen

Peroxide, Sodium Hydroxide)

SEA Transport

IMDG Class: 5.1 Oxidizing substances

Danger Code: 58
Packing Group: III
Secondary Code: 8
UN-Number: 1511

HS Code: 2847-00-00 Hazard Label: 5.1 + 8

Proper shipping name: Oxidizing Liquid, Corrosive, N.O.S. (Urea Hydrogen

Peroxide, Sodium Hydroxide)

#### SECTION 15 - REGULATORY INFORMATION







## **R Phrases**

R10 Flammable
R41 Contact with acids liberates toxic gas
R36/37/38 Irritating to eyes, skin and respiratory system
R43 May cause sensitization by skin contact
R8 Corrosive

#### **S Phrases**

S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical attention.

WHMIS Classification	OSHA
SERA	TSCA

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

### **SECTION 16 – OTHER INFORMATION**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Health Hazard: 1; Fire Hazard:1; Reactivity:0; R10 Flammable
R36/37/38 Irritating to eyes, skin and respiratory system
R43 May cause sensitization by skin contact