



Material Safety Data Sheet

Issuing Date 10-May-2010

Revision Date

Revision Number 0

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name

Contrastpm 15%

Recommended Use

Dental whitening gel

Synonyms

15% carbamide peroxide gel

Supplier Address

Discus Dental LLC 1700A South Baker Ave. Ontario, CA 91761 USA **Distributor**

Discus Dental, LLC 8550 Higuera St. Culver City, CA 90232 USA

TEL 4 0

TEL: 1-800-817-3636

TEL: 1-800-817-3636

Emergency Telephone

Number

800-817-3636

2. HAZARDS IDENTIFICATION

DANGER!

Emergency Overview

Harmful by inhalation
Causes severe skin burns
Risk of serious damage to eyes
May cause adverse kidney effects

Appearance White

Physical State Liquid.

Odor Mint-like

Potential Health Effects

Principle Routes of Exposure

Inhalation. Skin contact. Eye contact.

Acute Toxicity

Eyes Skin Irritating to eyes. Risk of serious damage to eyes.

Causes burns.

Inhalation

Harmful by inhalation. Inhalation of vapors in high concentration may cause irritation of

respiratory system.

Ingestion

May cause gastrointestinal discomfort if consumed in large amounts.

Chronic Effects

Prolonged or repeated contact may dry skin and cause irritation. Avoid repeated exposure.

Aggravated Medical

Conditions

Pre-existing eye disorders. Kidney disorders. Skin disorders. Respiratory disorders.

Environmental Hazard

See Section 12 for additional Ecological Information.

153

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight % |
|-------------------|-----------|----------|
| Propylene glycol | 57-55-6 | 40-50 |
| Glycerin | 56-81-5 | 10-20 |
| Urea peroxide | 124-43-6 | 1-10 |
| Hydrogen peroxide | 7722-84-1 | 1-10 |
| Potassium nitrate | 7757-79-1 | 1-10 |

4. FIRST AID MEASURES

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a

physician immediately.

Skin Contact

Call a physician immediately.

Inhalation

Move to fresh air in case of accidental inhalation of vapors or decomposition products. If

symptoms persist, call a physician.

Ingestion

Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If large quantities of this material

are swallowed, call a physician immediately.

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties

Oxidizer.

Flash Point

Not applicable.

Sultable Extinguishing Media

Water spray. Carbon dioxide (CO₂). Foam. Dry chemical.

Hazardous Combustion Products

Carbon monoxide. Carbon dioxide (CO₂). Nitrogen oxides (NOx). Aldehydes. On

decomposition product releases oxygen which may intensify fire.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None.

Specific Hazards Arising from the

Chemical

Will ignite combustible materials (wood, paper, oil, debris, etc.). Oxidizing agents may form explosive peroxides.

Protective Equipment and

Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

NFPA

Health Hazard 2

Flammability 0

Stability 1

Physical and Chemical

Hazards OX

<u>HMIS</u>

Health Hazard 2

Flammability 0

Physical Hazard 0

Personal Protection B

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use

personal protective equipment. Avoid contact with the skin and the eyes.

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Cover liquid spill with sand, earth or other noncombustible absorbent material. Pick up and

transfer to properly labeled containers.

Other Information Keep combustibles (wood, paper, oil, etc) away from spilled material

7. HANDLING AND STORAGE

Handling Ensure adequate ventilation. Wear personal protective equipment. Avoid contact with skin,

eyes and clothing.

Storage Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled

containers. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------|--------------------------------|--|--|
| Calcium carbonate | | TWA: 15 mg/m ³ | TWA: 5 mg/m ³ respirable dust |
| 471-34-1 | | TWA: 5 mg/m ³ | TWA: 10 mg/m ³ total dust |
| | | (vacated) TWA: 15 mg/m ³ | |
| | | (vacated) TWA: 5 mg/m ³ | |
| Glycerin | TWA: 10 mg/m ³ mist | TWA: 15 mg/m ³ mist, total particulate | |
| 56-81-5 | <u>-</u> | TWA: 5 mg/m ³ mist, respirable fraction | |
| | | (vacated) TWA: 10 mg/m ³ mist, total | |
| | | particulate | |
| | | (vacated) TWA: 5 mg/m ³ mist, | |
| | | respirable fraction | |
| Hydrogen peroxide | TWA: 1 ppm | TWA: 1 ppm | IDLH: 75 ppm |
| 7722-84-1 | ., | TWA: 1.4 mg/m ³ | TWA: 1.4 mg/m ³ |
| | | (vacated) TWA: 1 ppm | TWA: 1 ppm |
| | 44 | (vacated) TWA: 1.4 mg/m ³ | |
| Silica, amorphous, fumed, | 10 mg/m ⁹ | TWA: 20 mppcf; ((80)/(% SiO2) mg/m ³) | IDLH: 3000 mg/m ³ |
| crystal-free | | | TWA: 6 mg/m ³ |
| 112945-52-5 | | | |

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Engineering Measures Showers

Eyewash stations Ventilation systems

Personal Protective Equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection Tightly fitting safety goggles.

Impervious gloves.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and

clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. Keep away from food, drink and animal feeding stuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odor Threshold

Odor Threshold pH

Flash Point

Decomposition Temperature Melting Point/Range Flammability Limits in Air

Specific Gravity Solubility Vapor Pressure

VOC Content (%)

White.

No information available.

5.7-6.3 Not applicable.

No information available No information available No information available

No data available No information available No data available

61.76

Odor

Physical State

Autoignition Temperature Boiling Point/Range

Explosion Limits

Water Solubility Evaporation Rate Vapor Density Viscosity Mint-like. Liquid

No information available No information available

No information available

Miscible with water No information available No data available 250,000 - 1,200,000 cps

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions. Decomposes on heating

Incompatible Products Strong oxidizing agents. Strong acids. Metals.

Conditions to Avoid Heat.

Hazardous Decomposition

Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx). Aldehydes. Oxygen

which supports combustion.

Hazardous Polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------|--------------------|---|-----------------|
| Potassium nitrate | 3015 mg/kg (Rat) | | |
| Propylene glycol | 20000 mg/kg (Rat) | 20800 mg/kg (Rabbit) | |
| Hydrogen peroxide | 801 mg/kg (Rat) | 2000 mg/kg (Rabbit) 4060 mg/kg (Rat) | 2 mg/L (Rat)4 h |

Chronic Toxicity

Chronic Toxicity Prolonged or repeated contact may dry skin and cause irritation. Avoid repeated exposure.

Carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to

humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to

humans (Group 2B).

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-------------------|-------|----------|-----|------|
| Potassium nitrate | | Group 2A | | X |
| Hydrogen peroxide | A3 | Group 3 | | |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans OSHA: (Occupational Safety & Health Administration)

X - Present

Target Organ Effects

Eyes. Kidney. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|-------------------|---|--|----------------------------|--|
| Propylene glycol | EC50: 19000 mg/L Pseudokirchneriella subcapitata 96 h | LC50: 51600 mg/L Oncorhynchus mykiss 96 h static LC50: 41-47 ml/L Oncorhynchus mykiss 96 h static LC50: 51400 mg/L Pimephales promelas 96 h static LC50: 710 mg/L Pimephales promelas 96 h | EC50 = 710 mg/L 30 min | EC50: >10000 mg/L Daphnia magna 24 h EC50: >1000 mg/L Daphnia magna 48 h Static |
| Glycerin | | LC50: 51-57 ml/L Oncorhynchus mykiss 96 h static | | EC50: >500 mg/L Daphnia magna 24 h |
| Hydrogen peroxide | EC50: 2.5 mg/L Chlorella vulgaris 72 h | LC50: 16.4 mg/L Pimephales promelas 96 h LC50: 18-56 mg/L Lepomis macrochirus 96 h static LC50: 10.0-32.0 mg/L Oncorhynchus mykiss 96 h static | | EC50: 7.7 mg/L Daphnia magna 24 h EC50: 18 - 32 mg/L Daphnia magna 48 h Static |

| Chemical Name | Log Pow |
|---------------|---------|
| Glycerin | -1.76 |

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste |
|-------------------|----------------------------|
| Hydrogen peroxide | Toxic |
| , , , | Corrosive |
| | Ignitable |
| | Reactive |
| Potassium nitrate | Ignitable |
| | Reactive |

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Exempt
DSL Complies
NDSL Complies
EINECS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name | CAS-No | Weight % | SARA 313 - Threshold Values % |
|-------------------|-----------|----------|----------------------------------|
| Potassium nitrate | 7757-79-1 | 2 | 1.0 |

SARA 311/312 Hazard Categories

| Acute Health Hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | Yes |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|--------------------|---------------|------------|--------------|----------|--------------|
| Potassium nitrate | X | X | X | | X |
| Propylene glycol | | X | X | | X |
| Urea peroxide | | X | | | |
| Hydrogen peroxide | X | X | X | | X |
| Disodium phosphate | X | X | | | |

International Regulations

| Chemical Name | Carcinogen Status | Exposure Limits |
|-------------------|-------------------|---|
| Hydrogen peroxide | Â3 | Mexico: TWA= 1.5 mg/m ³ Mexico: TWA= 1 ppm Mexico: STEL= 2 ppm Mexico: STEL= 3 mg/m ³ |

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

E Corrosive material



16. OTHER INFORMATION

Prepared By

Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 10-May-2010

Issuing Date Revision Date

Revision Note

Initial Release.

General Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, Information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet