



SAFETY DATA SHEET

Issuing Date 29-Oct-2021

Revision Date 29-Oct-2021

ECR# 27964

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name

Ceri-Prime

Other means of identification

UN-Number UN1120

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use

Professional Dental Porcelain Primer

Uses advised against

No information available

Supplier's details

Supplier Address DenMat 1017 W. Central Ave. Lompoc, CA 93436 TEL: 805-346-3700

Emergency telephone number

Emergency Telephone Number

805-346-3700

2. HAZARDS IDENTIFICATION


Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation	Category 2
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3
Flammable liquids	Category 2

GHS Label elements, including precautionary statements

Emergency Overview		
Signal Word Hazard Statements	Danger	
Signal Word Hazard Statements • Causes serious eye irritation • May cause drowsiness or dizziness • Highly flammable liquid and vapor		



Precautionary Statements

Prevention

- Wash face, hands and any exposed skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Keep cool

General Advice

None

Eyes

• IF IN EYES: Rinse Cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing.

· IF eye irritation persists: Get medical advice/attention

Skin

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

• If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

- Store in a well-ventilated place. Keep container tightly closed.
- · Store locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Aspiration hazard if swallowed - can enter lungs and cause damage Harmful to aquatic life

<5% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
organosilane ester	proprietary	20-30	*
ethoxylated bis-phenol-A dimethacrylate	41637-38-1	5-10	*
n-butanol	71-36-3	60 -70	*
triethylene glycol dimethacrylate	109-16-0	1-5	*
ethyl 4-dimethylaminobenzoate	10287-53-3	0.1 - 1	*
2-(2' hydroxy-5'-octylphenyl) benzotriazole	3147-75-9	0.1 - 1	*
di hydroxyethyl p toluidine	3077-12-1	0.01 – 0.1	*
camphorquinone	10373-78-1	0.01 – 0.1	*
Gamma-Glycidoxypropyltrimethoxysilane	2530-83-8	1-5	*
Gamma-Methacryloxypropyltrimethoxysilane	2530-85-0	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician.		
Skin Contact	Wash off with warm water and soap. Consult a physician if necessary.		
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If not breathing, give artificial respiration. Seek immediate medical attention/advice.		
Ingestion	Do NOT induce vomiting. Aspiration hazard if swallowed - can enter lungs and cause damage. Call a physician or Poison Control Center immediately.		
Most important symptoms/effects, acute and delayed			
Most Important Symptoms/Effects	Dizziness. Drowsiness.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to Physician	Condition of the patient should be carefully monitored. Aspiration of this product during induced emesis can result in lung injury. If evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation. Contact a Poison Control Center for additional treatment information.		

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Extremely flammable.

Explosion Data
Sensitivity to Mechanical Impact
Sensitivity to Static Discharge

None. Yes.

Protective Equipment and Precautions for Firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation. Avoid breathing vapors or mists. Remove all sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

Environmental Precautions

Environmental Precautions

Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling	Ensure adequate ventilation. Avoid breathing vapors. Keep away from open flames, hot surfaces and sources of ignition. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.
	vapors). Wear personal protective equipment. Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible Products	Strong acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-butanol	TWA:20 ppm	100 ppm	50 ppm Ceiling
71-36-3		300 mg/m ³	150 mg/m₃ Ceiling

Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, su	ch as personal protective equipment
Eye/Face Protection Skin and Body Protection Respiratory Protection	Safety glasses with side-shields. Tightly fitting safety goggles. Long sleeved clothing. Impervious gloves. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Odor	Liquid Aromatic solvent	Appearance Odor Threshold	Clear to light yellow. No information available
<u>Property</u> pH Melting Point/Range Boiling Point/Range Flash Point	<u>Values</u> N/A Not determined 140 °C 70 °C	Remarks/ - None known None known	<u>Method</u>
Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit Vapor Pressure	No data available No data available No data available No data available 3 mm Hg	None known None known	
Vapor Density Specific Gravity Water Solubility Solubility in other solvents	2.1 0.90 @ 25°C Minimal 100% soluble in acetone	None known and ethanol None known	
Information on basic physic	al and chemical properties		
Partition coefficient: n-octanol/ Autoignition Temperature Decomposition Temperature	water No data available No data available No data available	None known None known None known	
Viscosity	Similar to water		
Flammable Properties	Flammable		
Explosive Properties Oxidizing Properties	No data available No data available		
Other information			
VOC Content (%)	60%		

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Ignitions sources - heat, sparks and open flames.

Incompatible materials

dust/mist

Strong acids. Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Inhalation Eye Contact Skin Contact Ingestion	The product itself has not been tested. Data is for major component in product. May cause drowsiness and dizziness based on components. May cause irritation of respiratory tract. Irritating to eyes. May cause skin irritation and/or dermatitis. Potential for aspiration if swallowed. Vomiting may aspirate into lungs and cause chemical pneumonia.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	May cause drowsiness and dizziness. Eye contact with liquid may cause irritation including stinging, burning, tearing, or reddening of the eyes.
Delayed and immediate effects and	also chronic effects from short and long term exposure
Sensitization Mutagenic Effects Carcinogenicity	No information available. No information available. Ethanol has been shown to be carcinogenic in long-term studies only when consumed and abused as an alcoholic beverage.
Reproductive Toxicity STOT - single exposure STOT - repeated exposure Target Organ Effects Aspiration Hazard	No information available. No information available. No information available. Eyes. Respiratory system. Based on product level data, this product does not meet the requirement to be classified as an aspiration hazard. However, this product contains an ingredient that may cause aspiration if swallowed.
Numerical measures of toxicity - P Acute Toxicity The following values are calculate LD50 Oral Inhalation	roduct

Not established

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical	Toxicity to	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
Name	Algae		Microorganisms	Flea)
n- Butanol 71-36-3	500 mg/L EC50 Desmodesmus subspicatus 72h 500 mg/L EC50 Desmodesmus subspicatus 96 h	100000-500000 μg/L LC50 Lepomis macrochirus 96 h static 1 1730-1910 mg/L LC50 Pimephales promelas 96 h static 1 1740 mg/L LC50 Pimephales promelas 96 h flow-through 1	N/A	1897 - 2072 mg/L EC50 Daphnia magna 48 h 1983 mg/L EC50 Daphnia magna 48 h

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

```
Waste Disposal Methods
```

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

Chemical Nam	е	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
N Butyl alcohol 7	1-36-3	None	None	None	U031 ignitable waste

14. TRANSPORT INFORMATION

DOT	
UN-Number	UN1120
Proper shipping name	Flammable liquids, n.o.s.
Hazard Class	3
Packing Group	II
Description	UN1120, Flammable liquids, n.o.s. (butanols), 3, II

15. REGULATORY INFORMATION

International Inventories TSCA

All components of this product are either listed or are exempt on the TSCA inventory.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

15. REGULATORY INFORMATION

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.



U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 2	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal Protection X
<u>General Disclaimer</u>				
Issuing Date Revision Date		ber 2021 ber 2021		

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date	29-Oct-2021
--------------	-------------

Revision Date 29-Oct-2021

ECR# 27964

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier	
Product Name	Cerinate-Prime, L/C Cerinate Prime
Other means of identification	
UN-Number	UN1120
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Professional Dental Porcelain Primer
Uses advised against	No information available
Supplier's details	
Supplier Address DenMat 1017 W. Central Ave. Lompoc, CA 93436 TEL: 805-346-3700	
Emergency telephone number	
Emergency Telephone Number	805-346-3700
	2. HAZARDS IDENTIFICATION
Classification	


Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation	Category 2
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3
Flammable liquids	Category 2

GHS Label elements, including precautionary statements

Emergency Overview		
Signal Word Hazard Statements	Danger	
Signal Word Hazard Statements • Causes serious eye irritation • May cause drowsiness or dizziness • Highly flammable liquid and vapor.		



Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Keep container tightly closed.
- · Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- · Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- · Keep cool

General Advice

None

Eyes

• IF IN EYES: Rinse Cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing.

• IF eye irritation persists: Get medical advice/attention

Skin

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

- If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- · Call a POISON CENTER or doctor/physician if you feel unwell

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

- Store in a well-ventilated place. Keep container tightly closed.
- · Store locked up.

Disposal

· Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Aspiration hazard if swallowed - can enter lungs and cause damage Harmful to aquatic life

<5% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
organosilane ester	proprietary	20-30	*
ethoxylated bis-phenol-A dimethacrylate	41637-38-1	5-10	*
n-butanol	71-36-3	60 -70	*
triethylene glycol dimethacrylate	109-16-0	1-5	*
ethyl 4-dimethylaminobenzoate	10287-53-3	0.1 - 1	*
2-(2' hydroxy-5'-octylphenyl) benzotriazole	3147-75-9	0.1 - 1	*
di hydroxyethyl p toluidine	3077-12-1	0.01 – 0.1	*
camphorquinone	10373-78-1	0.01 – 0.1	*
Gamma-Glycidoxypropyltrimethoxysilane	2530-83-8	1-5	*
Gamma-Methacryloxypropyltrimethoxysilane	2530-85-0	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures				
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician.			
Skin Contact	Wash off with warm water and soap. Consult a physician if necessary.			
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If not breathing, give artificial respiration. Seek immediate medical attention/advice.			
Ingestion	Do NOT induce vomiting. Aspiration hazard if swallowed - can enter lungs and cause damage. Call a physician or Poison Control Center immediately.			
Most important symptoms/effects, acute and delayed				
Most Important Symptoms/Effects	Dizziness. Drowsiness.			
Indication of immediate medical attention and special treatment needed, if necessary				
Notes to Physician	Condition of the patient should be carefully monitored. Aspiration of this product during induced emesis can result in lung injury. If evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation. Contact a Poison Control Center for additional treatment information.			

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical Extremely flammable.

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. Yes.

Protective Equipment and Precautions for Firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Ensure adequate ventilation. Avoid breathing vapors or mists. Remove all sources of
	ignition. Take precautionary measures against static discharges. Do not get in eyes, on
	skin, or on clothing. Wash thoroughly after handling.

Environmental Precautions

Environmental Precautions

Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Ensure adequate ventilation. Avoid breathing vapors. Keep away from open flames, hot surfaces and sources of ignition. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities

StorageKeep containers tightly closed in a dry, cool and well-ventilated place.Incompatible ProductsStrong acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-butanol	TWA:20 ppm	100 ppm	50 ppm Ceiling
71-36-3		300 mg/m ³	150 mg/m₃ Ceiling

Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, such as personal protective equipment	

Eye/Face Protection	Safety glasses with side-shields. Tightly fitting safety goggles.	
Skin and Body Protection	Long sleeved clothing. Impervious gloves.	
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Property pH Values Remarks/ - Method pH N/A None known Melting Point/Range N/A None known Boiling Point/Range 140 °C None known Flash Point 70 °C Evaporation rate No data available None known Flash Point 70 °C Evaporation rate No data available None known Flammability (solid, gas) No data available None known None known Flammability Limits in Air upper flammability limit No data available None known Upper flammability Limits No data available None known None known Vapor Pressure 3 mm Hg Specific Gravity 0.90 @ 25°C None known Water Solubility Minimal None known None known Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties None known None known Viscosity No data available None known None known Viscosity Similar to water Similar to water Similar to water Flammabile Properties	Physical State	Liquid	Appearance	Clear to light yellow.	
pH N/A None known Melting Point/Range Not determined None known Boiling Point/Range 140 °C Flash Point 70 °C Evaporation rate No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air upper flammability limit No data available Upper flammability Limits No data available None known Vapor Pressure 3 mm Hg Vapor Pressure 3 mm Hg Vapor Density 2.1 Specific Gravity 0.90 @ 25°C None known Water Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties None known Partition coefficient: n-octanol/water No data available None known Viscosity Similar to water Similar to water Flammabile Properties Flammable None known Voc Content (%) 60% Kodata available None known	Odor	Aromatic solvent	Odor Threshold	No information available	
pH N/A None known Melting Point/Range Not determined None known Boiling Point/Range 140 °C Flash Point 70 °C Evaporation rate No data available None known None known Flammability (solid, gas) No data available No data available None known Flammability Limits in Air upper flammability limit No data available None known Flammability Limits in Air No data available Upper flammability limit No data available Vapor Pressure 3 mm Hg Vapor Density 2.1 Specific Gravity 0.90 @ 25°C None known Mater Solubility Minimal Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties Partition coefficient: n-octanol/water No data available None known No data available None known Viscosity Similar to water Flammabile Properties Flammabile Similar to water Similar to water Flammabile Properties No data available Solutig Properties No data available	Property	Values	Remarks/ - I	Method	
Boiling Point/Range 140 °C Flash Point 70 °C Evaporation rate No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air upper flammability limit No data available None known Iower flammability limit No data available None known Vapor Pressure 3 mm Hg Vapor Pressure 3 mm Hg Vapor Density 2.1 Specific Gravity 0.90 @ 25°C None known Water Solubility Minimal None known None known Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties None known None known Partition coefficient: n-octanol/water No data available None known Autoignition Temperature No data available None known Viscosity Similar to water Similar to water Flammable Properties No data available None known Other information Vod content (%) 60%	pH	N/A	None known		
Flash Point 70 °C Evaporation rate No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air upper flammability limit No data available None known Vapor Pressure 3 mm Hg Vapor Pressure 3 mm Hg Vapor Density 2.1 Specific Gravity 0.90 @ 25°C None known Water Solubility Minimal Solubile in acetone and ethanol None known Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties None known None known Autoignition Temperature No data available None known Viscosity Similar to water Similar to water Flammable Properties Flammable No data available Oxidizing Properties No data available None known VOC Content (%) 60% VOC Content (%)	Melting Point/Range	Not determined	None known		
Evaporation rate No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air upper flammability limit No data available lower flammability limit No data available None known Vapor Pressure 3 mm Hg Specific Gravity 0.90 @ 25°C None known Vapor Density 2.1 Specific Gravity 0.90 @ 25°C None known Water Solubility Minimal None known None known Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties None known Partition coefficient: n-octanol/water No data available None known No data available None known None known Viscosity Similar to water None known Flammable Properties Flammable No data available Oxidizing Properties No data available None known Other information No data available None known VOC Content (%) 60% 60%	Boiling Point/Range	140 °C			
Flammability (solid, gas) No data available None known Flammability Limits in Air upper flammability limit No data available Iower flammability limit No data available Vapor Pressure 3 mm Hg Vapor Density 2.1 Specific Gravity 0.90 @ 25°C Water Solubility Minimal Solubility in other solvents 100% soluble in acetone and ethanol Information on basic physical and chemical properties Partition coefficient: n-octanol/water No data available No data available None known Viscosity No data available Viscosity No data available Partition coefficient: n-octanol/water No data available No data available None known Viscosity Similar to water Flammable Properties Flammable Poperties No data available No data available None known Viscosity Similar to water Flammable Properties No data available Oxidizing Properties No data available Other information No data available Other information 60%	Flash Point	70 °C			
Flammability Limits in Air No data available upper flammability limit No data available Vapor Pressure 3 mm Hg Vapor Density 2.1 Specific Gravity 0.90 @ 25°C None known Water Solubility Minimal Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties Partition coefficient: n-octanol/water No data available None known No data available None known Viscosity Similar to water No data available Flammable Properties No data available None known Oxidizing Properties No data available None known Viscosity Similar to water Similar to water Flammable Properties No data available None known Oxidizing Properties No data available None known Other information VOC Content (%) 60%	Evaporation rate	No data available	None known		
upper flammability limit No data available lower flammability limit No data available Vapor Pressure 3 mm Hg Vapor Density 2.1 Specific Gravity 0.90 @ 25°C None known Water Solubility Minimal Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties None known Partition coefficient: n-octanol/water No data available None known No data available None known No data available Viscosity Similar to water No data available None known Flammable Properties Flammable No data available None known Voc Content (%) 60% 60% 60%	Flammability (solid, gas)	No data available	None known		
lower flammability limit No data available Vapor Pressure 3 mm Hg Vapor Density 2.1 Specific Gravity 0.90 @ 25°C None known Water Solubility Minimal Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties Partition coefficient: n-octanol/water No data available None known Decomposition Temperature No data available None known Viscosity Similar to water Flammable Properties Flammable Explosive Properties No data available No data available Oxidizing Properties No data available No data available Oxidizing Properties No data available No data available None known	Flammability Limits in Air				
Vapor Pressure 3 mm Hg Vapor Density 2.1 Specific Gravity 0.90 @ 25°C None known Water Solubility Minimal Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties Partition coefficient: n-octanol/water No data available None known Autoignition Temperature No data available None known Viscosity Similar to water None known Flammable Properties Flammable No data available Oxidizing Properties No data available No data available Vis Content (%) 60% 60%	upper flammability limit	No data available			
Vapor Density 2.1 Specific Gravity 0.90 @ 25°C None known Water Solubility Minimal None known Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties None known Partition coefficient: n-octanol/water Autoignition Temperature Decomposition Temperature No data available None known None known Viscosity Similar to water None known Flammable Properties Flammable No data available None known Oxidizing Properties No data available No data available None known VOC Content (%) 60% 60%	lower flammability limit				
Specific Gravity 0.90 @ 25°C None known Water Solubility Minimal None known Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties None known Partition coefficient: n-octanol/water No data available None known Autoignition Temperature No data available None known Decomposition Temperature No data available None known Viscosity Similar to water Similar to water Flammable Properties Flammable No data available Oxidizing Properties No data available Vo data available VOC Content (%) 60% 60%	Vapor Pressure	5			
Water Solubility Minimal 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties None known Partition coefficient: n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity No data available No data available None known None known Flammable Properties Flammable No data available No data available None known Oxidizing Properties No data available No data available No data available VOC Content (%) 60%					
Solubility in other solvents 100% soluble in acetone and ethanol None known Information on basic physical and chemical properties Partition coefficient: n-octanol/water No data available None known Autoignition Temperature No data available None known Decomposition Temperature No data available None known Viscosity Similar to water None known Flammable Properties Flammable No data available Oxidizing Properties No data available No data available VOC Content (%) 60% 60%		-	None known		
Information on basic physical and chemical properties Partition coefficient: n-octanol/water No data available None known Autoignition Temperature No data available None known Decomposition Temperature No data available None known Viscosity Similar to water None known Flammable Properties Flammable No data available Oxidizing Properties No data available Vo data available Other information VOC Content (%) 60%					
Partition coefficient: n-octanol/water No data available None known Autoignition Temperature No data available None known Decomposition Temperature No data available None known Viscosity Similar to water None known Flammable Properties Flammable Flammable Explosive Properties No data available No data available Oxidizing Properties No data available No data available VOC Content (%) 60% 60%	Solubility in other solvents	100% soluble in aceton	e and ethanol None known		
Autoignition Temperature Decomposition Temperature Viscosity No data available No data available Similar to water None known None known Flammable Properties Flammable Explosive Properties No data available No data available Oxidizing Properties No data available No data available Other information 60%	Information on basic physica	l and chemical properties			
Autoignition Temperature Decomposition Temperature Viscosity No data available No data available Similar to water None known None known Flammable Properties Flammable Explosive Properties No data available No data available Oxidizing Properties No data available No data available Other information 60%	Partition coefficient: n-octanol/w	ater No data available	None known		
Decomposition Temperature Viscosity No data available Similar to water None known Flammable Properties Flammable Explosive Properties No data available No data available Oxidizing Properties No data available Other information 60%					
Flammable Properties Flammable Explosive Properties No data available Oxidizing Properties No data available Other information 60%		No data available	None known		
Explosive Properties No data available Oxidizing Properties No data available Other information VOC Content (%)	Viscosity	Similar to water			
Oxidizing Properties No data available Other information 60%	Flammable Properties	Flammable			
Other information VOC Content (%)		No data available			
VOC Content (%) 60%	Oxidizing Properties	No data available			
	Other information				
10. STABILITY AND REACTIVITY	VOC Content (%)	60%			
		10. STABILITY AND REACTIVITY			

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Ignitions sources - heat, sparks and open flames.

Incompatible materials

Strong acids. Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Inhalation Eye Contact Skin Contact Ingestion	The product itself has not been tested. Data is for major component in product. May cause drowsiness and dizziness based on components. May cause irritation of respiratory tract. Irritating to eyes. May cause skin irritation and/or dermatitis. Potential for aspiration if swallowed. Vomiting may aspirate into lungs and cause chemical pneumonia.
Symptoms related to the physical, o	chemical and toxicological characteristics
Symptoms	May cause drowsiness and dizziness. Eye contact with liquid may cause irritation including stinging, burning, tearing, or reddening of the eyes.
Delayed and immediate effects and	also chronic effects from short and long term exposure
Sensitization Mutagenic Effects Carcinogenicity	No information available. No information available. Ethanol has been shown to be carcinogenic in long-term studies only when consumed and abused as an alcoholic beverage.
Reproductive Toxicity STOT - single exposure STOT - repeated exposure Target Organ Effects Aspiration Hazard	No information available. No information available. No information available. Eyes. Respiratory system. Based on product level data, this product does not meet the requirement to be classified as an aspiration hazard. However, this product contains an ingredient that may cause aspiration if swallowed.
Numerical measures of toxicity - Pe Acute Toxicity The following values are calculate LD50 Oral Inhalation	roduct

Not established

12. ECOLOGICAL INFORMATION

dust/mist

<u>Ecotoxicity</u> The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
n- Butanol 71-36-3	500 mg/L EC50 Desmodesmus subspicatus 72h 500 mg/L EC50 Desmodesmus subspicatus 96 h	100000-500000 μg/L LC50 Lepomis macrochirus 96 h static 1 1730-1910 mg/L LC50 Pimephales promelas 96 h static 1 1740 mg/L LC50 Pimephales promelas 96 h flow-through 1	N/A	1897 - 2072 mg/L EC50 Daphnia magna 48 h 1983 mg/L EC50 Daphnia magna 48 h

Persistence and Degradability

Bioaccumulation

No information available. No information available.

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging Do not r

Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
N Butyl alcohol 71-36-3	None	None	None	U031 ignitable waste

14. TRANSPORT INFORMATION

DOT	
UN-Number	UN1120
Proper shipping name	Flammable liquids, n.o.s.
Hazard Class	3
Packing Group	II
Description	UN1120, Flammable liquids, n.o.s. (butanols), 3, II

15. REGULATORY INFORMATION

International Inventories TSCA

All components of this product are either listed or are exempt on the TSCA inventory.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

15. REGULATORY INFORMATION

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.



WARNING: Cancer and Reproductive Harm. www.P65Warnings.ca.gov

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 2	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal Protection X

General Disclaimer

Issuing Date	29 Oct 2021
Revision Date	29 Oct 2021

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. End of Safety Data Sheet



SAFETY DATA SHEET

I

Issuing Date 29 Oct 2021	Revision Date 29	Oct 2021	ECR# 27964
1. IDENTIFICATION OF T	HE SUBSTANCE/PF	REPARATION AND THE COMF	ANY/UNDERTAKING
GHS product identifier			
Product Name	Porcelain Condition	er	
Other means of identification			
Synonyms	None		
Recommended use of the chemic	al and restrictions on us	<u>se</u>	
Recommended Use	Professional Dental P	orcelain Material	
Uses advised against	No information availab	ble	
Supplier's details			
Supplier Address	Manufacturer Ad	dress	
DenMat 1017 W. Central Ave.	DenMat 1017 W. Central A		
Lompoc, CA 93436	Lompoc, CA 9343		
TEL: 805-346-3700	TEL: 805-346-370		
Emergency telephone number			
Emergency Telephone Number	805-346-3700		
	2. HAZARD	S IDENTIFICATION	
Classification			
Serious Eye Damage/Eye Irritation		Categor	v 2
GHS Label elements, including pr	rocautionany statements		
GHS Laber elements, including pr	-	-	
	Emerge	ency Overview	
Signal Word Hazard Statements • Causes serious eye irritation	Warning		
Appearance Clear	Physica	Il State Liquid.	Odor none
	– , sica	Eldalar	

Precautionary Statements

Prevention

• Wear eye/face protection.

General Advice

None

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician.

Storage

• None

Disposal

• None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Prolonged or repeated skin contact may cause severe irritation. 17.2% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Citric acid	77-92-9	30-40	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures		
General Advice	If symptoms persist, call a physician.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Get medical attention immediately if irritation persists.	
Skin Contact	Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.	
Inhalation	Not an expected route of exposure. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician or Poison Control Center immediately.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.	
Protection of First-aiders	Use personal protective equipment.	
Most important symptoms/effects,	acute and delayed	

Most Important Symptoms/Effects Serious eye irritation or damage.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

Protective Equipment and Precautions for Firefighters

Wear self contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Personal Precautions	Avoid contact with the skin and the eyes. Wash thoroughly after handling. Refer to Section 8 for personal protective equipment.	
Environmental Precautions		
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.	
Methods and materials for contain	ment and cleaning up	
Methods for Containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).	
Methods for Cleaning Up	Clean contaminated surface thoroughly.	
	7. HANDLING AND STORAGE	
Precautions for safe handling	7. HANDLING AND STORAGE	
Precautions for safe handling Handling	7. HANDLING AND STORAGE Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes. Use personal protective equipment as required.	
	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes. Use personal protective equipment as required.	
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes. Use personal protective equipment as required.	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines	
Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
Appropriate engineering controls	
Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, suc	ch as personal protective equipment
Eye/Face Protection Skin and Body Protection Respiratory Protection	If splashes are likely to occur, wear: Safety glasses with side-shields. Protective gloves. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Odor	Liquid none	Appearance Odor Threshold	Clear/Pale yellow No information available
<u>Property</u> pH	<u>Values</u> 2.0 – 3.0	<u>Remarks/</u>	- Method
Melting Point/Range	-5 °C		
Boiling Point/ Range	> 100 °C		
Flash Point	Not applicable.	None know	
Evaporation rate	No data available	None know	
Flammability (solid, gas)	No data available	None know	n
Flammability Limits in Air			
upper flammability limit	No data available		
lower flammability limit	No data available		
Vapor Pressure	No data available	None know	'n
Vapor Density	No data available	None know	'n
Specific Gravity	1.05-1.15 @ 25°C		
Water Solubility	Miscible with water		
Solubility in other solvents	Insoluble .		
Partition coefficient: n-octan		None know	
Autoignition Temperature	No data available	None know	
Decomposition Temperature		None know	n
Viscosity	Water like		
Flammable Properties	Not flammable		
Explosive Properties	No data available		
Oxidizing Properties	No data available		
Other information			
VOC Content (%)	Not applicable.		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong reducing agents. Metals.

Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product is safe for its intended use based on the formulation, testing results, and the long history of safe consumer use.
Inhalation	Not an expected route of exposure. Inhalation of mist may cause irritation to the respiratory system.
Eye Contact	Not an expected route of exposure. Expected to be severely irritating or corrosive to eyes based on components present in formulation.
Skin Contact	Based on the ingredients present in the formulation, prolonged or repeated skin contact may be irritation, or severely irritating, to the skin.
Ingestion	Not expected to be toxic following ingestion. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Glycerin	= 11,700 mg/kg (Rat)	>2000 mg/kg (Rat)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Eye contact with liquid may cause irritation including stinging, burning, tearing, or reddening
	of the eyes.

Delayed and immediate effects and also chronic effects from short and long term exposure

Corrosivity	Causes serious eye irritation. Risk of serious damage to eyes.
Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenicity	Contains no ingredients above reportable quantities listed as a carcinogen.

Reproductive Toxicity	Not classified due to lack of data.
Developmental Toxicity	Not classified due to lack of data.
STOT - single exposure	None under normal use conditions.
STOT - repeated exposure	None under normal use conditions.
Chronic Toxicity	Avoid repeated exposure. Prolonged exposure may cause chronic effects.
Target Organ Effects	Eyes. Gastrointestinal tract (GI). Mucous membrane.
Aspiration Hazard	No information available.
-	

12. ECOLOGICAL INFORMATION

Ecotoxicity

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Glycerin 56-81-5	-	LC50(Lepomis macrochirus, 96hr): 1516 mg/L LC50(Leuciscus idus, 96hr): 440-760 mg/L		EC50(Daphnia magna, 24 hr): 1535 mg/L

Persistence and Degradability

Readily biodegradable

Bioaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Do not re-use empty containers.

14. TRANSPORT INFORMATION

Shipping Name:	CORROSIVE LIQUID, N.O.S.
Class:	8
Group:	III
PIN Number	UN1760

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL	Substances comply or are exempt
ENCS	Substances comply or are exempt
IECSC	Substances comply or are exempt
KECL	Substances comply or are exempt
PICCS	Substances comply or are exempt
AICS	Substances comply or are exempt

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) InventoryDSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances ListENCS - Japan Existing and New Chemical SubstancesIECSC - China Inventory of Existing Chemical SubstancesKECL - Korean Existing and Evaluated Chemical SubstancesPICCS - Philippines Inventory of Chemicals and Chemical SubstancesAICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This material does not contain any substances regulated as pollutants pursuant to the clean Water Act (40 CFR122.21 and 40 CFR 122.42)

U.S. State Regulations

California Proposition 65



U.S. State Right-to-Know Regulations

This product does not contain any contain any substances regulated by state right-to-know regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 1	Flammability 0	Instability 0	Physical and Chemical Hazards -	
HMIS_	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal Protection X	
Issuing Date Revision Date					
Issuing Date Revision Date	29 Oct 2021 29 Oct 2021				

<u>General Disclaimer</u> The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. **End of Safety Data Sheet**



SAFETY DATA SHEET

Issuing Date 28 May-2015	Revision Date 28 May-2015	ECR# 23578
1. IDENTIFICATION OF TH	E SUBSTANCE/PREPARATION AND	THE COMPANY/UNDERTAKING
GHS product identifier		
Product Name	UltraBond Blockout	
Other means of identification		
Synonyms	None	
Product Type	Paste	
Recommended use of the chemica	l and restrictions on use	
Recommended Use	Professional dental restorative	
Uses advised against	No information available	
Supplier's details		
Supplier Address DenMat 1017 W. Central Ave. Lompoc, CA 93436 TEL: 805-346-3700		
Emergency telephone number		
Emergency Telephone Number	805-346-3700	
	2. HAZARDS IDENTIFICATIO	N

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Sensitizer	Category 1B
	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word

: Warning


Hazard Statements

Hazard Statements

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation

Precautionary Statements

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- P261 Avoid breathing vapors.
- P264 Wash hands and forearms thoroughly after handling.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear eye protection, protective gloves.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362 Take off contaminated clothing and wash before reuse.
- P501 Dispose of contents/container according to local, regional, national, and international regulations.



Prevention

- Wash face, hands and any exposed skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Keep container tightly closed.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Keep cool

General Advice

None

Eyes

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

• IF eye irritation persists: Get medical advice/attention

Skin

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

• If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

• Call a POISON CENTER or doctor/physician if you feel unwell

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

· Store locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Aspiration hazard if swallowed - can enter lungs and cause damage Harmful to aquatic life

<5% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
urethane dimethacrylate	72869-86-4	25 - 35	*
silica	68611-44-9	25 – 35	*
triethylene glycol dimethacrylate	109-16-0	5 - 10	*
2-(2' hydroxy-5'-octylphenyl) benzotriazole	3147-75-9	1 - 5	*
di hydroxyethyl p toluidine	3077-12-1	0.1 – 0.5	*
benzoyl peroxide	94-36-0	0.1 – 0.5	*
ethyl 4-dimethylaminobenzoate	10287-53-3	0.01 – 0.2	*
camphorquinone	10373-78-1	0.01 – 0.2	*
butylated hydroxytoluene	128-37-0	0.01 – 0.2	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid	measures
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician.
Skin Contact	Wash off with warm water and soap. Consult a physician if necessary.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If feeling unwell, seek medical attention.
Ingestion	Rinse oral cavity with copious water. If feeling unwell, call a physician or Poison Control Center immediately.
Most important symptoms/effects, acut	e and delayed
Most Important Symptoms/Effects	Mild skin irritation
Indication of immediate medical attention	on and special treatment needed, if necessary

Notes to Physician Not Applicable

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

None

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None.

Protective Equipment and Precautions for Firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation. Avoid breathing vapors or mists. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

Environmental Precautions

Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Handling	Ensure adequate ventilation. Avoid breathing vapors. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.	
Conditions for safe storage, includi	ng any incompatibilities	
Storage	Keep containers tightly closed in a dry, cool and away from direct sunlight.	
Incompatible Products	Strong acids. Strong oxidizing agents.	
8. EXI	POSURE CONTROLS / PERSONAL PROTECTION	
Control parameters		
Occupational Exposure Limits	None Established	
Appropriate engineering controls		
Engineering Measures	Showers Eyewash stations Ventilation systems	
Individual protection measures, such as personal protective equipment		
Eye/Face Protection Skin and Body Protection Respiratory Protection	Safety glasses with side-shields. Tightly fitting safety goggles. Long sleeved clothing. Impervious gloves. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Odor	Solid (paste) Minimal: Ester/sweet	Appearance Odor Threshold	Various colors No information available	
Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit	<u>Values</u> Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable No data available		arks/ - Method	
lower flammability limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents	No data available No data available Not Applicable 1.8-1.9 @ 25°C Insoluble Partially soluble in aceto	None	known known known known	
Information on basic physica	l and chemical properties			
Partition coefficient: n-octanol/w Autoignition Temperature Decomposition Temperature Viscosity	ater No data available No data available No data available High viscosity	None	known known known	
Flammable Properties	Not flammable			
Explosive Properties Oxidizing Properties	No data available No data available			
Other information				
VOC Content (%)	None			
10. STABILITY AND REACTIVITY				

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal conditions.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Ignitions sources - heat, sparks and open flames.

Incompatible materials

Strong acids. Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Inhalation	The product itself has not been tested. Data is for major component in product. May cause drowsiness and dizziness based on components. May cause irritation of respiratory tract.
Eye Contact	Irritating to eyes.
Skin Contact	May cause skin irritation and/or dermatitis.
Ingestion	Potential for aspiration if swallowed. Vomiting may aspirate into lungs and cause chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	May cause drowsiness and dizziness. Eye contact with liquid may cause irritation including
	stinging, burning, tearing, or reddening of the eyes.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenicity	No information Available.

Acute Toxicity

Chemical Name	Result	Species	Dose	
urethane dimethacrylate	LD 50 Oral	Rat	>5000 mg/kg	
triethylene glycol dimethacrylate	LD 50 Oral	Rat	10837 mg/kg	
Reproductive Toxicity	No information available.			
STOT - single exposure	No information available.			
STOT - repeated exposure	No information available.			
Target Organ Effects	Respiratory system.			
Aspiration Hazard	Based on product level data, this product does not meet the requirement to be classified as an aspiration hazard. However, this product contains an ingredient that may cause aspiration if swallowed.			

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
urethane dimethacrylate 934705-15-4	EC50 72 h 0.68mg/l	Not Established	EC50 24 h 1.2 mg/l
Triethylene glycol dimethacrylate 109-16-0	Not established	Not established	Not established

Persistence and Degradability

Bioaccumulation

No information available. No information available.

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT

Not Regulated

UN-Number Proper shipping name Hazard Class Packing Group Description Emergency Response Guide Number

15. REGULATORY INFORMATION

International Inventories TSCA

All components of this product are either listed or are exempt on the TSCA inventory.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

None of the components are listed

U.S. State Right-to-Know Regulations

Massachusetts	The following components are listed: Amorphous silica
New York	None of the components are listed
New Jersey	Fluorides; barium compounds
Pennsylvania	Barium compounds; silica

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 1	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal Protection X

Revision Date

28-May-2015

<u>General Disclaimer</u> The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. End of Safety Data Sheet