



## SAFETY DATA SHEET

NAME OF PRODUCT: SUPREBA® Liquid

FILE NO.: SDS010

SDS DATE: 06/19/2014

### SECTION 1: IDENTIFICATION

**PRODUCT NAME:** SUPREBA Liquid  
**PRODUCT CODES:** 0921007, 0921007F, 0921007R, 0921010, 0921014  
**IDENTIFIED USES:** Dentistry  
**USES ADVISED AGAINST:** Non-dental use  
**MANUFACTURER:** Harry J. Bosworth Company  
**ADDRESS:** 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA  
**TELEPHONE:** 847-679-3400  
**FAX:** 847-679-2080  
**EMAIL:** hjbinfo@bosworth.com  
**EMERGENCY PHONE:** 800-535-5053 (US and Canada)  
352-323-3500 (International)

### SECTION 2: HAZARDS IDENTIFICATION

**CLASSIFICATION:** Skin sensitization (Category 1)  
Eye irritation (Category 2A)  
Acute aquatic toxicity (Category 3)  
**LABELING:** FDA regulated device - exempt from Regulation (US) 29 CFR 1910.1200.

**PICTOGRAM:**



**SIGNAL WORD:** Warning

**HAZARD STATEMENTS:**

H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H402 Harmful to aquatic life.  
**PRECAUTIONARY STATEMENTS:** P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P234 Keep only in original container.  
P235+P410 Keep cool. Protect from sunlight.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301+P330 IF SWALLOWED: Rinse mouth.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/ attention.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.  
P402 Store in a dry place.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container to an approved waste disposal plant.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| COMPONENT | CAS NO. | %WT   | OSHA PEL - TWA | ACGIH TLV - TWA | CLASSIFICATION  |
|-----------|---------|-------|----------------|-----------------|---|
| Eugenol   | 97-53-0 | 30-50 | N/E            | N/E             | Eye Irrit. 2A; Skin Sens. 1;<br>Aquatic Acute 2; H317, H319, H401 |

For full text of H-statements mentioned in this section, see section 16.

### SECTION 4: FIRST-AID MEASURES

PREPARED BY: SS

PAGE 1 OF 4



## SAFETY DATA SHEET

FILE NO.: SDS010

NAME OF PRODUCT: SUPREBA® Liquid

SDS DATE: 06/19/2014

**INHALATION:** Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention.

**SKIN:** Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.

**EYE:** Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

**INGESTION:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

---

### SECTION 5: FIRE-FIGHTING MEASURES

---

**SUITABLE EXTINGUISHING MEDIA:** Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon.

**SPECIAL HAZARDS:** No further relevant information available.

**ADVICE FOR FIREFIGHTERS:** Wear self contained breathing apparatus for firefighting if necessary.

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**PERSONAL PRECAUTIONS:** Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

**ENVIRONMENTAL PRECAUTIONS:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**CONTAINMENT AND CLEANUP:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Place in suitable, closed container for disposal according to official regulations.

---

### SECTION 7: HANDLING AND STORAGE

---

**PRECAUTIONS FOR SAFE HANDLING:** Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals. Avoid contact with the eyes and skin. Avoid inhalation of vapor or mist. Keep away from foodstuffs, beverages and animal feed.

**CONDITIONS FOR SAFE STORAGE:** Store only in the original package. Keep container tightly sealed in a dry and well-ventilated place. Protect from heat and direct sunlight. Store away from food and beverages.

---

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**ENGINEERING CONTROLS:** Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work.

**EYE/FACE PROTECTION:** Safety glasses.

**SKIN PROTECTION:** Glove material impermeable and resistant to the product.

**BODY PROTECTION:** Protective work clothing.

**RESPIRATORY PROTECTION:** NIOSH (US) or CEN (EU) approved respirators and components.

**ENVIRONMENTAL EXPOSURE:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

**APPEARANCE/COLOR:** Clear, pale yellow to amber liquid

**ODOR:** Clove

**BOILING POINT:** 410°F (210°C)

**FLASH POINT:** 234°F (112°C)

**RELATIVE DENSITY (H<sub>2</sub>O=1.0):** 1.06 g/cm<sup>3</sup>

**WATER SOLUBILITY:** Insoluble

---

### SECTION 10: STABILITY AND REACTIVITY

---

**CHEMICAL STABILITY:** Stable under recommended storage conditions.

**HAZARDOUS REACTIONS:** No further relevant information available.

**CONDITIONS TO AVOID:** Heat. Light.

**INCOMPATIBLE MATERIALS:** Strong oxidizing agents.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon.



## SAFETY DATA SHEET

NAME OF PRODUCT: SUPREBA® Liquid

FILE NO.: SDS010

SDS DATE: 06/19/2014

### SECTION 11: TOXICOLOGICAL INFORMATION

**POTENTIAL HEALTH EFFECTS:**

**EYES:** May cause eye irritation with redness, tearing and stinging.

**SKIN:** May cause skin irritation with redness, swelling and itching. Repeated or prolonged contact may cause allergic dermatitis.

**INGESTION:** May cause mucous membrane and gastrointestinal irritation with nausea, vomiting and diarrhea. May cause nervous system depression with symptoms of headache, dizziness, nausea, vomiting, weakness, fatigue, confusion, and unconsciousness.

**INHALATION:** May cause mucous membrane and respiratory irritation and central nervous system depression with symptoms of headache, dizziness, drowsiness, nausea, vomiting, and unconsciousness. High vapor concentrations may cause burning sensation of the nose and throat and watering of the eyes.

**SKIN SENSITIZATION:**

May cause allergic skin reaction.

**CARCINOGENICITY:**

**OSHA:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA.

**ACGIH:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**NTP:** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**IARC:** Eugenol is identified as not classifiable as to its carcinogenicity to humans by IARC.

### SECTION 12: ECOLOGICAL INFORMATION

**ADVERSE EFFECTS:**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life. Avoid release to the environment.

### SECTION 13: DISPOSAL CONSIDERATIONS

**PRODUCT:**

Contact a licensed professional waste disposal service to dispose of this material. Offer surplus and non-recyclable solutions to a licensed disposal company. Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

**CONTAMINATED PACKAGING:**

Dispose of as unused product.

### SECTION 14: TRANSPORT INFORMATION

**UN NUMBER:**

N/A

**PROPER SHIPPING NAME:**

N/A

**HAZARD CLASS:**

N/A

**PACKING GROUP:**

N/A

**LABEL STATEMENT:**

N/A

### SECTION 15: REGULATORY INFORMATION

**US FEDERAL REGULATIONS**

**TSCA:**

This product is an FDA regulated device and not subject to TSCA regulations.

**CERCLA:**

This product is an FDA regulated device and not subject to reporting requirements. There may be specific reporting requirements at the local, regional, or state level.

**SARA 313 TOXIC CHEMICALS:**

The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR 372): *None*.

**SARA 311/312 HAZARDS:**

This product is an FDA regulated device and not subject to reporting requirements.

**INTERNATIONAL REGULATIONS**

**CANADIAN ENVIRONMENTAL  
PROTECTION ACT:**

This product is a medical device and not subject to chemical notification requirements.

**EUROPEAN INVENTORY OF EXISTING  
COMMERCIAL CHEMICAL SUBSTANCES  
(EINECS):**

This product is a medical device and not subject to chemical notification requirements.



## SAFETY DATA SHEET

NAME OF PRODUCT: SUPEREBA® Liquid

### SECTION 16: OTHER INFORMATION

FILE NO.: SDS010

SDS DATE: 06/19/2014

#### FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTION 3

|               |                                      |
|---------------|--------------------------------------|
| Aquatic Acute | Acute aquatic toxicity               |
| Eye Irrit.    | Eye irritation                       |
| H317          | May cause an allergic skin reaction. |
| H319          | Causes serious eye irritation.       |
| H401          | Toxic to aquatic life.               |
| Skin Sens.    | Skin sensitization                   |

#### NFPA RATING

|                   |   |
|-------------------|---|
| Health Hazard     | 2 |
| Fire Hazard       | 1 |
| Reactivity Hazard | 0 |

**PREPARATION INFORMATION:** This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

**DISCLAIMER:** To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



## SAFETY DATA SHEET

NAME OF PRODUCT: SUPREBA® Powder

FILE NO.: SDS008

SDS DATE: 06/19/2014

### SECTION 1: IDENTIFICATION

**PRODUCT NAME:** SUPREBA Powder  
**PRODUCT CODES:** 0921007, 0921007F, 0921007R, 0921008, 0921009  
**IDENTIFIED USES:** Dentistry  
**USES ADVISED AGAINST:** Non-dental use  
**MANUFACTURER:** Harry J. Bosworth Company  
**ADDRESS:** 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA  
**TELEPHONE:** 847-679-3400  
**FAX:** 847-679-2080  
**EMAIL:** hjbinfo@bosworth.com  
**EMERGENCY PHONE:** 800-535-5053 (US and Canada)  
352-323-3500 (International)

### SECTION 2: HAZARDS IDENTIFICATION

**CLASSIFICATION:** Acute aquatic toxicity (Category 1)  
Chronic aquatic toxicity (Category 1)  
**LABELING:** FDA regulated device - exempt from Regulation (US) 29 CFR 1910.1200.  
**PICTOGRAM:**



**SIGNAL WORD:** Warning  
**HAZARD STATEMENTS:** H410 Very toxic to aquatic life with long lasting effects.  
**PRECAUTIONARY STATEMENTS:** P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P234 Keep only in original container.  
P235+P410 Keep cool. Protect from sunlight.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301+P330 IF SWALLOWED: Rinse mouth.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P391 Collect spillage.  
P402 Store in a dry place.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container to an approved waste disposal plant.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| COMPONENT  | CAS NO.   | %WT   | OSHA PEL - TWA                                    | ACGIH TLV - TWA         | CLASSIFICATION                           |
|------------|-----------|-------|---|-------------------------|--|
| Zinc Oxide | 1314-13-2 | 50-70 | 10 mg/m <sup>3</sup> (T); 5 mg/m <sup>3</sup> (R) | 2 mg/m <sup>3</sup> (R) | Aquatic Acute 1; Aquatic Chronic 1; H410 |

For full text of H-statements mentioned in this section, see section 16.

### SECTION 4: FIRST-AID MEASURES

**INHALATION:** Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention.  
**SKIN:** Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.  
**EYE:** Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.  
**INGESTION:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.  
**PREPARED BY:** SS



## SAFETY DATA SHEET

NAME OF PRODUCT: SUPREBA® Powder

FILE NO.: SDS008

SDS DATE: 06/19/2014

---

### SECTION 5: FIRE-FIGHTING MEASURES

---

**SUITABLE EXTINGUISHING MEDIA:** Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon and zinc.  
**SPECIAL HAZARDS:** No further relevant information available.  
**ADVICE FOR FIREFIGHTERS:** Wear self contained breathing apparatus for firefighting if necessary.

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**PERSONAL PRECAUTIONS:** Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.  
**ENVIRONMENTAL PRECAUTIONS:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.  
**CONTAINMENT AND CLEANUP:** Pick up and arrange disposal without creating dust. Sweep up and shovel. Place in suitable, closed container for disposal according to official regulations.

---

### SECTION 7: HANDLING AND STORAGE

---

**PRECAUTIONS FOR SAFE HANDLING:** Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from foodstuffs, beverages and animal feed.  
**CONDITIONS FOR SAFE STORAGE:** Store only in the original package. Keep container tightly closed in a dry and well-ventilated place. Protect from heat and direct sunlight. Store away from food and beverages.

---

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**ENGINEERING CONTROLS:** Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work.  
**EYE/FACE PROTECTION:** Safety glasses.  
**SKIN PROTECTION:** Glove material impermeable and resistant to the product.  
**BODY PROTECTION:** Protective work clothing.  
**RESPIRATORY PROTECTION:** NIOSH (US) or CEN (EU) approved respirators and components.  
**ENVIRONMENTAL EXPOSURE:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

**APPEARANCE/COLOR:** Off-white powder  
**ODOR:** None  
**RELATIVE DENSITY (H<sub>2</sub>O=1.0):** 5.66 g/cm<sup>3</sup>  
**WATER SOLUBILITY:** Negligible

---

### SECTION 10: STABILITY AND REACTIVITY

---

**CHEMICAL STABILITY:** Stable under recommended storage conditions.  
**HAZARDOUS REACTIONS:** Will not occur.  
**CONDITIONS TO AVOID:** Heat. Humidity.  
**INCOMPATIBLE MATERIALS:** Strong oxidizing agents.  
**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon and zinc.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

---

**POTENTIAL HEALTH EFFECTS:** EYES: May cause eye irritation with redness, tearing and stinging.

PREPARED BY: SS

PAGE 2 OF 4



## SAFETY DATA SHEET

NAME OF PRODUCT: SUPREBA® Powder

FILE NO.: SDS008

SDS DATE: 06/19/2014

### CARCINOGENICITY:

**SKIN:** May cause skin irritation with redness, swelling and itching. Prolonged skin contact can produce a severe dermatitis called oxide pox.

**INGESTION:** May cause mucous membrane and gastrointestinal irritation with nausea, vomiting and diarrhea.

**INHALATION:** May irritate the respiratory tract. Exposure to high levels of dust or fume can cause metallic taste, marked thirst, coughing, fatigue, weakness, muscular pain, and nausea followed by fever and chills. Severe overexposure may result in bronchitis or pneumonia with a bluish tint to the skin. Prolonged or repeated exposure can cause reversible liver enzyme abnormalities and diarrhea.

**OSHA:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA.

**ACGIH:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**NTP:** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**IARC:** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

---

## SECTION 12: ECOLOGICAL INFORMATION

---

### ADVERSE EFFECTS:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects. Avoid release to the environment.

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

### PRODUCT:

Offer surplus and non-recyclable solutions to a licensed disposal company. Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

### CONTAMINATED PACKAGING:

Dispose of as unused product.

---

## SECTION 14: TRANSPORT INFORMATION

---

|                       |     |
|-----------------------|-----|
| UN NUMBER:            | N/A |
| PROPER SHIPPING NAME: | N/A |
| HAZARD CLASS:         | N/A |
| PACKING GROUP:        | N/A |
| LABEL STATEMENT:      | N/A |

---

## SECTION 15: REGULATORY INFORMATION

---

### US FEDERAL REGULATIONS

#### TSCA

This product is an FDA regulated device and not subject to TSCA regulations.

#### CERCLA

This product is an FDA regulated device and not subject to reporting requirements. There may be specific reporting requirements at the local, regional, or state level.

#### SARA 313 TOXIC CHEMICALS

The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR 372): *Zinc Oxide, CAS NO. 1314-13-2*.

#### SARA 311/312 HAZARDS

This product is an FDA regulated device and not subject to reporting requirements.

### INTERNATIONAL REGULATIONS

#### CANADIAN ENVIRONMENTAL

#### PROTECTION ACT:

This product is a medical device and not subject to chemical notification requirements.

#### EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES (EINECS):

This product is a medical device and not subject to chemical notification requirements.

---

## SECTION 16: OTHER INFORMATION

---

### FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTION 3

Aquatic Acute  
Aquatic Chronic

Acute aquatic toxicity  
Chronic aquatic toxicity

PREPARED BY: SS

PAGE 3 OF 4



## SAFETY DATA SHEET

NAME OF PRODUCT: SUPEREBA® Powder

FILE NO.: SDS008

SDS DATE: 06/19/2014

H410

Very toxic to aquatic life with long lasting effects.

### NFPA RATING

|                   |   |
|-------------------|---|
| Health Hazard     | 0 |
| Fire Hazard       | 0 |
| Reactivity Hazard | 0 |

**PREPARATION INFORMATION:** This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

**DISCLAIMER:** To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.