PENTRON

SAFETY DATA SHEET

Mojo[™] Veneer Cement

| Section 1. Identification | | | | |
|--|---|--|--|--|
| GHS product identifier | : Mojo™ Veneer Cement | | | |
| Other means of identification | : Not available. | | | |
| Product type | : Paste. | | | |
| Relevant identified uses of | the substance or mixture and uses advised against | | | |
| Product use | : Dental product: Cements. | | | |
| Area of application | : Professional applications. | | | |
| Manufacturer | : Pentron Clinical 1717 West Collins Avenue Orange, CA 92867-5422 Telephone no.: 1-203-265-7397, Toll Free: 1-800-551-0283 | | | |
| e-mail address of person responsible for this SDS | : edwin.varela@kavokerrgroup.com | | | |
| Emergency telephone number (with hours of operation) | : CHEMTREC® (24 hours) U.S. : 1-800-424-9300 International: +1-703-527-3887 | | | |

Section 2. Hazards identification

| OSHA/HCS status | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|---|
| | Health effects are based on the uncured material. |
| Classification of the substance or mixture | SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 31.5% |
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Warning |
| - | 0 |
| Hazard statements | : Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation. |
| Precautionary statements | |
| Prevention | : Wear protective gloves. Wear eye or face protection. Use only outdoors or in a well- ventilated area. Avoid breathing dust. Wash hands thoroughly after handling. |
| | |

Section 2. Hazards identification

| Response | : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
|----------------------------------|--|
| Storage | : Store locked up. |
| Disposal | : Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Hazards not otherwise classified | : None known. |

Section 3. Composition/information on ingredients

| Substance/mixture | : Mixture |
|----------------------------------|------------------|
| Other means of identification | : Not available. |

CAS number/other identifiers

| CAS number : Not applicable | e. | | |
|---|---|---------------|-------------------------|
| Product code : Not available | | | |
| Ingredient name | Other names | % | CAS number |
| Poly(oxy-1,2-ethanediyl), α,α'-[(1- methylethylidene)di-4,1-phenylene]bis[ω-[(2- methyl-1-oxo-2-propen-1-yl)oxy]- 1,6-hexanediyl bismethacrylate | Not available. 1,6-hexanediyl bismethacrylate | 10-30 1-10 | 41637-38-1 6606-59-3 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Section 4. First aid measures

| Description of necessary first aid measures | | | | |
|---|--|--|--|--|
| Eye contact | No special measures are required. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur. | | | |
| Inhalation | No special measures required. If inhaled, remove to fresh air. Get medical attention if symptoms occur. | | | |
| Skin contact | No special measures required. In case of contact, immediately flush skin with plenty of water. Get medical attention if symptoms occur. | | | |
| Ingestion | : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse health effects persist or are severe. | | | |

Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact : Causes serious eye irritation. Inhalation : May cause respiratory irritation. Skin contact : Causes skin irritation. Ingestion : Irritating to mouth, throat and stomach. Over-exposure signs/symptoms

Section 4. First aid measures

| Eye contact | : Adverse symptoms may include the following: pain or irritation watering redness |
|-----------------------------|--|
| Inhalation | : Adverse symptoms may include the following: respiratory tract irritation coughing |
| Skin contact | : Adverse symptoms may include the following: irritation redness |
| Ingestion | : No specific data. |
| Indication of immediate med | dical attention and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | In case of major fire and large quantities: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : Do not use water jet. |
| Specific hazards arising from the chemical | : No specific fire or explosion hazard. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides |
| Special protective actions for fire-fighters | In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

| Personal precautions, protect | <u>tive equipment</u> | and emergency proce | <u>dures</u> | | | |
|--------------------------------|-----------------------|---|---|------------|----------|-----------|
| For non-emergency personnel | | . For professional use or nere release is highly unl | nly. Handling of product ir ikely | n very sma | all amou | nts or in |
| For emergency responders | : Low release | . See also the informatio | n in "For non-emergency | , personne | l". | |
| Environmental precautions | waterways, o | | ed material and runoff and m the relevant authorities erways, soil or air). | | | |
| Date of issue/Date of revision | : 02/10/2015 | Date of previous issue | : No previous validation | Version | :1 | 3/11 |

Section 6. Accidental release measures

Methods and materials for containment and cleaning up

| Small spill | 1 | Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container. |
|-------------|---|--|
| Large spill | | Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container. |

Section 7. Handling and storage

| Precautions for safe handling | 1 | |
|--|---|--|
| Protective measures | : | No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose in a safe manner. |
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store between the following temperatures: 20 to 25°C (68 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters **Occupational exposure limits** None. Appropriate engineering : No special measures are required for small quantities under normal and intended conditions of product use. controls **Environmental exposure** : No special measures are required for small quantities under normal and intended conditions of product use. controls Individual protection measures **Hygiene measures** : No special measures are required for small quantities under normal and intended conditions of product use. **Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. **Skin protection** Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. : No special measures are required for small quantities under normal and intended **Body protection** conditions of product use. Date of issue/Date of revision : 02/10/2015 Date of previous issue Version :1 4/11 : No previous validation

Section 8. Exposure controls/personal protection

| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
|------------------------|---|
| Respiratory protection | No special measures are required for small quantities under normal and intended conditions of product use. |

Section 9. Physical and chemical properties

| Appearance | | |
|--|---|---|
| Physical state | : | Solid. [Paste.] |
| Color | : | Various |
| Odor | : | Fruity ester-like |
| Odor threshold | 1 | Not available. |
| рН | 1 | Not available. |
| Melting point | 1 | Not available. |
| Boiling point | 1 | Not available. |
| Flash point | 1 | Not available. |
| Evaporation rate | 1 | Not available. |
| Flammability (solid, gas) | 1 | Not available. |
| Lower and upper explosive (flammable) limits | : | Not available. |
| Vapor pressure | 1 | Not available. |
| Vapor density | 1 | Not available. |
| Relative density | 1 | Not available. |
| Solubility | 1 | Insoluble in the following materials: cold water and hot water. |
| Solubility in water | 1 | Not available. |
| Partition coefficient: n- octanol/water | : | Not available. |
| Auto-ignition temperature | 1 | Not available. |
| Decomposition temperature | 1 | Not available. |
| SADT | 1 | Not available. |
| Viscosity | : | Not available. |
| Density | : | 1.8 g/cm ³ |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur. |
| Conditions to avoid | : Keep away from heat and direct sunlight. |
| Incompatible materials | Reactive or incompatible with the following materials: oxidizing materials and reducing materials. Peroxide. Amines. |

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects Acute toxicity Not available.

| Conclusion/Summary | : Based on analysis and test results, this product is considered as biocompatible per EN |
|--------------------|--|
| _ | ISO 7405:2008 and EN ISO 10993-1:2009. |
| | Based on the criteria of the protocol, this product is considered non-cytotoxic per ISO |
| | 10993-5. |

Irritation/Corrosion

Not available.

Sensitization

Not available.

Conclusion/Summary

Skin

: Non-sensitizer to skin.

Mutagenicity

Not available.

Conclusion/Summary : No mutagenic effect.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

| Name | Category | Route of exposure | Target organs |
|---|------------|----------------------|---------------------------------|
| Poly(oxy-1,2-ethanediyl), α,α'-[(1-methylethylidene)di-4,1- phenylene]bis[ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]- | Category 3 | Not applicable. | Respiratory tract irritation |
| 1,6-hexanediyl bismethacrylate | Category 3 | Not applicable. | Respiratory tract irritation |

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

| Information on the likely routes of exposure | : Routes of entry anticipated: Oral, Dermal, Inhalation. |
|---|--|
| Potential acute health offects | |

| Date of issue/Date of revision | : 02/10/2015 Date of previous issue | : No previous validation | Version | :1 | 6/11 |
|--------------------------------|--|--------------------------|---------|----|------|
| Ingestion | : Irritating to mouth, throat and stomach. | | | | |
| Skin contact | : Causes skin irritation. | | | | |
| Inhalation | : May cause respiratory irritation. | | | | |
| Eye contact | : Causes serious eye irritation. | | | | |
| | | | | | |

Section 11. Toxicological information

| Symptoms related to the physical, chemical and toxicological characteristics | | | | | |
|--|--|--|--|--|--|
| Eye contact | : Adverse symptoms may include the following: pain or irritation watering redness | | | | |
| Inhalation | : Adverse symptoms may include the following: respiratory tract irritation coughing | | | | |
| Skin contact | : Adverse symptoms may include the following: irritation redness | | | | |
| Ingestion | : No specific data. | | | | |
| Delayed and immediate e | ffects and also chronic effects from short and long term exposure | | | | |
| Short term exposure | | | | | |

| : Not available. |
|---|
| : Not available. |
| |
| : Not available. |
| : Not available. |
| fects |
| |
| : No known significant effects or critical hazards. |
| : No known significant effects or critical hazards. |
| : No known significant effects or critical hazards. |
| : No known significant effects or critical hazards. |
| : No known significant effects or critical hazards. |
| : No known significant effects or critical hazards. |
| |

Numerical measures of toxicity

Acute toxicity estimates Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Date of issue/Date of revision

: 02/10/2015 Date of previous issue

Version :1

7/11

Section 12. Ecological information

| Product/ingredient name | LogPow | BCF | Potential |
|---|--------|------|-----------|
| Poly(oxy-1,2-ethanediyl), α,α'- [(1-methylethylidene)di-4,1- phenylene]bis[ω-[(2-methyl-1- oxo-2-propen-1-yl)oxy]- | | 2372 | high |

Mobility in soil

Soil/water partition: Not available.coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

```
Disposal methods
```

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Section 14. Transport information

| | DOT Classification | IMDG | ΙΑΤΑ |
|-------------------------------|--------------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - |
| Transport hazard class(es) | - | - | - |
| Packing group | - | - | - |
| Environmental hazards | No. | No. | No. |
| Additional information | - | - | - |

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Date of issue/Date of revision

: 02/10/2015 Date of previous issue

Section 15. Regulatory information

| U.S. Federal regulations | TSCA 8(a) PAIR: mequinol | 4 |
|---|---|----|
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | United States inventory (TSCA 8b): All components are listed or exempted Listed | J. |
| Clean Air Act Section 602 Class I Substances | Not listed | |
| Clean Air Act Section 602 Class II Substances | Not listed | |
| DEA List I Chemicals (Precursor Chemicals) | Not listed | |
| DEA List II Chemicals (Essential Chemicals) | Not listed | |

SARA 302/304

Composition/information on ingredients

| | | | SARA 302 TPQ | | SARA 304 RQ | |
|----------------|---------|------|--------------|-----------|-------------|-----------|
| Name | % | EHS | (lbs) | (gallons) | (lbs) | (gallons) |
| ethylene oxide | <0.0286 | Yes. | 1000 | - | 10 | - |

SARA 304 RQ

: 38850 lbs / 17637.9 kg

SARA 311/312

Classification

: Immediate (acute) health hazard

Composition/information on ingredients

| N | lame | % | Fire hazard | Sudden release of pressure | | (acute) health | Delayed (chronic) health hazard |
|--------|--|--------------|----------------|----------------------------------|-------------|-------------------|--|
| m ω | 'oly(oxy-1,2-ethanediyl), α,α'-[(1- nethylethylidene)di-4,1-phenylene]bis[y-[(2-methyl-1-oxo-2-propen-1-yl)oxy]- ,6-hexanediyl bismethacrylate | 10-30 1-5 | No. No. | No. No. | No. Yes. | Yes. Yes. | No. No. |

SARA 313

Not applicable.

State regulations

New York

New Jersey

Massachusetts : The following components are listed: MINERAL WOOL FIBER

: None of the components are listed.

: None of the components are listed.

Pennsylvania

: None of the components are listed.

California Prop. 65

WARNING: This product contains a chemical or chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

| Ingredient name | Cancer | | • • | Maximum acceptable dosage level |
|-----------------|--------|------|------|---------------------------------------|
| ethylene oxide | Yes. | Yes. | Yes. | Yes. |

```
Date of issue/Date of revision
```

: No previous validation

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

| | • - | 4 - | |
|---|-----|-----|-----|
| н | 10 | TO | rv/ |
| | | | |

| Date of issue/Date of revision | : 02/10/2015 |
|--------------------------------|---|
| Date of previous issue | : No previous validation |
| Version | : 1 |
| Prepared by | : IHS |
| Key to abbreviations | ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations |
| References | : HCS (U.S.A.)- Hazard Communication Standard International transport regulations |

Indicates information that has changed from previously issued version. Notice to reader

10/11

Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision

Version :1