

**Section 1. Identification**

|                                      |   |   |
|--------------------------------------|---|---|
| <b>GHS product identifier</b>        | : | NX3 Nexus® Third Generation Dual Cure Base and Catalyst |
| <b>Other means of identification</b> | : | Not available.  |
| <b>Product type</b>                  | : | Paste.  |

**Relevant identified uses of the substance or mixture and uses advised against**

**Product use** : Dental product: Permanent cement

**Area of application** : Professional applications.

**Manufacturer** : **Kerr Corporation**  
1717 West Collins Avenue  
Orange, CA 92867-5422  
Telephone no.: 1-800-KERR-123

**e-mail address of person responsible for this SDS** : edwin.varela@kavokerrgroup.com

**Emergency telephone number (with hours of operation)** : CHEMTREC® (24 hours) U.S. : 1-800-424-9300 International: +1-703-527-3887

**Section 2. Hazards identification**

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Health effects are based on the uncured material.

**Classification of the substance or mixture** : SKIN IRRITATION - Category 2  
EYE IRRITATION - Category 2A  
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3  
Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 43%

**GHS label elements**

**Hazard pictograms** :



**Signal word**

: Warning

**Hazard statements**

: Causes serious eye irritation.

Causes skin irritation.

May cause respiratory irritation.

**Precautionary statements**

**Date of issue/Date of revision**

: 05/15/2015

**Date of previous issue**

: No previous validation

**Version** : 1

1/13

## Section 2. Hazards identification

|   |   |
|---|---|
| <b>Prevention</b>                       | : Wear protective gloves. Wear eye or face protection. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash hands thoroughly after handling.   |
| <b>Response</b>                         | : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
| <b>Storage</b>                          | : Store locked up.  |
| <b>Disposal</b>                         | : Dispose of contents and container in accordance with all local, regional, national and international regulations.   |
| <b>Hazards not otherwise classified</b> | : None known.   |

## Section 3. Composition/information on ingredients

|                                      |                  |
|--------------------------------------|------------------|
| <b>Substance/mixture</b>             | : Mixture        |
| <b>Other means of identification</b> | : Not available. |

### CAS number/other identifiers

|                     |                   |
|---------------------|-------------------|
| <b>CAS number</b>   | : Not applicable. |
| <b>Product code</b> | : Not available.  |

| Ingredient name  | Other names  | %     | CAS number |
|--|--|-------|------------|
| Poly(oxy-1,2-ethanediyl), α,α'-(1-methylethylidene)di-4,1-phenylene]bis[ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | Not available.   | 5-10  | 41637-38-1 |
| 2,2'-ethylenedioxydiethyl dimethacrylate   | 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | 5-10  | 72869-86-4 |
| 2-hydroxyethyl methacrylate  | 2,2'-ethylenedioxydiethyl dimethacrylate   | 5-10  | 109-16-0   |
| 3-trimethoxysilylpropyl methacrylate   | 2-hydroxyethyl methacrylate  | 5-10  | 868-77-9   |
| 1,1,3,3-tetramethylbutyl hydroperoxide   | 3-trimethoxysilylpropyl methacrylate   | 0.1-1 | 2530-85-0  |
|  | 1,1,3,3-tetramethylbutyl hydroperoxide   | 0.1-1 | 5809-08-5  |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.**

## Section 4. First aid measures

### Description of necessary first aid measures

**Eye contact** : No special measures are required. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.

**Inhalation** : No special measures required. If inhaled, remove to fresh air. Get medical attention if symptoms occur.

**Skin contact** : No special measures required. In case of contact, immediately flush skin with plenty of water. Get medical attention if symptoms occur.

**Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse health effects persist or are severe.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : May cause respiratory irritation.

**Skin contact** : Causes skin irritation.

**Ingestion** : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness

**Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing

**Skin contact** : Adverse symptoms may include the following:  
irritation  
redness

**Ingestion** : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : In case of major fire and large quantities: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : Do not use water jet.
- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
phosphorus oxides  
halogenated compounds  
metal oxide/oxides
- Special protective actions for fire-fighters** : In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely
- For emergency responders** : Low release. See also the information in "For non-emergency personnel".
- Environmental precautions** : Low release. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.
- Large spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose in a safe manner.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## Section 7. Handling and storage

**Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

None.

**Appropriate engineering controls** : No special measures are required for small quantities under normal and intended conditions of product use.

**Environmental exposure controls** : No special measures are required for small quantities under normal and intended conditions of product use.

### Individual protection measures

**Hygiene measures** : No special measures are required for small quantities under normal and intended conditions of product use.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** : No special measures are required for small quantities under normal and intended conditions of product use.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : No special measures are required for small quantities under normal and intended conditions of product use.

## Section 9. Physical and chemical properties

### Appearance

**Physical state** : Liquid. [Paste.]

**Color** : Various

**Odor** : Fruity ester-like

**Odor threshold** : Not available.

**pH** : Not available.

## Section 9. Physical and chemical properties

|   |   |
|---|---|
| <b>Melting point</b>                                | : Not available.  |
| <b>Boiling point</b>                                | : Not available.  |
| <b>Flash point</b>                                  | : Not available.  |
| <b>Evaporation rate</b>                             | : Not available.  |
| <b>Flammability (solid, gas)</b>                    | : Not applicable.   |
| <b>Lower and upper explosive (flammable) limits</b> | : Not available.  |
| <b>Vapor pressure</b>                               | : Not available.  |
| <b>Vapor density</b>                                | : Not available.  |
| <b>Relative density</b>                             | : 2 to 2.5 [Water = 1]  |
| <b>Solubility</b>                                   | : Insoluble in the following materials: cold water and hot water. |
| <b>Solubility in water</b>                          | : Not available.  |
| <b>Partition coefficient: n-octanol/water</b>       | : Not available.  |
| <b>Auto-ignition temperature</b>                    | : Not available.  |
| <b>Decomposition temperature</b>                    | : Not available.  |
| <b>SADT</b>   | : Not available.  |
| <b>Viscosity</b>                                    | : Not available.  |

## Section 10. Stability and reactivity

|   |  |
|---|--|
| <b>Reactivity</b>                         | : No specific test data related to reactivity available for this product or its ingredients.   |
| <b>Chemical stability</b>                 | : The product is stable.   |
| <b>Possibility of hazardous reactions</b> | : Hazardous reactions or instability may occur under certain conditions of storage or use.<br><br>Hazardous polymerization may occur under certain conditions of storage or use. |
| <b>Conditions to avoid</b>                | : Keep away from heat and direct sunlight. Heat can cause polymerization with rapid release of energy.   |
| <b>Incompatible materials</b>             | : Reactive or incompatible with the following materials: oxidizing materials and reducing materials.<br>Amines. Peroxide.  |
| <b>Hazardous decomposition products</b>   | : Under normal conditions of storage and use, hazardous decomposition products should not be produced.   |

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

## Section 11. Toxicological information

| Product/ingredient name                  | Result    | Species | Dose        | Exposure |
|--|-----------|---------|-------------|----------|
| 2,2'-ethylenedioxydiethyl dimethacrylate | LD50 Oral | Rat     | 10837 mg/kg | -        |
| 2-hydroxyethyl methacrylate              | LD50 Oral | Rat     | 4230 mg/kg  | -        |
| 3-trimethoxysilylpropyl methacrylate     | LD50 Oral | Rat     | 23504 mg/kg | -        |

**Conclusion/Summary** : Based on the criteria of the protocol, this product is considered non-cytotoxic per ISO 10993-5.

### Irritation/Corrosion

| Product/ingredient name              | Result               | Species | Score | Exposure                | Observation |
|--------------------------------------|----------------------|---------|-------|-------------------------|-------------|
| 3-trimethoxysilylpropyl methacrylate | Eyes - Mild irritant | Rabbit  | -     | 24 hours 500 milligrams | -           |
|                                      | Skin - Mild irritant | Rabbit  | -     | 24 hours 500 milligrams | -           |

### Sensitization

Not available.

### Conclusion/Summary

**Skin** : Kligman score: Grade I (weak sensitizer)

### Mutagenicity

Not available.

### Carcinogenicity

Not available.

### Reproductive toxicity

Not available.

### Teratogenicity

Not available.

### Specific target organ toxicity (single exposure)

| Name  | Category   | Route of exposure | Target organs                |
|---|------------|-------------------|------------------------------|
| Poly(oxy-1,2-ethanediyl), $\alpha,\alpha'$ -[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | Category 3 | Not applicable.   | Respiratory tract irritation |
| 2,2'-ethylenedioxydiethyl dimethacrylate  | Category 3 | Not applicable.   | Respiratory tract irritation |
| 2-hydroxyethyl methacrylate   | Category 3 | Not applicable.   | Respiratory tract irritation |
| 1,1,3,3-tetramethylbutyl hydroperoxide  | Category 3 | Not applicable.   | Respiratory tract irritation |

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

## Section 11. Toxicological information

**Information on the likely routes of exposure** : Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

**Eye contact** : Causes serious eye irritation.  
**Inhalation** : May cause respiratory irritation.  
**Skin contact** : Causes skin irritation.  
**Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:  
 pain or irritation  
 watering  
 redness  
**Inhalation** : Adverse symptoms may include the following:  
 respiratory tract irritation  
 coughing  
**Skin contact** : Adverse symptoms may include the following:  
 irritation  
 redness  
**Ingestion** : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

Not available.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

| Route | ATE value     |
|-------|---------------|
| Oral  | 53278.7 mg/kg |

## Section 11. Toxicological information

## Section 12. Ecological information

### Toxicity

| Product/ingredient name     | Result                             | Species  | Exposure |
|-----------------------------|------------------------------------|--|----------|
| 2-hydroxyethyl methacrylate | Acute LC50 227000 µg/l Fresh water | Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) | 96 hours |

### Persistence and degradability

| Product/ingredient name     | Test   | Result                | Dose       | Inoculum         |
|-----------------------------|--|-----------------------|------------|------------------|
| 2-hydroxyethyl methacrylate | 301C Ready Biodegradability - Modified MITI Test (I) | 92 to 100 % - 14 days | -          | -                |
| Product/ingredient name     | Aquatic half-life                                    |                       | Photolysis | Biodegradability |
| 2-hydroxyethyl methacrylate | -  |                       | -          | Readily          |

### Bioaccumulative potential

| Product/ingredient name  | LogP <sub>ow</sub> | BCF  | Potential |
|--|--------------------|------|-----------|
| Poly(oxy-1,2-ethanediyl), α,α'-(1-methylethylidene)di-4,1-phenylene]bis[ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | 3.43 to 5.62       | 2372 | high      |
| 2,2'-ethylenedioxydiethyl dimethacrylate   | 3                  | -    | low       |
| 2-hydroxyethyl methacrylate  | 1.88               | -    | low       |
| 3-trimethoxysilylpropyl methacrylate   | 0.42               | -    | low       |
| 1,1,3,3-tetramethylbutyl hydroperoxide   | 2.1                | -    | low       |
|  | 2.9                | -    | low       |

### Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

## Section 14. Transport information

|                                   | DOT Classification | IMDG           | IATA           |
|-----------------------------------|--------------------|----------------|----------------|
| <b>UN number</b>                  | Not regulated.     | Not regulated. | Not regulated. |
| <b>UN proper shipping name</b>    | -                  | -              | -              |
| <b>Transport hazard class(es)</b> | -                  | -              | -              |
| <b>Packing group</b>              | -                  | -              | -              |
| <b>Environmental hazards</b>      | No.                | No.            | No.            |
| <b>Additional information</b>     | -                  | -              | -              |

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : Not available.

## Section 15. Regulatory information

**U.S. Federal regulations** : **TSCA 8(a) PAIR:** mequinol  
**United States inventory (TSCA 8b):** All components are listed or exempted.

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

**SARA 302/304**

## Section 15. Regulatory information

### Composition/information on ingredients

| Name           | %       | EHS  | SARA 302 TPQ |           | SARA 304 RQ |           |
|----------------|---------|------|--------------|-----------|-------------|-----------|
|                |         |      | (lbs)        | (gallons) | (lbs)       | (gallons) |
| ethylene oxide | <0.0106 | Yes. | 1000         | -         | 10          | -         |

**SARA 304 RQ** : 104821.8 lbs / 47589.1 kg [5587.4 gal / 21150.7 L]

### SARA 311/312

**Classification** : Immediate (acute) health hazard

### Composition/information on ingredients

| Name  | %     | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|---|-------|-------------|----------------------------|----------|---------------------------------|---------------------------------|
| Poly(oxy-1,2-ethanediyl), $\alpha,\alpha'$ -[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | 5-10  | No.         | No.                        | No.      | Yes.                            | No.                             |
| 2,2'-ethylenedioxydiethyl dimethacrylate  | 5-10  | No.         | No.                        | Yes.     | Yes.                            | No.                             |
| 2-hydroxyethyl methacrylate   | 5-10  | Yes.        | No.                        | No.      | Yes.                            | No.                             |
| 3-trimethoxysilylpropyl methacrylate  | 0.1-1 | No.         | No.                        | No.      | Yes.                            | No.                             |
| 1,1,3,3-tetramethylbutyl hydroperoxide  | 0.1-1 | No.         | No.                        | Yes.     | Yes.                            | No.                             |

### SARA 313

Not applicable.

### State regulations

**Massachusetts** : The following components are listed: MINERAL WOOL FIBER

**New York** : None of the components are listed.

**New Jersey** : The following components are listed: FLUORIDES

**Pennsylvania** : None of the components are listed.

### California Prop. 65

**WARNING:** This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. This product may contain trace amounts of the compound listed below.

| Ingredient name | Cancer | Reproductive | No significant risk level | Maximum acceptable dosage level |
|-----------------|--------|--------------|---------------------------|---------------------------------|
| ethylene oxide  | Yes.   | Yes.         | Yes.                      | Yes.                            |

## Section 16. Other information

### Hazardous Material Information System (U.S.A.)

|                  |   |   |
|------------------|---|---|
| Health           | * | 2 |
| Flammability     |   | 0 |
| Physical hazards |   | 0 |

**Caution:** HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### History

|                                       |   |  |
|---------------------------------------|---|--|
| <b>Date of issue/Date of revision</b> | : | 05/15/2015   |
| <b>Date of previous issue</b>         | : | No previous validation   |
| <b>Version</b>                        | : | 1  |
| <b>Key to abbreviations</b>           | : | ATE = Acute Toxicity Estimate<br>BCF = Bioconcentration Factor<br>GHS = Globally Harmonized System of Classification and Labelling of Chemicals<br>IATA = International Air Transport Association<br>IBC = Intermediate Bulk Container<br>IMDG = International Maritime Dangerous Goods<br>LogPow = logarithm of the octanol/water partition coefficient<br>MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)<br>UN = United Nations |
| <b>References</b>                     | : | HCS (U.S.A.)- Hazard Communication Standard<br>International transport regulations   |

► Indicates information that has changed from previously issued version.

### Notice to reader

|                                       |   |            |                               |   |                        |                |   |   |       |
|---------------------------------------|---|------------|-------------------------------|---|------------------------|----------------|---|---|-------|
| <b>Date of issue/Date of revision</b> | : | 05/15/2015 | <b>Date of previous issue</b> | : | No previous validation | <b>Version</b> | : | 1 | 12/13 |
|---------------------------------------|---|------------|-------------------------------|---|------------------------|----------------|---|---|-------|

## Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Section 1. Identification**

|                                      |   |   |
|--------------------------------------|---|---|
| <b>GHS product identifier</b>        | : | NX3 Nexus® Third Generation Light-Cure Cement |
| <b>Other means of identification</b> | : | Not available.                                |
| <b>Product type</b>                  | : | Paste.  |

**Relevant identified uses of the substance or mixture and uses advised against**

|                            |   |                                  |
|----------------------------|---|----------------------------------|
| <b>Product use</b>         | : | Dental product: Permanent cement |
| <b>Area of application</b> | : | Professional applications.       |

|                     |   |   |
|---------------------|---|---|
| <b>Manufacturer</b> | : | <b>Kerr Corporation</b><br>1717 West Collins Avenue<br>Orange, CA 92867-5422<br>Telephone no.: 1-800-KERR-123 |
|---------------------|---|---|

|  |   |                                |
|--|---|--------------------------------|
| <b>e-mail address of person responsible for this SDS</b> | : | edwin.varela@kavokerrgroup.com |
|--|---|--------------------------------|

|   |   |  |
|---|---|--|
| <b>Emergency telephone number (with hours of operation)</b> | : | CHEMTREC® (24 hours) U.S. : 1-800-424-9300      International: +1-703-527-3887 |
|---|---|--|

**Section 2. Hazards identification**

|                        |   |   |
|------------------------|---|---|
| <b>OSHA/HCS status</b> | : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|------------------------|---|---|

Health effects are based on the uncured material.

|   |   |   |
|---|---|---|
| <b>Classification of the substance or mixture</b> | : | SKIN IRRITATION - Category 2<br>EYE IRRITATION - Category 2A<br>SKIN SENSITIZATION - Category 1<br>SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3<br>Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 36.1% |
|---|---|---|

**GHS label elements****Hazard pictograms****Signal word**

:

Warning

**Hazard statements**

:

Causes serious eye irritation.  
Causes skin irritation.  
May cause an allergic skin reaction.  
May cause respiratory irritation.

**Precautionary statements****Prevention**

:

Wear protective gloves. Wear eye or face protection. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

## Section 2. Hazards identification

|   |   |
|---|---|
| <b>Response</b>                         | : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
| <b>Storage</b>                          | : Store locked up.  |
| <b>Disposal</b>                         | : Dispose of contents and container in accordance with all local, regional, national and international regulations.   |
| <b>Hazards not otherwise classified</b> | : None known.   |

## Section 3. Composition/information on ingredients

|                                      |                  |
|--------------------------------------|------------------|
| <b>Substance/mixture</b>             | : Mixture        |
| <b>Other means of identification</b> | : Not available. |

### CAS number/other identifiers

|                     |                   |
|---------------------|-------------------|
| <b>CAS number</b>   | : Not applicable. |
| <b>Product code</b> | : Not available.  |

| Ingredient name  | Other names  | %            | CAS number            |
|--|--|--------------|-----------------------|
| Poly(oxy-1,2-ethanediyl), α,α'-(1-methylethylidene)di-4,1-phenylene]bis[ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | Not available.   | 5-10         | 41637-38-1            |
| 2,2'-ethylenedioxydiethyl dimethacrylate   | 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | 5-10         | 72869-86-4            |
| 2-hydroxyethyl methacrylate  | 2,2'-ethylenedioxydiethyl dimethacrylate   | 5-10         | 109-16-0              |
| 3-trimethoxysilylpropyl methacrylate   | 2-hydroxyethyl methacrylate<br>3-trimethoxysilylpropyl methacrylate                            | 1-5<br>0.1-1 | 868-77-9<br>2530-85-0 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.**

## Section 4. First aid measures

### Description of necessary first aid measures

|                     |  |
|---------------------|--|
| <b>Eye contact</b>  | : No special measures are required. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.   |
| <b>Inhalation</b>   | : No special measures required. If inhaled, remove to fresh air. Get medical attention if symptoms occur.  |
| <b>Skin contact</b> | : No special measures required. In case of contact, immediately flush skin with plenty of water. Get medical attention if symptoms occur.  |
| <b>Ingestion</b>    | : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse health effects persist or are severe. |

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

|                    |                                  |
|--------------------|----------------------------------|
| <b>Eye contact</b> | : Causes serious eye irritation. |
|--------------------|----------------------------------|

|                                       |              |                               |                          |                |     |      |
|---------------------------------------|--------------|-------------------------------|--------------------------|----------------|-----|------|
| <b>Date of issue/Date of revision</b> | : 04/02/2015 | <b>Date of previous issue</b> | : No previous validation | <b>Version</b> | : 1 | 2/11 |
|---------------------------------------|--------------|-------------------------------|--------------------------|----------------|-----|------|

## Section 4. First aid measures

**Inhalation** : May cause respiratory irritation.

**Skin contact** : Causes skin irritation. May cause an allergic skin reaction.

**Ingestion** : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness

**Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing

**Skin contact** : Adverse symptoms may include the following:  
irritation  
redness

**Ingestion** : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : In case of major fire and large quantities: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media** : Do not use water jet.

### Specific hazards arising from the chemical

**Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
halogenated compounds  
metal oxide/oxides

**Special protective actions for fire-fighters** : In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely

**For emergency responders** : Low release. See also the information in "For non-emergency personnel".

**Environmental precautions** : Low release. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

**Small spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

**Large spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

## Section 7. Handling and storage

### Precautions for safe handling

**Protective measures** : No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose in a safe manner.

**Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

None.

**Appropriate engineering controls** : No special measures are required for small quantities under normal and intended conditions of product use.

**Environmental exposure controls** : No special measures are required for small quantities under normal and intended conditions of product use.

### Individual protection measures

**Hygiene measures** : No special measures are required for small quantities under normal and intended conditions of product use.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

## Section 8. Exposure controls/personal protection

|                               |  |
|-------------------------------|--|
| <b>Hand protection</b>        | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| <b>Body protection</b>        | : No special measures are required for small quantities under normal and intended conditions of product use.   |
| <b>Other skin protection</b>  | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.  |
| <b>Respiratory protection</b> | : No special measures are required for small quantities under normal and intended conditions of product use.   |

## Section 9. Physical and chemical properties

### Appearance

|   |   |
|---|---|
| <b>Physical state</b>                               | : Liquid. [Paste.]  |
| <b>Color</b>  | : Various   |
| <b>Odor</b>   | : Fruity ester-like   |
| <b>Odor threshold</b>                               | : Not available.  |
| <b>pH</b>   | : Not available.  |
| <b>Melting point</b>                                | : Not available.  |
| <b>Boiling point</b>                                | : Not available.  |
| <b>Flash point</b>                                  | : Not available.  |
| <b>Evaporation rate</b>                             | : Not available.  |
| <b>Flammability (solid, gas)</b>                    | : Not applicable.   |
| <b>Lower and upper explosive (flammable) limits</b> | : Not available.  |
| <b>Vapor pressure</b>                               | : Not available.  |
| <b>Vapor density</b>                                | : Not available.  |
| <b>Relative density</b>                             | : 2 to 2.5 [Water = 1]  |
| <b>Solubility</b>                                   | : Insoluble in the following materials: cold water and hot water. |
| <b>Solubility in water</b>                          | : Not available.  |
| <b>Partition coefficient: n-octanol/water</b>       | : Not available.  |
| <b>Auto-ignition temperature</b>                    | : Not available.  |
| <b>Decomposition temperature</b>                    | : Not available.  |
| <b>SADT</b>   | : Not available.  |
| <b>Viscosity</b>                                    | : Not available.  |

## Section 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | : No specific test data related to reactivity available for this product or its ingredients.  |
| <b>Chemical stability</b>                 | : The product is stable.  |
| <b>Possibility of hazardous reactions</b> | : Under normal conditions of storage and use, hazardous reactions will not occur.<br><br>Under normal conditions of storage and use, hazardous polymerization will not occur. |

## Section 10. Stability and reactivity

**Conditions to avoid** : Keep away from heat and direct sunlight. Heat can cause polymerization with rapid release of energy.

**Incompatible materials** : Reactive or incompatible with the following materials: oxidizing materials and reducing materials.  
Amine. Peroxide.

**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name                  | Result    | Species | Dose        | Exposure |
|--|-----------|---------|-------------|----------|
| 2,2'-ethylenedioxydiethyl dimethacrylate | LD50 Oral | Rat     | 10837 mg/kg | -        |
| 2-hydroxyethyl methacrylate              | LD50 Oral | Rat     | 4230 mg/kg  | -        |
| 3-trimethoxysilylpropyl methacrylate     | LD50 Oral | Rat     | 23504 mg/kg | -        |

**Conclusion/Summary** : Based on the criteria of the protocol, this product is considered non-cytotoxic per ISO 10993-5.

#### Irritation/Corrosion

| Product/ingredient name              | Result               | Species | Score | Exposure                | Observation |
|--------------------------------------|----------------------|---------|-------|-------------------------|-------------|
| 3-trimethoxysilylpropyl methacrylate | Eyes - Mild irritant | Rabbit  | -     | 24 hours 500 milligrams | -           |
|                                      | Skin - Mild irritant | Rabbit  | -     | 24 hours 500 milligrams | -           |

#### Sensitization

Not available.

#### Mutagenicity

Not available.

#### Carcinogenicity

Not available.

#### Reproductive toxicity

Not available.

#### Teratogenicity

Not available.

#### Specific target organ toxicity (single exposure)

| Name   | Category   | Route of exposure | Target organs  |
|--|------------|-------------------|--|
| Poly(oxy-1,2-ethanediyl), $\alpha,\alpha'$ -[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyli bismethacrylate<br>2,2'-ethylenedioxydiethyl dimethacrylate | Category 3 | Not applicable.   | Respiratory tract irritation<br>Respiratory tract irritation |
| 2-hydroxyethyl methacrylate  | Category 3 | Not applicable.   | Respiratory tract irritation                                 |
|  | Category 3 | Not applicable.   | Respiratory tract irritation                                 |
|  | Category 3 | Not applicable.   | Respiratory tract irritation                                 |

#### Specific target organ toxicity (repeated exposure)

## Section 11. Toxicological information

Not available.

### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : May cause respiratory irritation.

**Skin contact** : Causes skin irritation. May cause an allergic skin reaction.

**Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness

**Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing

**Skin contact** : Adverse symptoms may include the following:  
irritation  
redness

**Ingestion** : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

Not available.

**General** : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

| Route | ATE value    |
|-------|--------------|
| Oral  | 245583 mg/kg |

## Section 11. Toxicological information

## Section 12. Ecological information

### Toxicity

| Product/ingredient name     | Result                             | Species  | Exposure |
|-----------------------------|------------------------------------|--|----------|
| 2-hydroxyethyl methacrylate | Acute LC50 227000 µg/l Fresh water | Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) | 96 hours |

### Persistence and degradability

| Product/ingredient name     | Test   | Result                | Dose             | Inoculum |
|-----------------------------|--|-----------------------|------------------|----------|
| 2-hydroxyethyl methacrylate | 301C Ready Biodegradability - Modified MITI Test (I) | 92 to 100 % - 14 days | -                | -        |
| Product/ingredient name     | Aquatic half-life                                    | Photolysis            | Biodegradability |          |
| 2-hydroxyethyl methacrylate | -  | -                     | Readily          |          |

### Bioaccumulative potential

| Product/ingredient name  | LogP <sub>ow</sub> | BCF  | Potential |
|--|--------------------|------|-----------|
| Poly(oxy-1,2-ethanediyl), α,α'-(1-methylethylidene)di-4,1-phenylene]bis[ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | 3.43 to 5.62       | 2372 | high      |
| 2,2'-ethylenedioxydiethyl dimethacrylate   | 3                  | -    | low       |
| 2-hydroxyethyl methacrylate  | 1.88               | -    | low       |
| 3-trimethoxysilylpropyl methacrylate   | 0.42               | -    | low       |
|  | 2.1                | -    | low       |

### Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

## Section 14. Transport information

|                            | DOT Classification | IMDG           | IATA           |
|----------------------------|--------------------|----------------|----------------|
| UN number                  | Not regulated.     | Not regulated. | Not regulated. |
| UN proper shipping name    | -                  | -              | -              |
| Transport hazard class(es) | -                  | -              | -              |
| Packing group              | -                  | -              | -              |
| Environmental hazards      | No.                | No.            | No.            |
| Additional information     | -                  | -              | -              |

**Special precautions for user** : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available.

## Section 15. Regulatory information

**U.S. Federal regulations** : TSCA 8(a) PAIR: mequinol; oxybenzone  
 United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112 : Listed

(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 : Not listed  
 Class I Substances

Clean Air Act Section 602 : Not listed  
 Class II Substances

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

### SARA 302/304

#### Composition/information on ingredients

| Name           | %       | EHS  | SARA 302 TPQ |           | SARA 304 RQ |           |
|----------------|---------|------|--------------|-----------|-------------|-----------|
|                |         |      | (lbs)        | (gallons) | (lbs)       | (gallons) |
| ethylene oxide | <0.0088 | Yes. | 1000         | -         | 10          | -         |

**SARA 304 RQ** : 126262.6 lbs / 57323.2 kg [6730.3 gal / 25477 L]

### SARA 311/312

**Classification** : Immediate (acute) health hazard

#### Composition/information on ingredients

## Section 15. Regulatory information

| Name  | %                                    | Fire hazard                      | Sudden release of pressure      | Reactive                         | Immediate (acute) health hazard      | Delayed (chronic) health hazard |
|---|--------------------------------------|----------------------------------|---------------------------------|----------------------------------|--------------------------------------|---------------------------------|
| Poly(oxy-1,2-ethanediyl), α,α'-(1-methylethylidene)di-4,1-phenylene]bis[ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate<br>2,2'-ethylenedioxydiethyl dimethacrylate<br>2-hydroxyethyl methacrylate<br>3-trimethoxysilylpropyl methacrylate | 5-10<br>5-10<br>5-10<br>1-5<br>0.1-1 | No.<br>No.<br>Yes.<br>No.<br>No. | No.<br>No.<br>No.<br>No.<br>No. | No.<br>Yes.<br>No.<br>No.<br>No. | Yes.<br>Yes.<br>Yes.<br>Yes.<br>Yes. | No.<br>No.<br>No.<br>No.<br>No. |

### SARA 313

Not applicable.

### State regulations

**Massachusetts** : The following components are listed: MINERAL WOOL FIBER

**New York** : None of the components are listed.

**New Jersey** : The following components are listed: FLUORIDES

**Pennsylvania** : None of the components are listed.

### California Prop. 65

**WARNING:** This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

| Ingredient name                    | Cancer       | Reproductive | No significant risk level | Maximum acceptable dosage level |
|------------------------------------|--------------|--------------|---------------------------|---------------------------------|
| ethylene oxide<br>Titanium dioxide | Yes.<br>Yes. | Yes.<br>No.  | Yes.<br>No.               | Yes.<br>No.                     |

## Section 16. Other information

### Hazardous Material Information System (U.S.A.)

|                  |   |   |
|------------------|---|---|
| Health           | * | 2 |
| Flammability     |   | 0 |
| Physical hazards |   | 0 |

**Caution:** HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)



## Section 16. Other information

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### History

|                                       |   |   |
|---------------------------------------|---|---|
| <b>Date of issue/Date of revision</b> | : | 04/02/2015  |
| <b>Date of previous issue</b>         | : | No previous validation  |
| <b>Version</b>                        | : | 1   |
| <b>Prepared by</b>                    | : | IHS   |
| <b>Key to abbreviations</b>           | : | <p>ATE = Acute Toxicity Estimate<br/> BCF = Bioconcentration Factor<br/> GHS = Globally Harmonized System of Classification and Labelling of Chemicals<br/> IATA = International Air Transport Association<br/> IBC = Intermediate Bulk Container<br/> IMDG = International Maritime Dangerous Goods<br/> LogPow = logarithm of the octanol/water partition coefficient<br/> MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)<br/> UN = United Nations</p> |
| <b>References</b>                     | : | <p>HCS (U.S.A.)- Hazard Communication Standard<br/> International transport regulations</p>   |

 Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

|                                       |   |            |                               |   |                        |                |   |   |       |
|---------------------------------------|---|------------|-------------------------------|---|------------------------|----------------|---|---|-------|
| <b>Date of issue/Date of revision</b> | : | 04/02/2015 | <b>Date of previous issue</b> | : | No previous validation | <b>Version</b> | : | 1 | 11/11 |
|---------------------------------------|---|------------|-------------------------------|---|------------------------|----------------|---|---|-------|

**Section 1. Identification**

|                                      |   |  |
|--------------------------------------|---|--|
| <b>GHS product identifier</b>        | : | NX3 Nexus® Third Generation Try-In Gel |
| <b>Other means of identification</b> | : | Not available.                         |
| <b>Product type</b>                  | : | Paste.                                 |

**Relevant identified uses of the substance or mixture and uses advised against**

**Product use** : Dental product: Permanent cement

**Area of application** : Professional applications.

**Manufacturer** : **Kerr Corporation**  
1717 West Collins Avenue  
Orange, CA 92867-5422  
Telephone no.: 1-800-KERR-123

**e-mail address of person responsible for this SDS** : edwin.varela@kavokerrgroup.com

**Emergency telephone number (with hours of operation)** : CHEMTREC® (24 hours) U.S. : 1-800-424-9300 International: +1-703-527-3887

**Section 2. Hazards identification**

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Health effects are based on the uncured material.

**Classification of the substance or mixture** : EYE IRRITATION - Category 2B

**GHS label elements**

**Signal word** : Warning

**Hazard statements** : Causes eye irritation.

**Precautionary statements**

**Prevention** : Wear eye or face protection. Wash hands thoroughly after handling.

**Response** : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

**Storage** : Not applicable.

**Disposal** : Not applicable.

**Hazards not otherwise classified** : None known.

## Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture  
**Other means of identification** : Not available.

### CAS number/other identifiers

**CAS number** : Not applicable.  
**Product code** : Not available.

| Ingredient name | Other names | %      | CAS number |
|-----------------|-------------|--------|------------|
| glycerol        | glycerol    | 60-100 | 56-81-5    |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.**

## Section 4. First aid measures

### Description of necessary first aid measures

**Eye contact** : No special measures are required. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.

**Inhalation** : No special measures required. If inhaled, remove to fresh air. Get medical attention if symptoms occur.

**Skin contact** : No special measures required. In case of contact, immediately flush skin with plenty of water. Get medical attention if symptoms occur.

**Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse health effects persist or are severe.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Causes eye irritation.  
**Inhalation** : No known significant effects or critical hazards.  
**Skin contact** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:  
 irritation  
 watering  
 redness

**Inhalation** : No specific data.

**Skin contact** : No specific data.

**Ingestion** : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## Section 4. First aid measures

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : In case of major fire and large quantities: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media** : Do not use water jet.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
metal oxide/oxides

**Special protective actions for fire-fighters** : In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely

**For emergency responders** : Low release. See also the information in "For non-emergency personnel".

**Environmental precautions** : Low release. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

**Small spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

**Large spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

## Section 7. Handling and storage

### Precautions for safe handling

|   |  |
|---|--|
| <b>Protective measures</b>  | : No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose in a safe manner.   |
| <b>Advice on general occupational hygiene</b>                       | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.  |
| <b>Conditions for safe storage, including any incompatibilities</b> | : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

| Ingredient name | Exposure limits  |
|-----------------|--|
| glycerol        | <b>OSHA PEL 1989 (United States, 3/1989).</b><br>TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction<br><b>OSHA PEL (United States, 2/2013).</b><br>TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction<br>TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust |

|   |  |
|---|--|
| <b>Appropriate engineering controls</b> | : No special measures are required for small quantities under normal and intended conditions of product use. |
|---|--|

|  |  |
|--|--|
| <b>Environmental exposure controls</b> | : No special measures are required for small quantities under normal and intended conditions of product use. |
|--|--|

### Individual protection measures

|                            |  |
|----------------------------|--|
| <b>Hygiene measures</b>    | : No special measures are required for small quantities under normal and intended conditions of product use.   |
| <b>Eye/face protection</b> | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |

### Skin protection

## Section 8. Exposure controls/personal protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** : No special measures are required for small quantities under normal and intended conditions of product use.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : No special measures are required for small quantities under normal and intended conditions of product use.

## Section 9. Physical and chemical properties

### Appearance

**Physical state** : Liquid. [Paste.]

**Color** : Various

**Odor** : Odorless.

**Odor threshold** : Not available.

**pH** : Not available.

**Melting point** : Not available.

**Boiling point** : Not available.

**Flash point** : Not available.

**Evaporation rate** : Not available.

**Flammability (solid, gas)** : Not applicable.

**Lower and upper explosive (flammable) limits** : Not available.

**Vapor pressure** : Not available.

**Vapor density** : Not available.

**Relative density** : 1.7 [Water = 1]

**Solubility** : Partially soluble in the following materials: cold water and hot water.

**Solubility in water** : Not available.

**Partition coefficient: n-octanol/water** : Not available.

**Auto-ignition temperature** : Not available.

**Decomposition temperature** : Not available.

**SADT** : Not available.

**Viscosity** : Not available.

## Section 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | : No specific test data related to reactivity available for this product or its ingredients.  |
| <b>Chemical stability</b>                 | : The product is stable.  |
| <b>Possibility of hazardous reactions</b> | : Under normal conditions of storage and use, hazardous reactions will not occur.<br><br>Under normal conditions of storage and use, hazardous polymerization will not occur. |
| <b>Conditions to avoid</b>                | : No specific data.   |
| <b>Incompatible materials</b>             | : No specific data.   |
| <b>Hazardous decomposition products</b>   | : Under normal conditions of storage and use, hazardous decomposition products should not be produced.  |

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name | Result    | Species | Dose        | Exposure |
|-------------------------|-----------|---------|-------------|----------|
| glycerol                | LD50 Oral | Rat     | 12600 mg/kg | -        |

#### Irritation/Corrosion

| Product/ingredient name | Result               | Species | Score | Exposure                | Observation |
|-------------------------|----------------------|---------|-------|-------------------------|-------------|
| glycerol                | Eyes - Mild irritant | Rabbit  | -     | 24 hours 500 milligrams | -           |
|                         | Skin - Mild irritant | Rabbit  | -     | 24 hours 500 milligrams | -           |

#### Sensitization

| Product/ingredient name                | Route of exposure | Species    | Result          |
|--|-------------------|------------|-----------------|
| NX3 Nexus® Third Generation Try-In Gel | skin              | Guinea pig | Not sensitizing |

#### Mutagenicity

Not available.

#### Carcinogenicity

Not available.

#### Reproductive toxicity

Not available.

#### Teratogenicity

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

## Section 11. Toxicological information

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

|                     |   |
|---------------------|---|
| <b>Eye contact</b>  | : Causes eye irritation.                            |
| <b>Inhalation</b>   | : No known significant effects or critical hazards. |
| <b>Skin contact</b> | : No known significant effects or critical hazards. |
| <b>Ingestion</b>    | : No known significant effects or critical hazards. |

### Symptoms related to the physical, chemical and toxicological characteristics

|                     |  |
|---------------------|--|
| <b>Eye contact</b>  | : Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
| <b>Inhalation</b>   | : No specific data.  |
| <b>Skin contact</b> | : No specific data.  |
| <b>Ingestion</b>    | : No specific data.  |

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

|                                    |                  |
|------------------------------------|------------------|
| <b>Potential immediate effects</b> | : Not available. |
| <b>Potential delayed effects</b>   | : Not available. |

#### Long term exposure

|                                    |                  |
|------------------------------------|------------------|
| <b>Potential immediate effects</b> | : Not available. |
| <b>Potential delayed effects</b>   | : Not available. |

#### Potential chronic health effects

Not available.

|                              |   |
|------------------------------|---|
| <b>General</b>               | : No known significant effects or critical hazards. |
| <b>Carcinogenicity</b>       | : No known significant effects or critical hazards. |
| <b>Mutagenicity</b>          | : No known significant effects or critical hazards. |
| <b>Teratogenicity</b>        | : No known significant effects or critical hazards. |
| <b>Developmental effects</b> | : No known significant effects or critical hazards. |
| <b>Fertility effects</b>     | : No known significant effects or critical hazards. |

### Numerical measures of toxicity

#### Acute toxicity estimates

|                                       |              |                               |                          |                |     |
|---------------------------------------|--------------|-------------------------------|--------------------------|----------------|-----|
| <b>Date of issue/Date of revision</b> | : 04/01/2015 | <b>Date of previous issue</b> | : No previous validation | <b>Version</b> | : 1 |
|---------------------------------------|--------------|-------------------------------|--------------------------|----------------|-----|

## Section 11. Toxicological information

| Route | ATE value     |
|-------|---------------|
| Oral  | 40918.3 mg/kg |

## Section 12. Ecological information

### Toxicity

Not available.

### Persistence and degradability

| Product/ingredient name | Test   | Result         | Dose | Inoculum |
|-------------------------|--|----------------|------|----------|
| glycerol                | 301D Ready Biodegradability - Closed Bottle Test | 93 % - 30 days | -    | -        |

### Bioaccumulative potential

| Product/ingredient name | LogP <sub>ow</sub> | BCF | Potential |
|-------------------------|--------------------|-----|-----------|
| glycerol                | -1.76              | -   | low       |

### Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

## Section 14. Transport information

|                            | DOT Classification | IMDG           | IATA           |
|----------------------------|--------------------|----------------|----------------|
| UN number                  | Not regulated.     | Not regulated. | Not regulated. |
| UN proper shipping name    | -                  | -              | -              |
| Transport hazard class(es) | -                  | -              | -              |
|                            |                    |                |                |

## Section 14. Transport information

|                        |     |     |     |
|------------------------|-----|-----|-----|
| Packing group          | -   | -   | -   |
| Environmental hazards  | No. | No. | No. |
| Additional information | -   | -   | -   |

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : Not available.

## Section 15. Regulatory information

**U.S. Federal regulations** : **TSCA 4(a) final test rules:** hexa-2,4-dienoic acid  
**United States inventory (TSCA 8b):** All components are listed or exempted.

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

### SARA 302/304

#### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

### SARA 311/312

**Classification** : Immediate (acute) health hazard

#### Composition/information on ingredients

| Name     | %      | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|----------|--------|-------------|----------------------------|----------|---------------------------------|---------------------------------|
| glycerol | 60-100 | No.         | No.                        | No.      | Yes.                            | No.                             |

### SARA 313

Not applicable.

### State regulations

## Section 15. Regulatory information

|                            |  |
|----------------------------|--|
| Massachusetts              | : The following components are listed: TITANIUM DIOXIDE; MINERAL WOOL FIBER; GLYCERINE MIST                  |
| New York                   | : None of the components are listed.   |
| New Jersey                 | : The following components are listed: TITANIUM DIOXIDE; TITANIUM OXIDE (TiO2); GLYCERIN; 1,2,3-PROPANETRIOL |
| Pennsylvania               | : The following components are listed: TITANIUM OXIDE (TiO2); 1,2,3-PROPANETRIOL                             |
| <u>California Prop. 65</u> |  |

**WARNING:** This product contains a chemical known to the State of California to cause cancer.

| Ingredient name  | Cancer | Reproductive | No significant risk level | Maximum acceptable dosage level |
|------------------|--------|--------------|---------------------------|---------------------------------|
| Titanium dioxide | Yes.   | No.          | No.                       | No.                             |

## Section 16. Other information

### Hazardous Material Information System (U.S.A.)

|                  |   |   |
|------------------|---|---|
| Health           | * | 1 |
| Flammability     |   | 0 |
| Physical hazards |   | 0 |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### History

|                                |                          |
|--------------------------------|--------------------------|
| Date of issue/Date of revision | : 04/01/2015             |
| Date of previous issue         | : No previous validation |
| Version                        | : 1                      |

|                                |              |                        |                          |             |       |
|--------------------------------|--------------|------------------------|--------------------------|-------------|-------|
| Date of issue/Date of revision | : 04/01/2015 | Date of previous issue | : No previous validation | Version : 1 | 10/11 |
|--------------------------------|--------------|------------------------|--------------------------|-------------|-------|

## Section 16. Other information

|                      |  |
|----------------------|--|
| Prepared by          | : IHS  |
| Key to abbreviations | <ul style="list-style-type: none"> <li>: ATE = Acute Toxicity Estimate</li> <li>BCF = Bioconcentration Factor</li> <li>GHS = Globally Harmonized System of Classification and Labelling of Chemicals</li> <li>IATA = International Air Transport Association</li> <li>IBC = Intermediate Bulk Container</li> <li>IMDG = International Maritime Dangerous Goods</li> <li>LogPow = logarithm of the octanol/water partition coefficient</li> <li>MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)</li> <li>UN = United Nations</li> </ul> |
| References           | <ul style="list-style-type: none"> <li>: HCS (U.S.A.)- Hazard Communication Standard</li> <li>International transport regulations</li> </ul>   |

 Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.