## **Ecosite**

Product code: 220752, 220753, 220754, 220755, 220756, 220757 (2011)

Page 1 of 5

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Ecosite Bulk Fill Shade: 220752\_4g Light, 220753\_4g Universal, 220754\_4g Contrast

Ecosite Bulk Shade: 220755 16x0.25 light, 220756 16x0.25 universal, 220757 16x0.25 Contrast

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company Name: DMG America LLC
Address: 242 South Dean Street
City, State, Zip Code: Englewood, NJ. 07631

Telephone: (800) 662-6383 INFOTRAC Emergency No. (800) 535-5053

E-mail: Info@dmg-america.com Website: www.dmg-america.com

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3

**Hazard Statements:** 

May cause respiratory irritation. Causes serious eye damage. Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:





## **Hazard statements**

H335 May cause respiratory irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

#### **Precautionary statements**

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P280 Wear protective gloves/protective clothing/eye protection/face protection.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Ecosite**

Product code: 220752, 220753, 220754, 220755, 220756, 220757 (2011)

Page 2 of 5

#### **Chemical characterization**

chemical characterization (preparation): Acrylate.-resin.

## **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
41637-38-1	Dimethacrylate Resin			5 - 45 %

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Seek medical attention if problems persist. Change contaminated clothing.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### After ingestion

Immediately get medical attention. Do not induce vomiting.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

## Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

COx, NOx

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

## 6.3. Methods and material for containment and cleaning up

Collect mechanically. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves.

## **Ecosite**

Product code: 220752, 220753, 220754, 220755, 220756, 220757 (2011)

Page 3 of 5

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Store only in original container.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.2. Exposure controls



## Appropriate engineering controls

Ensure adequate ventilation of the storage area.

## Protective and hygiene measures

When using do not eat or drink.

#### Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

## Respiratory protection

The following must be prevented: inhalation.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Paste
Colour: yellow
Odour: like: ester

**Test method** 

pH-Value (at 20 °C): not applicable

Changes in the physical state

Initial boiling point and boiling range: > 200 °C point of decomposition: not determined Flash point: > 100 °C Density: 1,8 g/cm³ Vapour density: > 1 (at 20 °C)

## **SECTION 10: Stability and reactivity**

## 10.4. Conditions to avoid

Light. heat.

## 10.5. Incompatible materials

Keep away from strong acids, leachates, heavy metal salts and reducing materials.

## 10.6. Hazardous decomposition products

Can be released in case of fire: Gas / vapours, irritant. (Acrylate., pungent)

## **Ecosite**

Product code: 220752, 220753, 220754, 220755, 220756, 220757 (2011)

Page 4 of 5

#### **Further information**

Substances sensitive to light.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### **Acute toxicity**

LD50: Rat. 2.000 mg/kg

Irritant effect on the eye: Frequently or prolonged contact with skin may cause dermal irritation.

#### Sensitising effects

May cause sensitization by skin contact.

#### Specific effects in experiment on an animal

Frequently or prolonged contact with skin may cause dermal irritation.

## Additional information on tests

Contains Methacrylic esters.: May produce an allergic reaction.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Acute fish toxicity LC50: OECD 203 / 96h: >10 mg/l

## 12.2. Persistence and degradability

Preparation not tested.

## **Further information**

Do not empty into drains or the aquatic environment. Leakage into the environment must be prevented.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of harzardous waste according to official regulations.

#### Waste disposal number of waste from residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except

kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing

hazardous substances

Classified as hazardous waste.

## **SECTION 14: Transport information**

## Other applicable information

Not a hazardous material with respect to these transportation regulations.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulatory information

Water contaminating class (D): 2 - water contaminating

## **SECTION 16: Other information**

## **Ecosite**

Product code: 220752, 220753, 220754, 220755, 220756, 220757 (2011) Page 5 of 5

## Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

## **Further Information**

\_

(The data for the hazardous ingredients were taken respectively from the last version (04/14/2016 of the sub-contractor's safety data sheet.) According to Regulation\_GHS\_OSHA\_(EC) No. 1907/2006