according to Regulation (EC) No 1907/2006

Ecosite One

Revision date: 16.11.2023 Product code: G000012 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ecosite One

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against

pregnant or breastfeeding people should not work with hazardous substances

1.3. Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH

Street: Elbgaustraße 248
Place: D-22547 Hamburg

Telephone: +49. (0) 40. 84006-0 Telefax: +49. (0) 40. 84006-222

e-mail: info@dmg-dental.com Internet: www.dmg-dental.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Propoxylated neopentylglycol diacrylate

7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Special labelling of certain mixtures

70 - < 75 % of the mixture consists of ingredient(s) of unknown acute toxicity (dermal). 70 - < 75 % of the mixture consists of ingredient(s) of unknown acute toxicity (inhalation). Contains 1 - < 5 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

No information available.

according to Regulation (EC) No 1907/2006

Ecosite One

Revision date: 16.11.2023 Product code: G000012 Page 2 of 11

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
41637-38-1	ethoxylated bisphenol A dimethacry	rlate		5 - < 10 %
	609-946-4		01-2119980659-17	
	Aquatic Chronic 4; H413			
84170-74-1	Propoxylated neopentylglycol diacrylate			
	617-546-6		01-2119970213-43	
	Skin Sens. 1B, Aquatic Chronic 2; H	1317 H411		
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)			1 - < 5 %
	276-957-5		01-2120751202-68	
	Skin Sens. 1B, Aquatic Chronic 2; H	H317 H411		
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate			
	201-297-1	607-035-00-6	01-2119452498-28	
	Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	c. Limits, M-factors and ATE	
41637-38-1	609-946-4	ethoxylated bisphenol A dimethacrylate	5 - < 10 %
	dermal: LD50) = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
84170-74-1	617-546-6	Propoxylated neopentylglycol diacrylate	1 - < 5 %
	dermal: LD50) = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
72869-86-4	276-957-5	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)	1 - < 5 %
	oral: LD50 =	>5000 mg/kg	
80-62-6	201-297-1	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	< 0.1 %
	inhalation: L0 mg/kg	C50 = 29,8 mg/l (vapours); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

according to Regulation (EC) No 1907/2006

Ecosite One

Revision date: 16.11.2023 Product code: G000012 Page 3 of 11

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink or smoke

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

according to Regulation (EC) No 1907/2006

Ecosite One

Revision date: 16.11.2023 Product code: G000012 Page 4 of 11

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
128-37-0	2,6-Ditertiary-butyl-para-cresol	-	2		TWA (8 h)	
80-62-6	Methyl methacrylate	50	-		TWA (8 h)	
		100	-		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
41637-38-1	ethoxylated bisphenol A dimethacrylate			
Worker DNEL,	long-term	inhalation	systemic	3,52 mg/m³
Worker DNEL,	long-term	dermal	systemic	2 mg/kg bw/day
84170-74-1	Propoxylated neopentylglycol diacrylate			
Worker DNEL,	long-term	inhalation	systemic	32,9 mg/m³
Worker DNEL,	long-term	dermal	systemic	46,7 mg/kg bw/day
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-dia isomers)	aza-hexadecane-1,16-d	iol dimethacrylate (mix	ture of
Worker DNEL,	long-term	inhalation	systemic	3,3 mg/m³
Worker DNEL,	long-term	dermal	systemic	1,3 mg/kg bw/day
128-37-0	2,6-Di-tert-butyl-4-methylphenol			
Worker DNEL,	long-term	inhalation	systemic	3,5 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,5 mg/kg bw/day
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methy	l 2-methylpropenoate		
Worker DNEL,	long-term	inhalation	systemic	208 mg/m³
Worker DNEL,	long-term	dermal	systemic	13,7 mg/kg bw/day
Worker DNEL,	acute	dermal	local	1,5 mg/cm ²

according to Regulation (EC) No 1907/2006

Ecosite One

Revision date: 16.11.2023 Product code: G000012 Page 5 of 11

PNEC values

CAS No	Substance	
Environmental	compartment	Value
84170-74-1	Propoxylated neopentylglycol diacrylate	
Freshwater		0,0027 mg/l
Freshwater (in	termittent releases)	0,027 mg/l
Marine water		0,00027 mg/l
Freshwater se	diment	0,064 mg/kg
Marine sedime	ent	0,0064 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	0,1 mg/l
Soil		0,011 mg/kg
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-isomers)	1,16-diol dimethacrylate (mixture of
Freshwater		0,01 mg/l
Marine water		0,001 mg/l
Freshwater se	diment	4,56 mg/kg
Marine sedime	ent	0,456 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	3,61 mg/l
Soil		0,91 mg/kg
128-37-0	2,6-Di-tert-butyl-4-methylphenol	
Freshwater		0,000199 mg/l
Freshwater (in	termittent releases)	0,00199 mg/l
Marine water		0,000199 mg/l
Freshwater se	diment	0,0996 mg/kg
Marine sedime	ent	0,00996 mg/kg
Soil		0,04769 mg/kg
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylproper	noate
Freshwater		0,94 mg/l
Marine water		0,094 mg/l
Freshwater se	diment	10,2 mg/kg
Marine sedime	ent	10,2 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	10 mg/l
Soil		1,48 mg/kg

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is

according to Regulation (EC) No 1907/2006

Ecosite One

Product code: G000012 Revision date: 16.11.2023 Page 6 of 11

recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: beige

characteristic Odour:

Melting point/freezing point: not determined Boiling point or initial boiling point and not determined

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not applicable Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined The study does not need to be conducted Water solubility:

> because the substance is known to be insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined not determined Density: Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

according to Regulation (EC) No 1907/2006

Ecosite One

Revision date: 16.11.2023 Product code: G000012 Page 7 of 11

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
41637-38-1	ethoxylated bisphenol A	limethacrylate				
	oral	LD50 >2000 mg/kg	Rat	ECHA	OECD 423	
	dermal	LD50 >2000 mg/kg	Rat	ECHA	OECD 402	
84170-74-1	Propoxylated neopentylgl	ycol diacrylate				
	oral	LD50 >5000 mg/kg	Rat	supplier SDS	OECD 401	
	dermal	LD50 >2000 mg/kg	Rat	supplier SDS	OECD 402	
72869-86-4	7,7,9-(resp. 7,9,9-)Trimeti isomers)	hyl-4,13-dioxo-3,14-dio	xa-5,12-diaza-hexadecane	-1,16-diol dimethacrylate (mixture of	
	oral	LD50 >5000 mg/kg	Rat	supplier SDS	OECD 401	
80-62-6	methyl methacrylate; met	hyl 2-methylprop-2-end	ate; methyl 2-methylproper	noate		
	oral	LD50 >5000 mg/kg	Rat	supplier SDS		
	dermal	LD50 >5000 mg/kg	Rabbit	supplier SDS		
	inhalation (4 h) vapour	LC50 29,8 mg/l	Rat	supplier SDS		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Propoxylated neopentylglycol diacrylate; 7,7,9-(resp.

7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers); methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

according to Regulation (EC) No 1907/2006

Ecosite One

Revision date: 16.11.2023 Product code: G000012 Page 8 of 11

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
41637-38-1	ethoxylated bisphenol A	A dimethacryla	ate				
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio (zebrafish)	supplier SDS	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	supplier SDS	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)	supplier SDS	
84170-74-1	Propoxylated neopenty	lglycol diacryl	ate				
	Acute fish toxicity	LC50	2,7 mg/l	96 h	Danio rerio (zebrafish)	supplier SDS	OECD 203
	Acute algae toxicity	ErC50	11 mg/l	72 h	Pseudokirchneriella subcapitata	supplier SDS	OECD 201
	Acute crustacea toxicity	EC50	37 mg/l	48 h	Daphnia magna (Big water flea)	supplier SDS	OECD 202
80-62-6	methyl methacrylate; m	ethyl 2-methy	Iprop-2-enoa	te; methy	/l 2-methylpropenoate		
	Acute fish toxicity	LC50 mg/l	>100	96 h		supplier SDS	OECD 203
	Acute algae toxicity	ErC50	110 mg/l	72 h	Selenastrum capricornutum	ECHA	
	Fish toxicity	NOEC	9,4 mg/l			supplier SDS	OECD 210
	Algae toxicity	NOEC mg/l	>110		Selenastrum capricornutum	supplier SDS	OECD 201
	Crustacea toxicity	NOEC	37 mg/l		Daphnia magna (Big water flea)	supplier SDS	OECD 202

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation			•			
41637-38-1	7-38-1 ethoxylated bisphenol A dimethacrylate						
	OECD 301D	24%	28				
	Not readily biodegradable (according to OECD criteria)						
84170-74-1	70-74-1 Propoxylated neopentylglycol diacrylate						
	OECD 301D	41%	28				
	Not readily biodegradable (according to OECD criteria)						
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-h isomers)	exadecane-1,16-diol dime	ethacryla	te (mixture of			
	OECD 301F	22%	28				
	Not readily biodegradable (according to OECD criteria)						
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-m	ethylpropenoate					
	OECD 301C	94%	14				
	Readily biodegradable (according to OECD criteria).						

according to Regulation (EC) No 1907/2006

Ecosite One

Revision date: 16.11.2023 Product code: G000012 Page 9 of 11

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
41637-38-1	ethoxylated bisphenol A dimethacrylate	5,62
84170-74-1	Propoxylated neopentylglycol diacrylate	1 - 4,86
	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)	3,39
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	1,38

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Dispose of contents/container to an appropriate recycling or disposal facility.

List of Wastes Code - residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH

(EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH

CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans;

chemicals consisting of or containing hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

according to Regulation (EC) No 1907/2006

Ecosite One

Revision date: 16.11.2023 Product code: G000012 Page 10 of 11

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU Not s

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the

'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

according to Regulation (EC) No 1907/2006

Ecosite One

Revision date: 16.11.2023 Product code: G000012 Page 11 of 11

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

eievant H and Et	of statements (number and full text)	
H225	Highly flammable liquid and vapour.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H335	May cause respiratory irritation.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

May cause long lasting harmful effects to aquatic life.

Further Information

H413

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)