

SAFETY DATA SHEET

Issuing Date 17-Apr-2015

Revision Date 17-Apr-2015

ECR# 23488

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name

Porcelain Conditioner

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Professional Dental Porcelain Material

Uses advised against

No information available

Supplier's details

Supplier Address

Manufacturer Address

DenMat 1017 W. Central Ave. DenMat

Lompoc, CA 93436 TEL: 805-346-3700 1017 W. Central Ave. Lompoc, CA 93436

TEL: 805-346-3700

Emergency telephone number

Emergency Telephone

Number

805-346-3700

2. HAZARDS IDENTIFICATION

Classification

Serious Eye Damage/Eye Irritation

Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word

Warning

Hazard Statements

Causes serious eye irritation

(!)

Appearance Clear

Physical State Liquid.

Odor none

Precautionary Statements

Prevention

· Wear eye/face protection.

General Advice

None

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician.

Storage

None

Disposal

None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Prolonged or repeated skin contact may cause severe irritation. 17.2% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Citric acid	77-92-9	30-40	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice

If symptoms persist, call a physician.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Get medical attention immediately if irritation persists.

Skin Contact

Wash off immediately with soap and plenty of water. Get medical attention if irritation

develops and persists.

Inhalation

Not an expected route of exposure. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician or Poison Control Center immediately.

Ingestion

Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

Protection of First-aiders

Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Serious eye irritation or damage.

Indication of immediate medical attention and special treatment needed, if necessary

Revision Date 17-Apr-2015

Porcelain Conditioner

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

None.

Protective Equipment and Precautions for Firefighters

Wear self contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid contact with the skin and the eyes. Wash thoroughly after handling. Refer to Section 8

for personal protective equipment.

Environmental Precautions

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers,

basements or confined areas. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13).

Methods for Cleaning Up

Clean contaminated surface thoroughly,

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage

Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated

place. Keep out of the reach of children.

Incompatible Products

Strong reducing agents. Metals.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Porcelain Conditioner Revision Date 17-Apr-2015

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures

Showers

Evewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

If splashes are likely to occur, wear: Safety glasses with side-shields.

Skin and Body Protection

Protective gloves.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures

When using, do not eat, drink or smoke. Remove and wash contaminated clothing before

re-use. Provide regular cleaning of equipment, work area and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State

Liquid none

Appearance Odor Threshold Clear/Pale vellow

No information available

Values Property

рΗ

Odor

2.0 - 3.0

Remarks/ - Method

Melting Point/Range Boiling Point/ Range

-5 °C > 100 °C

Flash Point **Evaporation rate** Flammability (solid, gas) Not applicable. No data available No data available None known None known None known

Flammability Limits in Air

upper flammability limit No data available lower flammability limit No data available

Vapor Pressure No data available No data available **Vapor Density Specific Gravity** Water Solubility

1.05-1.15 @ 25°C Miscible with water Insoluble

Solubility in other solvents **Autoignition Temperature**

No data available

None known None known

Partition coefficient: n-octanol/waterNo data available **Decomposition Temperature** Viscosity

No data available

None known None known None known

Flammable Properties

Not flammable

Water like

Explosive Properties Oxidizing Properties

No data available No data available

Other information

VOC Content (%)

Not applicable.

10. STABILITY AND REACTIVITY

Porcelain Conditioner

Revision Date 17-Apr-2015

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong reducing agents. Metals.

Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product is safe for its intended use based on the formulation, testing results, and the long

history of safe consumer use.

Inhalation Not an expected route of exposure. Inhalation of mist may cause irritation to the respiratory

system.

Eye Contact Not an expected route of exposure. Expected to be severely irritating or corrosive to eyes

based on components present in formulation.

Based on the ingredients present in the formulation, prolonged or repeated skin contact may Skin Contact

be irritation, or severely irritating, to the skin.

Ingestion Not expected to be toxic following ingestion. Ingestion may cause irritation to mucous

membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Glycerin	= 11,700 mg/kg (Rat)	>2000 mg/kg (Rat)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Eye contact with liquid may cause irritation including stinging, burning, tearing, or reddening

of the eyes.

Delayed and immediate effects and also chronic effects from short and long term exposure

Corrosivity

Causes serious eye irritation. Risk of serious damage to eyes.

Sensitization **Mutagenic Effects** Carcinogenicity

No information available. No information available.

Contains no ingredients above reportable quantities listed as a carcinogen.

Reproductive Toxicity Developmental Toxicity Not classified due to lack of data. Not classified due to lack of data.

Porcelain Conditioner

Revision Date 17-Apr-2015

STOT - single exposure STOT - repeated exposure **Chronic Toxicity Target Organ Effects**

None under normal use conditions. None under normal use conditions.

Avoid repeated exposure. Prolonged exposure may cause chronic effects.

Eyes. Gastrointestinal tract (GI). Mucous membrane.

Aspiration Hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Glycerin		LC50(Lepomis macrochirus,	√ ye.	EC50(Daphnla magna, 24
56-81-5		96hr): 1516 mg/L		hr): 1535 mg/L
		LC50(Leuciscus idus, 96hr):		
		440-760 mg/L		

Persistence and Degradability

Readily biodegradable

Bioaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

Shipping Name:

CORROSIVE LIQUID, N.O.S.

Class:

8

Group:

Ш

PIN Number

UN1760

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL Substances comply or are exempt
ENCS Substances comply or are exempt
IECSC Substances comply or are exempt
KECL Substances comply or are exempt
PICCS Substances comply or are exempt
AICS Substances comply or are exempt

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This material does not contain any substances regulated as pollutants pursuant to the clean Water Act (40 CFR122.21and 40 CFR 122.42)

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any contain any substances regulated by state right-to-know regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

ARTHUR REPRESENTATION		aut I	16. OTHER INF	ORA	MATION	
NFPA	Health Hazard	1	Flammability	0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard	1	Flammability	0	Physical Hazard 0	Personal Protection X

Issuing Date Revision Date 17-Apr-2015 17-Apr-2015

General Disclaimer
The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date 15-Apr-2015

Revision Date 15-Apr-2015

ECR# 23477

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name

UltraBond Plus - All Shades

Other means of identification

Synonyms

None

Product Type

Paste

Recommended use of the chemical and restrictions on use

Recommended Use

Professional dental restorative

Uses advised against

No information available

Supplier's details

Supplier Address

DenMat

1017 W. Central Ave. Lompoc, CA 93436 TEL: 805-346-3700

Emergency telephone number

Emergency Telephone

805-346-3700

Number

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Sensitizer	Category 1B
Skin Corrosion/Irritation	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word	Warning	

Hazard Statements

Hazard Statements

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation

Precautionary Statements

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- P261 Avoid breathing vapors.
- P264 Wash hands and forearms thoroughly after handling.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear eye protection, protective gloves.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362 Take off contaminated clothing and wash before reuse.
- P501 Dispose of contents/container according to local, regional, national, and international regulations.



Appearance Various colors

Physical State Paste Odor slight ester/sweet smell

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- · Use only outdoors or in a well-ventilated area.
- · Keep container tightly closed.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Keep cool

General Advice

None

Eves

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- IF eye irritation persists: Get medical advice/attention

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

- If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- · Call a POISON CENTER or doctor/physician if you feel unwell

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

· Store locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Aspiration hazard if swallowed - can enter lungs and cause damage Harmful to aquatic life

<5% of the mixture consists of ingredient(s) of unknown toxicity.

Revision Date 15-Apr -2015

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
urethane dimethacrylate	72869-86-4	25 - 35	*
silica	68611-44-9	25 35	*
triethylene glycol dimethacrylate	109-16-0	5 - 10	*
2-(2' hydroxy-5'-octylphenyl) benzotriazole	3147-75-9	1 - 5	*
di hydroxyethyl p toluidine	3077-12-1	0.1 0.5	*
benzoyl peroxide	94-36-0	0.1 0.5	*
ethyl 4-dimethylaminobenzoate	10287-53-3	0.01 0.2	*
camphorquinone	10373-78-1	0.01 0.2	*
butylated hydroxytoluene	128-37-0	0.01 0.2	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Consult a physician.

Skin Contact Wash off with warm water and soap. Consult a physician if necessary.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If feeling

unwell, seek medical attention.

Ingestion Rinse oral cavity with copious water. If feeling unwell, call a physician or Poison Control Center

immediately.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Mild skin irritation

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Not Applicable

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

None

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Avoid breathing vapors or mists.

Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

Revision Date 15-Apr -2015

UltraBond Plus - All Shades

Environmental Precautions

Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Ensure adequate ventilation. Avoid breathing vapors. Wear personal protective equipment.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing

before re-use.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and away from direct sunlight.

Incompatible Products

Strong acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

None Established

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection Safety glasses with side-shields. Tightly fitting safety goggles.

Long sleeved clothing. Impervious gloves.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Remove and wash

contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Solid (paste)

Appearance

Various colors

Odor

Minimal; Ester/sweet

Odor Threshold

No information available

Property

Values Not Applicable pН

Not Applicable Melting Point/Range Not Applicable **Boiling Point/Range** Not Applicable Flash Point **Evaporation rate** Not Applicable Flammability (solid, gas) No data available

Flammability Limits In Air

No data available upper flammability limit No data available lower flammability limit **Vapor Pressure** No data available

Not Applicable **Vapor Density** 1.8-1.9 @ 25°C **Specific Gravity** Insoluble **Water Solubility**

Solubility in other solvents

None known

Remarks/ - Method

None known

None known Partially soluble in acetone and ethanol None known

Information on basic physical and chemical properties

Partition coefficient: n-octanol/water **Autoignition Temperature**

Decomposition Temperature Viscosity

No data available No data available No data available High viscosity

None known None known None known

Flammable Properties

Not flammable

Explosive Properties Oxidizing Properties

No data available No data available

Other information

VOC Content (%)

None

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal conditions.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Ignitions sources - heat, sparks and open flames.

Incompatible materials

Strong acids. Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

Revision Date 15-Apr -2015

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Inhalation

The product itself has not been tested. Data is for major component in product.

May cause drowsiness and dizziness based on components. May cause irritation of

respiratory tract.

Irritating to eyes. **Eve Contact**

May cause skin irritation and/or dermatitis. **Skin Contact**

Potential for aspiration if swallowed. Vomiting may aspirate into lungs and cause chemical Ingestion

pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

May cause drowsiness and dizziness. Eye contact with liquid may cause irritation including

stinging, burning, tearing, or reddening of the eyes.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization **Mutagenic Effects** Carcinogenicity

No information available. No information available. No information Available.

Acute Toxicity

Chemical Name	Result	Species	Dose
urethane dimethacrylate	LD 50 Oral	Rat	>5000 mg/kg
triethylene glycol dimethacrylate	LD 50 Oral	Rat	10837 mg/kg

Reproductive Toxicity STOT - single exposure

No information available. No information available.

STOT - repeated exposure

No information available.

Target Organ Effects Respiratory system.

Based on product level data, this product does not meet the requirement to be classified as **Aspiration Hazard**

an aspiration hazard. However, this product contains an ingredient that may cause

aspiration if swallowed.

12. ECOLOGICAL INFORMATION

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
urethane dimethacrylate 934705-15-4	EC50 72 h 0.68mg/l	Not Established	EC50 24 h 1.2 mg/l
Triethylene glycol dimethacrylate 109-16-0	Not established	Not established	Not established

Persistence and Degradability

No information available.

Bloaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT

UN-Number
Proper shipping name
Hazard Class
Packing Group
Description
Emergency Response Guide
Number

Not Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA

All components of this product are either listed or are exempt on the TSCA inventory.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

None of the components are listed

U.S. State Right-to-Know Regulations

Massachusetts

The following components are listed: Amorphous silica

New York

None of the components are listed

New Jersey Pennsylvania

Fluorides; barium compounds Barium compounds; silica

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 1	Flammability 0	Instability 0	Physical and Chemical Hazards -	
<u>HMIS</u>	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal Protection X	

Revision Date 15-Apr -2015

Issuing Date Revision Date 15-Apr-2015 15-Apr-2015

General Disclaimer

The Information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date 17-Apr-2015

Revision Date 17-Apr-2015

ECR# 23488

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name

Porcelock Etchant

Other means of identification

Synonyms

White Petrolatum

Recommended use of the chemical and restrictions on use

Recommended Use

Lip Moisturizing

Uses advised against

No information available

Supplier's details

Supplier Address DenMat 1017 W. Central Ave. Lompoc, CA 93436 TEL: 805-346-3700

Emergency telephone number

Emergency Telephone

805-346-3700

Number

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

GHS Label elements, including precautionary statements



Appearance Blue/Green

Physical State Liquid.

Odor unpleasant, do not smell

Hazard statement(s)

H331: Toxic if inhaled. H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	ÇAS-No	Welght %	Trade secret
hydrofluoric acid	7664-39-3	2.5%	
microcrystalline cellulose	900-34-6	0.1 - 1	*
Trans-Cyclohexane-1,2-dinitrilotetraacetic acid	125572-95-4	0.1 - 1	1.80

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact

Remove contact lenses before flushing. With eyelids held open, flush immediately with lukewarm water for at least 15 minutes. DO NOT use an eye ointment. If a physician is not immediately available, apply 1-2 drops of 0.5% Pontocaine Hydrochloride solution. Get Immediate medical attention.

Ingestion

DO NOT INDUCE VOMITING -SEEK MEDICAL ADVICE IMMEDIATELY! Rinse mouth thoroughly and give large amounts of milk or water if person is conscious. Get immediate medical attention.

Porcelock Etchant

Revision Date 17-Apr-2015

Skin Contact

Flush skin with large amounts of water and remove contaminated clothing, watches, etc. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. Get immediate medical attention for all burns, regardless of how minor they may seem.

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing if not breathing, give artificial respiration. Get immediate medical attention.

Most important symptoms/effects, acute and delayed None Expected

Most Important Symptoms/Effects

None Expected

Indication of immediate medical attention and special treatment needed, if necessary

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical

Hydrogen fluoride

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

None

Protective Equipment and Precautions for Firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation. Avoid breathing vapors or mists.

Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

Environmental Precautions

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Environmental Precautions

Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Ensure adequate ventilation. Will attack glass and porcelain. Do not contact any spills or diluted . Avoid contact with skin, eyes and clothing. Remove and wash contaminated

clothing before re-use.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products

Strong acids. Strong oxidizing agents.

Page 3/9

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrofluoric Acid 7664-39-3	0.5 ppm	3 ppm	Not established
Microcrystalline cellulose 900-34-6	10 mg/m³ (TWA)	15 mg/m³ (total dust)	
Petrolatum 8009-03-2	Not established	Not established	Not established

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection Safety glasses with side-shields. Tightly fitting safety goggles.

Long sleeved clothing. Impervious gloves.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Remove and wash

None known

contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

White/clearish/off-white **Physical State** Solid (paste) **Appearance Odor Threshold** No information available None Odor Remarks/ - Method Values **Property** None known Not Applicable рΗ None known 38° C Melting Point/Range Boiling Point/Range Not Established For acetone None known Flash Point No data available No data available None known **Evaporation rate** No data available Flammability (solid, gas) Flammability Limits in Air No data available upper flammability limit lower flammability limit No data available No data available None known Vapor Pressure None known **Vapor Density** No data available 0.85 @ 25°C None known **Specific Gravity** None known Water Solubility Insoluble

100% soluble in diethyl ether

Information on basic physical and chemical properties

Solubility in other solvents

Porcelock Etchant

Partition coefficient: n-octanol/water Autoignition Temperature

Decomposition Temperature

Viscosity

No data available No data available

No data available

None known None known None known Revision Date 17-Apr-2015

Thin gel

Flammable Properties

Not flammable

Explosive Properties Oxidizing Properties

No data available No data available

Other Information

VOC Content (%)

None

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Glass contact, strong bases or organic anhydrides

Incompatible materials

Strong acids. Strong oxidizing agents.

Hazardous decomposition products

Fluorine gas on decomposition and hydrogen gas formed in contact with metals. Corrosive vapors may be formed during heating.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Acute Toxicity:

LD50 not determined

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen

Reproductive Toxicity STOT - single exposure STOT - repeated exposure Target Organ Effects No information available. No information available. No information available. Eyes. Respiratory system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects
No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone - 67-64-1		Included in waste stream:		U002
		F039		

14. TRANSPORT INFORMATION

DOT

UN-Number

2922

Hazard Class

Not a dangerous good

Packing Group Description

Emergency Response Guide

Number

Revision Date 17-Apr-2015

Porcelock Etchant

IATA

UN-Number Proper Shipping Name

Hazard Class
Packing Group

ERG Code
Description

2922

Corrosive Liquid, Toxic n.o.s. (Hydrofluoric acid mixture)

8(6.1)

- 11

15. REGULATORY INFORMATION

International Inventories

TSCA

All components of this product are either listed or are exempt on the TSCA inventory.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Petrolatum	X		Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS_	Health Hazard 2	Flammability 1	Physical Hazard 0	Personal Protection X

Revision Date 17-Apr-2015 **Porcelock Etchant**

Issuing Date Revision Date 17-Apr-2015 17-Apr-2015

General Disclaimer
The Information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The Information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The Information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date 17-Apr-2015

Revision Date 17-Apr-2015

ECR# 23488

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name

Ceri-Prime

Other means of identification

UN-Number

UN1120

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Professional Dental Porcelain Primer

Uses advised against

No information available

Supplier's details

Supplier Address

DenMat 1017 W. Central Ave. Lompoc, CA 93436

TEL: 805-346-3700

Emergency telephone number

Emergency Telephone

Number

805-346-3700

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation	Category 2	
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3	
Flammable liquids	Category 2	

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Hazard Statements Danger

Signal Word Hazard Statements

- Causes serious eye irritation
- · May cause drowsiness or dizziness
- Highly flammable liquid and vapor.

Revision Date 17-Apr-2015



Appearance Clear to light yellow

Physical State Liquid.

Odor Aromatic solvent/pungent

Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- · Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Keep cool

General Advice

None

Eyes

• IF IN EYES: Rinse Cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing.

• IF eye irritation persists: Get medical advice/attention

Skin

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

- If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Call a POISON CENTER or doctor/physician if you feel unwell

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

- Store in a well-ventilated place. Keep container tightly closed.
- · Store locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Aspiration hazard if swallowed - can enter lungs and cause damage Harmful to aquatic life

<5% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret	
organosilane ester	proprietary	20-30	*:	
ethoxylated bis-phenol-A dimethacrylate	41637-38-1	5-10	*	
n-butanol	71-36-3	60 -70	*	
triethylene glycol dimethacrylate	109-16-0	1-5	*	
ethyl 4-dimethylaminobenzoate	10287-53-3	0.1 - 1	*	
2-(2' hydroxy-5'-octylphenyl) benzotriazole	3147-75-9	0.1 - 1	*	
di hydroxyethyl p toluidine	3077-12-1	0.01 - 0.1	.*	
camphorquinone	10373-78-1	0.01 - 0.1	*	
Gamma-Glycidoxypropyltrimethoxysilane	2530-83-8	1-5	*	
Gamma-Methacryloxypropyltrimethoxysilane	2530-85-0	1-5	*	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Consult a physician.

Skin Contact Wash off with warm water and soap. Consult a physician if necessary.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If not

breathing, give artificial respiration. Seek immediate medical attention/advice.

Ingestion Do NOT induce vomiting. Aspiration hazard if swallowed - can enter lungs and cause damage.

Call a physician or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Dizziness. Drowsiness.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Condition of the patient should be carefully monitored. Aspiration of this product during

induced emesis can result in lung injury. If evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation.

Contact a Poison Control Center for additional treatment information.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Extremely flammable.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. Yes.

Protective Equipment and Precautions for Firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Avoid breathing vapors or mists. Remove all sources of

ignition. Take precautionary measures against static discharges. Do not get in eyes, on

skin, or on clothing. Wash thoroughly after handling.

Revision Date 17-Apr-2015

Ceri-Prime

Environmental Precautions

Environmental Precautions

Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Ensure adequate ventilation. Avoid breathing vapors. Keep away from open flames, hot surfaces and sources of ignition. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products

Strong acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSHIDLH
n-butanol	TWA:20 ppm	100 ppm	50 ppm Ceiling
71-36-3		300 mg/m³	150 mg/m₃ Ceiling

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection Safety glasses with side-shields. Tightly fitting safety goggles.

Long sleeved clothing. Impervious gloves.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Odor

Liquid Aromatic solvent **Appearance Odor Threshold**

Clear to light yellow. No information available

Property

Values N/A

Remarks/ - Method

pН Melting Point/Range

Not determined 140 °C

None known None known

Bolling Point/Range Flash Point

70 °C

None known

Evaporation rate Flammability (solid, gas)

No data available

No data available

None known

Flammability Limits in Air upper flammability limit

No data available No data available lower flammability limit Vapor Pressure 3 mm Hg

2.1

Vapor Density Specific Gravity

0.90 @ 25°C

None known

Water Solubility

Minimal

Solubility in other solvents

100% soluble in acetone and ethanol None known

Information on basic physical and chemical properties

Partition coefficient: n-octanol/water

Autolgnition Temperature **Decomposition Temperature** Viscosity

No data available No data available No data available Similar to water

None known None known ... None known

Flammable Properties

Flammable

Explosive Properties Oxidizing Properties

No data available No data available

Other information

VOC Content (%)

60%

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Ignitions sources - heat, sparks and open flames.

Incompatible materials

Strong acids. Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information The product itself has not been tested. Data is for major component in product.

Inhalation May cause drowsiness and dizziness based on components. May cause irritation of

respiratory tract.

Eye Contact Irritating to eyes.

Skin Contact May cause skin irritation and/or dermatitis.

Ingestion Potential for aspiration if swallowed. Vomiting may aspirate into lungs and cause chemical

pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause drowsiness and dizziness. Eye contact with liquid may cause irritation including

stinging, burning, tearing, or reddening of the eyes.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed and

abused as an alcoholic beverage.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects
No information available.
No information available.
Eyes. Respiratory system.

Aspiration Hazard Based on product level data, this product does not meet the requirement to be classified as

an aspiration hazard. However, this product contains an ingredient that may cause

aspiration if swallowed.

Numerical measures of toxicity - Product

Acute Toxicity <10% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral Not established

Inhalation

dust/mist Not established

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
n- Butanol 71-36-3	500 mg/L EC50 Desmodesmus subspicatus 72h 500 mg/L EC50 Desmodesmus subspicatus 96 h	100000-500000 μg/L LC50 Lepomis macrochirus 96 h static 1 1730-1910 mg/L LC50 Pimephales promelas 96 h static 1 1740 mg/L LC50 Pimephales promelas 96 h flow-through 1	N/A	1897 - 2072 mg/L EC50 Daphnia magna 48 h 1983 mg/L EC50 Daphnia magna 48 h

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects
No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise

Ceri-Prime

Revision Date 17-Apr-2015

comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
N Butyl alcohol 71-36-3	None	None	None	U031 ignitable waste

14. TRANSPORT INFORMATION

DOT

UN-Number

UN1120

Proper shipping name

Flammable liquids, n.o.s.

Hazard Class

Packing Group Description

UN1120, Flammable liquids, n.o.s. (butanols), 3, II

15. REGULATORY INFORMATION

International Inventories

TSCA

All components of this product are either listed or are exempt on the TSCA inventory.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Revision Date 17-Apr-2015

15. REGULATORY INFORMATION

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 2	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal Protection X

General Disclaimer

 Issuing Date
 17-Apr-2015

 Revision Date
 17-Apr-2015

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet