

Printing date 11/28/2013

Reviewed on 11/28/2013

#### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: K-ETCHANT Syringe

· Article number: US197

- · Application of the substance / the preparation Dental etching composite
- · Details of the supplier of the safety data sheet
- · Manufacturer:

Kuraray Noritake Dental Inc.

1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

· Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

## 2 Composition/information on ingredients

- · Chemical characterization: Single Component
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

7664-38-2 phosphoric acid

📀 Skin Corr. 1B, H314

25-45%

Other ingredients:

Polyethyleneglycol

Colloidal silica

Water

Pigment

#### 3 Hazards identification

· Classification of the substance or mixture



**GHS05** Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS05
- · Signal word Danger
- · Hazard-determining components of labelling:

phosphoric acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

(Contd. on page 2)

(Contd. of page 1)



# Safety Data Sheet acc. to ISO/DIS 11014

Printing date 11/28/2013 Reviewed on 11/28/2013

Trade name: K-ETCHANT Syringe

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)

300

Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 3
FIRE 0
REACTIVITY 0

Health = 3

Fire = 0

Reactivity = 0

### 4 First aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

#### **5** Firefighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment:

Wear self-contained respiatory protective device.

Wear fully protective suit.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 3)



Printing date 11/28/2013 Reviewed on 11/28/2013

Trade name: K-ETCHANT Syringe

(Contd. of page 2)

- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25 °C).
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from reducing agents.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

#### 7664-38-2 phosphoric acid

PEL	1 mg/m³
REL	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³
	Long-term value: 1 mg/m <sup>3</sup>
TLV	Short-term value: 3 mg/m <sup>3</sup>
	Long-term value: 1 mg/m <sup>3</sup>

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

(Contd. of page 3)



## Safety Data Sheet acc. to ISO/DIS 11014

Printing date 11/28/2013 Reviewed on 11/28/2013

Trade name: K-ETCHANT Syringe

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

· Appearance:
Form: Gel
Color: Blue

· Odor: Odorless

• **pH-value:** 1.9

· Change in condition

· General Information

**Melting point/Melting range:** 42.4 °C (phosphoric acid)

Boiling point/Boiling range: Undetermined.

• Flash point: Not applicable.

Ignition temperature: Not applicable
 Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not applicable Upper: Not applicable

· Vapor pressure: Not applicable

Density: 1.3 g/cm³
 Vapour density Not applicable

· Solubility in / Miscibility with

Water: Partly miscible.

· Partition coefficient (n-octanol/water): Not applicable

• Other information No further relevant information available.

### 10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

#### 11 Toxicological information

· Acute toxicity:

· LD/LC50 values	that are re	levant for c	lassification:
------------------	-------------	--------------	----------------

#### 7664-38-2 phosphoric acid

Oral LD50 1250 mg/kg (mouse)

1250 mg/kg (rat)

Dermal LD50 2740 mg/kg (rabbit)

(Contd. on page 5)



Printing date 11/28/2013 Reviewed on 11/28/2013

Trade name: K-ETCHANT Syringe

(Contd. of page 4)

· Primary irritant effect:

- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### 12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Trans	port in	forma	tion

· UN-Number	
· DOT	UN1805
· ADR, IMDG, IATA	1805

· UN proper shipping name

• ADR
• 1805 PHOSPHORIC ACID, SOLUTION
• IMDG, IATA
• 1805 PHOSPHORIC ACID, SOLUTION
• PHOSPHORIC ACID, SOLUTION

(Contd. on page 6)



Printing date 11/28/2013 Reviewed on 11/28/2013

Trade name: K-ETCHANT Syringe

(Contd. of page 5)

· Transport hazard class(es)

 $\cdot$  DOT



· Class 8 Corrosive substances.

· Label

· ADR, IMDG, IATA



· Class 8 Corrosive substances

· Label 8

· Packing group

· DOT, ADR, IMDG, IATA

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Corrosive substances

Danger code (Kemler): 80EMS Number: F-A,S-B

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN1805; PHOSPHORIC ACID, SOLUTION; 8; III

### 15 Regulatory information

·Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

7664-38-2 phosphoric acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 7)



Printing date 11/28/2013 Reviewed on 11/28/2013

Trade name: K-ETCHANT Syringe

· Cancerogenity categories

(Contd. of page 6)

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administation)

None of the ingredients is listed.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 1
- · Relevant phrases

H314 Causes severe skin burns and eye damage.



Printing date 10/18/2013

Reviewed on 10/18/2013

## 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: CLEARFIL Universal Bond

· Article number: US194

- · Application of the substance / the preparation Dental bonding material
- · Details of the supplier of the safety data sheet
- · Manufacturer:

Kuraray Noritake Dental Inc.

1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

· Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

## 2 Composition/information on ingredients

- · Chemical characterization: Single Component
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
1565-94-2	bisphenol A diglycidylmethacrylate	15-35%	
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319		
868-77-9	2-hydroxyethyl methacrylate	10-35%	
	\$\times\$ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317		
64-17-5		<20%	
	<b>ⓑ</b> Flam. Lig. 2, H225		

#### · Other ingredients:

10-Methacryloyloxydecyl dihydrogen phosphate

Hydrophilic aliphatic dimethacrylate

Colloidal silica

dl-Camphorquinone

Silane coupling agent

Accelerators

Initiators

Water

## 3 Hazards identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)



Printing date 10/18/2013 Reviewed on 10/18/2013

Trade name: CLEARFIL Universal Bond

(Contd. of page 1)

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS02, GHS07
- · Signal word Danger
- · Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations

- · Classification system:
- · NFPA ratings (scale 0 4)



 $\begin{aligned} & Health = 1 \\ & Fire = 3 \\ & Reactivity = 0 \end{aligned}$ 

· HMIS-ratings (scale 0 - 4)



 $\begin{aligned} & Health = 1 \\ & Fire = 3 \\ & Reactivity = 0 \end{aligned}$ 

#### 4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- $\cdot$   $After\ skin\ contact:$  Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

If symptoms persist consult doctor.

#### 5 Firefighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment:

Wear self-contained respiatory protective device.

(Contd. on page 3)



Printing date 10/18/2013 Reviewed on 10/18/2013

Trade name: CLEARFIL Universal Bond

Wear fully protective suit.

(Contd. of page 2)

#### **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8 °C).
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from reducing agents.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

#### 64-17-5 ethanol

PEL	1900 mg/m³, 1000 ppm
REL	1900 mg/m³, 1000 ppm
TLV	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)



Printing date 10/18/2013 Reviewed on 10/18/2013

Trade name: CLEARFIL Universal Bond

· Protection of hands:





Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Tightly sealed goggles

General Information	
Appearance:	** **
Form:	Liquid
Color: Odor:	Yellow Alcohol-like
Odor:	Alcohol-like
pH-value:	2.3
Change in condition	
Melting point/Melting range:	-114.5 °C (ethanol)
<b>Boiling point/Boiling range:</b>	78 °C (ethanol)
Flash point:	13 °C (ethanol)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425.0 °C (ethanol)
Danger of explosion:	Product is not explosive. However, formation of explosive air/
	vapor mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol % (ethanol)
Upper:	15.0 Vol % (ethanol)
Vapor pressure:	59.0 hPa (20 °C, ethanol)
Density:	1.1 g/cm <sup>3</sup>
Vapour density	1.6 g/cm³ (ethanol, air=1)
Evaporation rate	Not determined
Solubility in / Miscibility with	
Water:	Partly miscible.

(Contd. on page 5)



Printing date 10/18/2013 Reviewed on 10/18/2013

Trade name: CLEARFIL Universal Bond

(Contd. of page 4)

· Partition coefficient (n-octanol/water): -0.32 (ethanol)

• Other information No further relevant information available.

### 10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

### 11 Toxicological information

· Acute toxicity:

· LD/LC50 values that are relevant for classification:						
868-77-9 2	868-77-9 2-hydroxyethyl methacrylate					
Oral	LD50	4680 mg/kg (guinea pig)				
		3275 mg/kg (mouse)				
	5050 mg/kg (rat)					
64-17-5 et	hanol					
Oral	LD50	3450 mg/kg (mouse)				
		7060 mg/kg (rat)				
Inhalative	Inhalative LC50/4 h 20000 mg/l (rat)					
	LD50 3600 mg/kg (rat - intraperioneal)					

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Îrritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### 12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 6)



Printing date 10/18/2013 Reviewed on 10/18/2013

Trade name: CLEARFIL Universal Bond

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 4 7				O CO	4.0
4.	rang	nor	m	forma	fion
	T T COLLEGE	DOT.		ULILLA	

. '	TT.	N.	.N	ıım	her

· DOT, ADR, IMDG, IATA UN1170

· UN proper shipping name

· **DOT** ETHANOL, mixture

· ADR 1170 ETHANOL (ETHYL ALCOHOL), mixture

· IMDG ETHANOL (ETHYL ALCOHOL)

· IATA ETHANOL

- · Transport hazard class(es)
- $\cdot$  DOT



· Class 3 Flammable liquids.

· Label 3

· ADR, IMDG, IATA



· Class 3 Flammable liquids

 $\cdot$  Label 3

· Packing group

· DOT, ADR, IMDG, IATA

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids

· Danger code (Kemler): 33

· EMS Number: F-E,S-D

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN1170, ETHANOL (ETHYL ALCOHOL), mixture, 3, II

USA



Printing date 10/18/2013 Reviewed on 10/18/2013

Trade name: CLEARFIL Universal Bond

(Contd. of page 6)

### 15 Regulatory information

- ·Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administation)

None of the ingredients is listed.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 1
- · Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

USA -