



1 Identification

- **Product identifier**
- **Trade name:** CLEARFIL Universal Bond Quick 2
- **Article number:** US255
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Dental materials
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**
Kuraray Noritake Dental Inc.
1621 Sakazu, Kurashiki,
Okayama 710-0801,
Japan
- **Supplier**
Kuraray America, Inc.
32 Old Slip, 7th Floor, New York,
NY 10005 U.S.A.
Tel: 800-879-1676
Website: www.kuraraydental.com
- **Emergency telephone number:**
CHEMTREC; day and night, within USA and Canada
1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Flammable Liquids 3 H226 Flammable liquid and vapor.
Skin Irritation 2 H315 Causes skin irritation.
Eye Irritation 2A H319 Causes serious eye irritation.
Sensitization - Skin 1 H317 May cause an allergic skin reaction.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**

GHS02 GHS07
- **Signal word** Warning
- **Hazard-determining components of labeling:**
2-hydroxyethyl methacrylate
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide
- **Hazard statements**
H226 Flammable liquid and vapor.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
- **Precautionary statements**
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)

Trade name: CLEARFIL Universal Bond Quick 2

(Contd. of page 1)

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P363 Wash contaminated clothing before reuse.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards** Avoid breathing sanding dust / swarf.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

1565-94-2	Bisphenol A diglycidylmethacrylate ⚠ Skin Irritation 2, H315; Eye Irritation 2A, H319	10 - 30%
64-17-5	ethanol ⚠ Flammable Liquids 2, H225	< 20%
868-77-9	2-hydroxyethyl methacrylate ⚠ Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	5 - 15%
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide ⚠ Sensitization - Skin 1A, H317; Aquatic Chronic 4, H413	< 1%

4 First-aid measures

- **Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
Avoid contact with eyes.
Avoid contact with skin.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Trade name: CLEARFIL Universal Bond Quick 2

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways.
Vacuum or sweep material and place in a disposal container. Provide ventilation.
Use appropriate Personal Protective Equipment (PPE).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Avoid contact with skin and eyes, Do not swallow. Avoid generating dust. Do not breathe dust/fume/gas/mist/vapors /spray.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location (2-25°C).
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

64-17-5 ethanol

PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1000 ppm
A3	

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Additional information about design of technical systems:** No further data; see section 7.

(Contd. on page 4)

Trade name: CLEARFIL Universal Bond Quick 2

(Contd. of page 3)

- **Personal protective equipment:**
- **General protective and hygienic measures:**
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Suitable respiratory protective device recommended.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **Physical state** Liquid
- **Color:** Yellow
- **Odor:** Alcohol-like
- **Odor threshold:** Not determined.
- **Melting point/Melting range:** Not determined.
- **Boiling point/Boiling range:** Not determined.
- **Flammability (solid, gaseous):** Flammable.
- **Explosion limits:**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** 35 °C
- **Auto ignition temperature:** Not determined.
- **Decomposition temperature:** Not determined.
- **pH-value at 20 °C:** 2.4 ± 0.4
- **Viscosity:**
- **Kinematic viscosity** Not determined.
- **Dynamic:** Not determined.

(Contd. on page 5)

Trade name: CLEARFIL Universal Bond Quick 2

(Contd. of page 4)

- **Solubility in / Miscibility with**
- **Water:** Partly miscible.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Vapor pressure:** Not determined.
- **Density:** Not determined.
- **Relative density** Not determined.
- **Relative vapor density** Not determined.

- **Other information**
- **Important information on protection of health and environment, and on safety.**
- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- **Change in condition**
- **Evaporation rate** Not determined.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

868-77-9 2-hydroxyethyl methacrylate

Oral	LD50	4,680 mg/kg (guinea pig)
		3,275 mg/kg (mouse)
		5,050 mg/kg (rat)

- **on the skin:** Causes skin irritation.
- **on the eye:** Causes serious eye irritation.
- **Sensitization:** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **Specific target organ toxicity - single exposure** Based on available data, the classification criteria are not met.
- **Specific target organ toxicity - repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

(Contd. on page 6)

Trade name: CLEARFIL Universal Bond Quick 2

(Contd. of page 5)

· **NTP (National Toxicology Program)**
None of the ingredients is listed.



12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	UN1993
· DOT, IMDG, IATA	UN1993
· UN proper shipping name	Flammable liquids, n.o.s. (Ethanol)
· DOT	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))
· IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))
· IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
	
· Class	3 Flammable liquids

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/12/2024

Version 1

Reviewed on 01/12/2024

Trade name: CLEARFIL Universal Bond Quick 2

(Contd. of page 6)

· Label	3
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code):	30
· EMS Number:	F-E,S-E
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture
· Sara

· Section 355 (extremely hazardous substances):
None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.

· SARA 311/312: See Section 2 for the information on physical and health hazards.

· TSCA (Toxic Substances Control Act):

1565-94-2	Bisphenol A diglycidylmethacrylate	ACTIVE
64-17-5	ethanol	ACTIVE
868-77-9	2-hydroxyethyl methacrylate	ACTIVE
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	ACTIVE

· Hazardous Air Pollutants
None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.

(Contd. on page 8)

Trade name: CLEARFIL Universal Bond Quick 2

(Contd. of page 7)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories :

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

64-17-5 ethanol

A3

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapor.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H413 May cause long lasting harmful effects to aquatic life.

· NFPA ratings (scale 0 - 4)



Health = 2
Fire = 3
Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2
Fire = 3
Reactivity = 0

· Abbreviations and acronyms:

- DOT: US Department of Transportation
- ELINCS: European List of Notified Chemical Substances
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flammable Liquids 2: Flammable liquids – Category 2
- Flammable Liquids 3: Flammable liquids – Category 3
- Skin Irritation 2: Skin corrosion/irritation – Category 2
- Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
- Sensitization - Skin 1: Skin sensitisation – Category 1
- Sensitization - Skin 1A: Skin sensitisation – Category 1A
- Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4