

Safety Data Sheet acc. to OSHA HCS

Version 1

Reviewed on 01/12/2024

Printing date 01/12/2024

1 Identification

- · Product identifier
- [.] Trade name: CLEARFIL Universal Bond Quick 2
- · Article number: US255
- · Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Dental materials

· Details of the supplier of the safety data sheet

Manufacturer:
Manufacturer:
Kuraray Noritake Dental Inc.
1621 Sakazu, Kurashiki,
Okayama 710-0801,
Japan
Supplier
Kuraray America, Inc.
32 Old Slip, 7th Floor, New York,
NY 10005 U.S.A.
Tel: 800-879-1676
Website: www.kuraraydental.com
Emergency telephone number:
CHEMTREC; day and night, within USA and Canada
1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 3 H226 Flammable liquid and vapor.

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

2-hydroxyethyl methacrylate phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

· Hazard statements

H226 Flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)

US -



Version 1

Reviewed on 01/12/2024

Trade name: CLEARFIL Universal Bond Quick 2

| | | (Contd. of page 1) | | | |
|---|------------------------|--|--|--|--|
| | P280 | Wear protective gloves/protective clothing/eye protection/face protection. | | | |
| | | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. | | | |
| | P305+P351+P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if | | | |
| | | present and easy to do. Continue rinsing. | | | |
| | P363 | Wash contaminated clothing before reuse. | | | |
| | P403+P235 | Store in a well-ventilated place. Keep cool. | | | |
| | | Dispose of contents/container in accordance with local/regional/national/international regulations. | | | |
| · Other hazards Avoid breathing sanding dust / swarf. | | | | | |
| · Results of PBT and vPvB assessment | | | | | |
| | · PRT · Not applicable | | | | |

PBT: Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

| Dangerous components. | | |
|-----------------------|--|----------|
| 1565-94-2 | Bisphenol A diglycidylmethacrylate Skin Irritation 2, H315; Eye Irritation 2A, H319 | 10 - 30% |
| | Skin Irritation 2, H315; Eye Irritation 2A, H319 | |
| 64-17-5 | | < 20% |
| | ♦ Flammable Liquids 2, H225 | |
| | 2-hydroxyethyl methacrylate | 5 - 15% |
| | 🐼 Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317 | |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide Sensitization - Skin 1A, H317; Aquatic Chronic 4, H413 | <1% |
| | Sensitization - Skin 1A, H317; Aquatic Chronic 4, H413 | |

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Avoid contact with eyes.

Avoid contact with skin.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

• Special hazards arising from the substance or mixture No further relevant information available.



Version 1

Reviewed on 01/12/2024

Trade name: CLEARFIL Universal Bond Quick 2

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways.

Vacuum or sweep material and place in a disposal container. Provide ventilation. Use appropriate Personal Protective Equipment (PPE).

• Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with skin and eyes, Do not swallow. Avoid generating dust. Do not breathe dust/fume/gas/mist/vapors /spray.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1000 ppm

A3

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

(Contd. of page 2)



Version 1

Reviewed on 01/12/2024

Trade name: CLEARFIL Universal Bond Quick 2

(Contd. of page 3)

· Personal protective equipment:

- General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

· Breathing equipment:

Suitable respiratory protective device recommended.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

| Information on basic physical and chemi Physical state | | |
|---|-----------------|---------------|
| Physical state | Liquid | |
| Color: | Yellow | |
| Odor: | Alcohol-like | |
| Odor threshold: | Not determined. | |
| Melting point/Melting range: | Not determined. | |
| Boiling point/Boiling range: | Not determined. | |
| Flammability (solid, gaseous): | Flammable. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Flash point: | 35 °C | |
| Auto ignition temperature: | Not determined. | |
| Decomposition temperature: | Not determined. | |
| pH-value at 20 °C: | 2.4 ± 0.4 | |
| Viscosity: | | |
| Kinematic viscosity | Not determined. | |
| Dynamic: | Not determined. | |
| | (Cc | ontd. on page |



Version 1

Reviewed on 01/12/2024

Trade name: CLEARFIL Universal Bond Quick 2

| | (Contd. of page |
|--|---|
| Solubility in / Miscibility with | |
| Water: | Partly miscible. |
| Partition coefficient (n-octanol/water): | Not determined. |
| Vapor pressure: | Not determined. |
| Density: | Not determined. |
| Relative density | Not determined. |
| Relative vapor density | Not determined. |
| Other information | |
| Important information on protection of healt | th and |
| environment, and on safety. | |
| Danger of explosion: | Product is not explosive. However, formation of |
| | explosive air/vapor mixtures are possible. |
| Change in condition | 1 1 1 |
| Evaporation rate | Not determined. |

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 4,680 mg/kg (guinea pig)

3,275 mg/kg (mouse)

5,050 mg/kg (rat)

• on the skin: Causes skin irritation.

 \cdot on the eye: Causes serious eye irritation.

- \cdot Sensitization: May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

· Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

- · Specific target organ toxicity repeated exposure
- Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

· Subacute to chronic toxicity:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 6)

— U



Safety Data Sheet acc. to OSHA HCS

Printing date 01/12/2024

Version 1

Reviewed on 01/12/2024

Trade name: CLEARFIL Universal Bond Quick 2

(Contd. of page 5)

·NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects
- \cdot Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

| · UN-Number · DOT, IMDG, IATA | UN1993 |
|------------------------------------|--|
| | 011775 |
| · UN proper shipping name · DOT | Elemmetrica in a s. (Ethenal) |
| IMDG | Flammable liquids, n.o.s. (Ethanol) FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)) |
| ·IATA | FLAMMABLE LIQUID, N.O.S. (ETHANOL) |
| · Transport hazard class(es) | |
| · Class | 3 Flammable liquids |
| Label | 3 |
| · IMDG, IATA | |
| 3 | |



Version 1

Reviewed on 01/12/2024

Trade name: CLEARFIL Universal Bond Quick 2

| | (Contd. of page |
|--|---|
| · Label | 3 |
| · Packing group | |
| · DOT, IMDG, IATA | III |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Warning: Flammable liquids |
| · Hazard identification number (Kemle | er code): 30 |
| · EMS Number: | F-E, <u>S-E</u> |
| · Stowage Category | Α |
| • Transport in bulk according to Annex | x II of |
| MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| ·DOT | |
| · Quantity limitations | On passenger aircraft/rail: 60 L |
| | On cargo aircraft only: 220 L |
| ·IMDG | |
| · Limited quantities (LQ) | 5L |
| · Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL |
| | (ETHYL ALCOHOL)), 3, III |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

- · Section 355 (extremely hazardous substances):
- None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· SARA 311/312: See Section 2 for the information on physical and health hazards.

TSCA (Toxic Substances Control Act):

| 1565-94-2 | Bisphenol A diglycidylmethacrylate | ACTIVE | |
|---|--|--------|--|
| 64-17-5 | ethanol | ACTIVE | |
| 868-77-9 | 2-hydroxyethyl methacrylate | ACTIVE | |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | ACTIVE | |
| · Hazardous Air Pollutants | | | |
| None of the ingredients is listed. | | | |
| · Proposition 65 | | | |
| · Chemicals known to cause cancer: | | | |
| None of the ingredients is listed. | | | |
| · Chemicals known to cause reproductive toxicity for females: | | | |
| None of the ingredients is listed. | | | |
| · Chemicals known to cause reproductive toxicity for males: | | | |
| None of the ingredients is listed. | | | |

(Contd. on page 8)

ACTIV

US



Safety Data Sheet acc. to OSHA HCS

Version 1

(Contd. of page 7)

A3

Trade name: CLEARFIL Universal Bond Quick 2

| · Chemica | ls known to cause developmental toxicity: | |
|------------------------------------|---|--|
| None of the ingredients is listed. | | |
| C | • • | |

· Cancerogenity categories :

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

64-17-5 ethanol

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to aquatic life.

• NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \textbf{Health} = 2\\ \textbf{Fire} = 3\\ \textbf{Reactivity} = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE3Fire = 3REACTIVITY0Reactivity = 0

Abbreviations and acronyms:

DOT: US Department of Transportation ELINCS: European List of Notified Chemical Substances TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Flammable Liquids 3: Flammable liquids – Category 3 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Sensitization - Skin 1: Skin sensitisation – Category 1 Sensitization - Skin 1A: Skin sensitisation – Category 1A Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4