

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/04/2026

Version number 3

Reviewed on 03/04/2026

1 Identification

- **Product identifier**
- **Trade name:** ***Adhese 2***
- **Application of the substance / the mixture** *Dual-curing single-component dental adhesive*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent Inc.
175 Pineview Drive, Amherst, N.Y. 14228
USA
Tel. +1 800 533 6825
Fax +1 716 691 2285

Ivoclar Vivadent Inc.
1-6600 Dixie Road
Mississauga, Ontario
L5T 2Y2
Canada
Phone: +1 905 670 8499
Fax: +1 905 670 3102
- **Information department:** *Quality Assurance / Regulatory Affairs*
- **Emergency telephone number:**
24 Hour Emergency Assistance:
Emergency-Call USA/Canada - Infotrac: 1-800-535-5053

General SDS Assistance:
US: 1-800-533-6825
Canada: 1-800-263-8182

2 Hazard(s) identification

- **Classification of the substance or mixture**

Flammable Liquids 3	H226 Flammable liquid and vapor.
Skin Irritation 2	H315 Causes skin irritation.
Eye Damage 1	H318 Causes serious eye damage.
Sensitization - Skin 1	H317 May cause an allergic skin reaction.
Toxic to Reproduction 1B	H360 May damage fertility or the unborn child.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**






GHS02
GHS05
GHS07
GHS08
- **Signal word** *Danger*
- **Hazard-determining components of labeling:**
2-hydroxyethyl methacrylate
Bis-GMA
methacrylated phosphoric acid ester
1,10-decandiol dimethacrylate

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/04/2026

Version number 3

Reviewed on 03/04/2026

Trade name: **Adhese 2**

(Contd. of page 1)

methacrylate modified polyacrylic acid
2-dimethylaminoethyl methacrylate

· **Hazard statements**

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 3

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *3

Fire = 3

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 868-77-9	2-hydroxyethyl methacrylate	10-25%
CAS: 106981-29-7	TCD-dimethanol-di-IEMA-Addukt	10-25%
CAS: 85590-00-7	methacrylated phosphoric acid ester	10-25%
CAS: 64-17-5	ethanol	10-25%
CAS: 6701-13-9	1,10-decandiol dimethacrylate	2.5-10%
CAS: 6701-13-9	1,10-decandiol dimethacrylate	2.5-10%
CAS: 1310-58-3	potassium hydroxide	2.5-10%
CAS: 10373-78-1	camphorquinone	<2.5%
CAS: 2867-47-2	2-dimethylaminoethyl methacrylate	<2.5%
CAS: 10287-53-3	ethyl p-dimethylaminobenzoate	<2.5%

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/04/2026

Version number 3

Reviewed on 03/04/2026

Trade name: **Adhese 2**

(Contd. of page 2)

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Immediately rinse with water.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

CAS: 868-77-9	2-hydroxyethyl methacrylate	1.9 mg/m ³
CAS: 64-17-5	ethanol	1,800 ppm

· PAC-2:

CAS: 868-77-9	2-hydroxyethyl methacrylate	21 mg/m ³
CAS: 64-17-5	ethanol	3300* ppm

· PAC-3:

CAS: 868-77-9	2-hydroxyethyl methacrylate	1,000 mg/m ³
CAS: 64-17-5	ethanol	15000* ppm

US

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/04/2026

Version number 3

Reviewed on 03/04/2026

Trade name: **Adhese 2**

(Contd. of page 3)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Only adequately trained personnel should handle this product.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:**
Protect from exposure to the light.
Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:

CAS: 64-17-5 ethanol

PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1000 ppm
A3	

CAS: 1310-58-3 potassium hydroxide

REL	Ceiling limit value: 2 mg/m ³
TLV	Ceiling limit value: 2 mg/m ³

- **Regulatory information**
PEL: Guide to Occupational Exposure Values (OSHA PELs)
REL: Guide to Occupational Exposure Values (NIOSH RELs)
TLV: Guide to Occupational Exposure Values (TLV)
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Usual hygienic measures for dental practice and dental laboratories.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/04/2026

Version number 3

Reviewed on 03/04/2026

Trade name: **Adhese 2**

(Contd. of page 4)

- **Material of gloves**

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Not suitable are gloves made of the following materials:**

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Fluid
Color:	Yellow
Odor:	Characteristic
Odor threshold:	Not determined

- **pH-value at 20 °C (68 °F):** 7

- **Change in condition**

Melting point/Melting range:	Undetermined
Boiling point/Boiling range:	Undetermined

- **Flash point:** 33.5 °C (92.3 °F)

- **Ignition temperature:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower:	3.5 Vol %
Upper:	15 Vol %

- **Vapor pressure at 20 °C (68 °F):** 59 hPa (44.3 mm Hg)

Density:	Not determined
Relative density	Not determined
Vapor density	Not determined
Evaporation rate	Not determined

- **Solubility in / Miscibility with**

Water: Fully miscible.

- **Partition coefficient (n-octanol/water):** Not determined

- **Viscosity:**

Dynamic:	Not determined
Kinematic:	Not determined

- **Solvent content:**

Organic solvents:	10.4 %
Water:	10.1 %

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/04/2026

Version number 3

Reviewed on 03/04/2026

Trade name: **Adhese 2**

(Contd. of page 5)

VOC content:	10.41 %
--------------	---------

· Other information	No further relevant information available.
---------------------	--

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**
Protect from exposure to the light.
Keep away from heat and direct sunlight.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:

CAS: 1310-58-3 potassium hydroxide

Oral LD50	273 mg/kg (rat)
-----------	-----------------

- **Specific symptoms in biological assay:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

CAS: 64-17-5 ethanol	I
----------------------	---

· NTP (National Toxicology Program)
--

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)
--

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/04/2026

Version number 3

Reviewed on 03/04/2026

Trade name: **Adhese 2**

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, ADR/RID/ADN, IMDG, IATA** UN2920
- **UN proper shipping name**
- **DOT** Corrosive liquids, flammable, n.o.s. (Potassium hydroxide, Ethanol)
- **ADR/RID/ADN** 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (POTASSIUM HYDROXIDE, ETHANOL (ETHYL ALCOHOL)), ENVIRONMENTALLY HAZARDOUS
- **IMDG** CORROSIVE LIQUID, FLAMMABLE, N.O.S. (POTASSIUM HYDROXIDE, ETHANOL (ETHYL ALCOHOL)), MARINE POLLUTANT
- **IATA** CORROSIVE LIQUID, FLAMMABLE, N.O.S. (POTASSIUM HYDROXIDE, ETHANOL)
- **Transport hazard class(es)**
- **DOT**
-
- **Class** 8 Corrosive substances
- **Label** 8, 3
- **ADR/RID/ADN**
-
- **Class** 8 (CF1) Corrosive substances

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/04/2026

Version number 3

Reviewed on 03/04/2026

Trade name: **Adhese 2**

(Contd. of page 7)

· **Label** 8+3

· **IMDG**





· **Class** 8 Corrosive substances

· **Label** 8/3

· **IATA**




· **Class** 8 Corrosive substances

· **Label** 8 (3)

· **Packing group**

· **DOT, ADR/RID/ADN, IMDG, IATA** II

· **Environmental hazards:** Product contains environmentally hazardous substances: ethyl p-dimethylaminobenzoate

· **Marine pollutant:** No

· **Special marking (ADR/RID/ADN):** Symbol (fish and tree)

· **Special precautions for user** Warning: Corrosive substances

· **Hazard identification number (Kemler code):** 83

· **EMS Number:** F-E,S-C

· **Segregation groups** (SGG1) Acids

· **Stowage Category** C

· **Stowage Code** SW1 Protected from sources of heat.
SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable

· **Transport/Additional information:**

· **ADR/RID/ADN**

· **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

· **IMDG**

· **Limited quantities (LQ)** IL

· **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (POTASSIUM HYDROXIDE, ETHANOL (ETHYL ALCOHOL)), 8 (3), II, ENVIRONMENTALLY HAZARDOUS

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/04/2026

Version number 3

Reviewed on 03/04/2026

Trade name: **Adhese 2**

(Contd. of page 8)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

CAS: 64-17-5 ethanol

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

CAS: 64-17-5 ethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02

GHS05

GHS07

GHS08

· **Signal word Danger**

· **Hazard-determining components of labeling:**

2-hydroxyethyl methacrylate

Bis-GMA

methacrylated phosphoric acid ester

1,10-decandiol dimethacrylate

methacrylate modified polyacrylic acid

2-dimethylaminoethyl methacrylate

· **Hazard statements**

Flammable liquid and vapor.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/04/2026

Version number 3

Reviewed on 03/04/2026

Trade name: **Adhese 2**

(Contd. of page 9)

*Causes skin irritation.**Causes serious eye damage.**May cause an allergic skin reaction.**May damage fertility or the unborn child.***· Precautionary statements***Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Do not breathe dust/fume/gas/mist/vapors/spray.**Wear protective gloves/protective clothing/eye protection/face protection.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Immediately call a poison center/doctor.**IF exposed or concerned: Get medical advice/attention.***· National regulations:****· Other regulations, limitations and prohibitive regulations***The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).**This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.***· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***· Contact:****· Date of preparation / last revision 03/04/2026 / 2****· Abbreviations and acronyms:***IMO: International Maritime Organization**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Flammable Liquids 3: Flammable liquids – Category 3**Skin Irritation 2: Skin corrosion/irritation – Category 2**Eye Damage 1: Serious eye damage/eye irritation – Category 1**Sensitization - Skin 1: Skin sensitisation – Category 1**Toxic to Reproduction 1B: Reproductive toxicity – Category 1B***· * Data compared to the previous version altered.**