

Safety Data Sheet

Issue Date: 18-Nov-2013 Revision Date: 13-Jan-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Brush&Bond® Brushes

Other means of identification

SDS # S286

Recommended use of the chemical and restrictions on use

Recommended Use Dental Adhesive System.

Details of the supplier of the safety data sheet

Supplier Address

Parkell, Inc. 300 Executive Drive Edgewood, NY 11717

Emergency Telephone Number

Company Phone Number (631) 249-1134

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance White solid coated on brush Physical State Solid Odor No odor

tuft

Classification

Hazards Not Otherwise Classified (HNOC)

May form combustible dust concentrations in air

Signal Word

Warning

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Aromatic Sodium Sulfinate	Proprietary	Proprietary

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention if irritation

develops or persists.

InhalationNo specific treatment is necessary for inhalation of a small amount. If exposed to excessive

levels of dust, remove to fresh air and get medical attention if cough or other symptoms

develop. If breathing is difficult, give oxygen and get medical attention.

Ingestion Promptly drink several glasses of water or milk to dilute. Get medical attention.

Most important symptoms and effects

Symptoms May be irritating to skin and eyes. May be irritating to the mouth, throat and stomach.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

For small fires, use dry chemical, carbon dioxide (CO₂), water spray, or alcohol-resistant foam. For large fires, use water spray, fog, or alcohol-resistant foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Combustible. Concentration of the dust may be explosive.

Hazardous Combustion Products Carbon monoxide. Nitrogen oxides (NOx). Hydrogen cyanide. Acrylonitrile. Acetaldehyde. Sulfur oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Sweep up and shovel into suitable containers for disposal. Flush spill area with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Use only in well-ventilated areas.

Protect container from physical damage.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed. Store in a cool, dry, and dark place, preferably in a

refrigerator. Protect from direct sunlight. Store away from ignition sources and incompatible

materials.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines No exposure limits noted for ingredient(s). The following information is given as general

guidance

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Impervious protective gloves.

Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate

ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Solid

AppearanceWhite solid coated on brush tuftOdorNo odorColorWhiteOdor ThresholdNot determined

Revision Date: 13-Jan-2015 S286 - Brush&Bond® Brushes

Property Values Remarks • Method

Tag Closed Cup

Not applicable pН **Melting Point/Freezing Point** Not determined **Boiling Point/Boiling Range** Not applicable

>250 °C / >482 °F **Flash Point** Not applicable Not determined

Evaporation Rate Flammability (Solid, Gas) **Upper Flammability Limits** Not established **Lower Flammability Limit** Not established Vapor Pressure Not applicable **Vapor Density** Not applicable **Specific Gravity** Not applicable **Water Solubility** Not applicable Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Oxidizing Properties

Hygroscopic.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization does not occur. **Hazardous Polymerization**

Not determined

Conditions to Avoid

Keep separated from incompatible substances. Avoid high temperatures (above 30°C/86°F), high humidity, direct sunlight, and ignition sources. Keep out of reach of children.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

Carbon monoxide. Nitrogen oxides (NOx). Hydrogen cyanide. Acrylonitrile. Acetaldehyde. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Avoid inhalation of dust.

Ingestion Do not ingest.

Component Information

Not available

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Not available

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Aromatic Sodium Sulfinate	Present	Х		Present		Present	Х	Present	Χ	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

16. OTHER INFORMATION

NFPA Health Hazards

Not determined

Health Hazards

Not determined

Flammability
Not determined
Flammability
Not determined

Instability
Not determined
Physical Hazards
Not determined

Special Hazards
Not determined
Personal Protection
Not determined

Issue Date: 18-Nov-2013
Revision Date: 13-Jan-2015
Revision Note: New format

Disclaimer

HMIS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Safety Data Sheet

Issue Date: 25-Aug-2015 Revision Date: 25-Aug-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Brush&Bond® Universal Liquid

Other means of identification

SDS # S240, S241, S242

UN/ID No UN1247

Recommended use of the chemical and restrictions on use
Recommended Use Dental Adhesive System.

Details of the supplier of the safety data sheet

Supplier Address

Parkell, Inc. 300 Executive Drive Edgewood, NY 11717

Emergency Telephone Number

Company Phone Number (631) 249-1134

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Translucent liquid Physical State Liquid Odor Mint-like

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Flammable Liquids	Category 2

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word

Danger

Hazard Statements

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause respiratory irritation. May cause drowsiness or dizziness
Highly flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Get medical attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Get medical advice / attention

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Acetone	67-64-1	Proprietary
Methyl methacrylate	80-62-6	Proprietary
4-methacryloxyethyltrimellitic Acid Anhydride (4META)	70293-55-9	Proprietary
2-Hydroxyethyl methacrylate	868-77-9	Proprietary

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash

occurs: Get medical advice/attention.

InhalationIF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get

Revision Date: 25-Aug-2015

medical attention.

Ingestion Promptly drink several glasses of water or milk to dilute. Get medical attention.

Most important symptoms and effects

Symptoms May cause serious eye irritation. May cause skin irritation or redness. May cause an allergic

skin reaction. Inhalation of high concentration may cause central nervous system effects characterized by headache, dizziness, unconsciousness, and coma. May cause respiratory tract irritation. Ingestion may cause irritation of the digestive tract. May cause nausea and/or vomiting. May cause central nervous system depression with symptoms including

headache, excitement, fatigue, nausea, vomiting, stupor, and coma.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

For small fires, use dry chemical, carbon dioxide (CO₂), water spray, or alcohol-resistant foam. For large fires, use water spray, fog, or alcohol-resistant foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor. Combustion products may be toxic.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2).

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Revision Date: 25-Aug-2015

Methods and material for containment and cleaning up

Methods for Containment Remove all ignition sources and ventilate the area of leak or spill.

Methods for Clean-Up Contain and collect with an inert absorbent and place into an appropriate container for

disposal. Do not flush to sewer.

7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Use personal **Advice on Safe Handling**

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face,

hands, and any exposed skin thoroughly after handling. Avoid breathing

dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Keep away from

heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only

non-sparking tools. Take precautionary measures against static discharges. Protect container from physical damage.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Store between 5°C and 30°C (41°F and 86°F). Do NOT freeze. Store away from direct

sunlight. Keep away from sources of ignition. Do NOT store under pure nitrogen or

oxygen-free gas.

Incompatible Materials Polymerization initiators such as peroxide, persulfate, amine, light, strong acids, oxidizing

agents, chloroform, and alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone	Acetone STEL: 750 ppm		IDLH: 2500 ppm
67-64-1	TWA: 500 ppm	TWA: 2400 mg/m ³	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m ³
		(vacated) TWA: 1800 mg/m ³	_
		(vacated) STEL: 2400 mg/m ³	
		The acetone STEL does not apply	
		to the cellulose acetate fiber	
		industry. It is in effect for all other	
		sectors	
		(vacated) STEL: 1000 ppm	
Methyl methacrylate	STEL: 100 ppm	TWA: 100 ppm	IDLH: 1000 ppm
80-62-6	TWA: 50 ppm	TWA: 410 mg/m ³	TWA: 100 ppm
		(vacated) TWA: 100 ppm	TWA: 410 mg/m ³
		(vacated) TWA: 410 mg/m ³	

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Impervious protective gloves.

Respiratory ProtectionNo protection is ordinarily required under normal conditions of use and with adequate

ventilation. If exposure limit is exceeded, a vapor respirator should be worn.

Revision Date: 25-Aug-2015

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceTranslucent liquidOdorMint-likeColorTranslucentOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 1.9

Melting Point/Freezing Point Not determined

Boiling Point/Boiling Range 56 °C / 133 °F (acetone)

Flash Point -18 °C / -0.4 °F (based on acetone) Tag Closed Cup

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density
Not determined
Not determined
Not determined
Not known
Specific Gravity

Specific Gravity approx. 1 (Water = 1)

Water Solubility

Solubility in other solvents

Partition Coefficient

Auto-ignition Temperature

Decomposition Temperature

Not known

Not determined

420 °C / 788 °F

Not determined

Decomposition Temperature
Kinematic Viscosity
Not determined

(methyl methacrylate)

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Elevated temperatures, oxidizers, or light may cause polymerization.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization may occur.

Revision Date: 25-Aug-2015

Conditions to Avoid

Keep separated from incompatible substances. Avoid heat beyond 30°C (86°F), temperatures below 5°C (41°F), high humidity, direct sunlight, and ignition sources. Keep out of reach of children.

Incompatible Materials

Polymerization initiators such as peroxide, persulfate, amine, light, strong acids, oxidizing agents, chloroform, and alkalis.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Causes skin irritation. May cause an allergic skin reaction.

Inhalation May cause respiratory irritation. May cause drowsiness or dizziness.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Chemical Name Oral LD50		Inhalation LC50
Acetone 67-64-1	= 5800 mg/kg (Rat)	-	-
4-methacryloxyethyltrimellitic Acid Anhydride (4META) 70293-55-9	> 2 g/kg (Rat)	-	-
Methyl methacrylate 80-62-6	= 7872 mg/kg (Rat)	> 5 g/kg (Rabbit)	= 4632 ppm (Rat) 4 h = 400 ppm (Rat) 1 h
2-Hydroxyethyl methacrylate 868-77-9	= 5050 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
2-Propenoic acid, 2-methyl-, 1,2-ethanediyl ester 97-90-5	= 3300 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause an allergic skin reaction.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Methyl methacrylate		Group 3		
80-62-6		·		

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Revision Date: 25-Aug-2015

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Acetone 67-64-1		4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	EC50 = 14500 mg/L 15 min	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50
Methyl methacrylate 80-62-6	170: 96 h Pseudokirchneriella subcapitata mg/L EC50	243 - 275: 96 h Pimephales promelas mg/L LC50 flow-through 125.5 - 190.7: 96 h Pimephales promelas mg/L LC50 static 170 - 206: 96 h Lepomis macrochirus mg/L LC50 flow-through 153.9 - 341.8: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 79: 96 h Oncorhynchus mykiss mg/L LC50 static 326.4 - 426.9: 96 h Poecilia reticulata mg/L LC50 static		69: 48 h Daphnia magna mg/L EC50
2-Hydroxyethyl methacrylate 868-77-9		213 - 242: 96 h Pimephales promelas mg/L LC50 flow-through 227: 96 h Pimephales promelas mg/L LC50		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Acetone	-0.24
67-64-1	
Methyl methacrylate	0.7
80-62-6	
2-Hydroxyethyl methacrylate	0.47
868-77-9	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Revision Date: 25-Aug-2015

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

US EPA Waste Number

	Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
	Acetone		Included in waste stream:		U002
	67-64-1		F039		
Ī	Methyl methacrylate	U162	Included in waste stream:		U162
	80-62-6		F039		

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Acetone	Ignitable
67-64-1	
Methyl methacrylate	Toxic
80-62-6	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN1247

Proper Shipping Name Methyl methacrylate monomer, stabilized

Hazard Class 3
Packing Group ||

IATA

UN/ID No UN1247

Proper Shipping Name Methyl methacrylate monomer, stabilized

Hazard Class 3
Packing Group II

IMDG

UN/ID No UN1247

Proper Shipping Name Methyl methacrylate monomer, stabilized

Hazard Class 3
Packing Group ||

15. REGULATORY INFORMATION

Revision Date: 25-Aug-2015

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Acetone	Present	X		Present		Present	Х	Present	Χ	Χ
Methyl methacrylate	Present	Х		Present		Present	Х	Present	Х	Х
4-methacryloxyethyltrimellitic Acid Anhydride (4META)				Present		Present	Х			
2-Hydroxyethyl methacrylate	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetone	5000 lb		RQ 5000 lb final RQ
67-64-1			RQ 2270 kg final RQ
Methyl methacrylate	1000 lb		RQ 1000 lb final RQ
80-62-6			RQ 454 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methyl methacrylate - 80-62-6	80-62-6	Proprietary	1.0

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Methyl methacrylate	1000 lb			Χ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Acetone 67-64-1	X	X	X
Methyl methacrylate 80-62-6	X	X	Х

16. OTHER INFORMATION

Revision Date: 25-Aug-2015

NFPA **Health Hazards Flammability** Instability **Special Hazards** Not determined Not determined Not determined Not determined **HMIS Health Hazards Flammability Physical Hazards Personal Protection** Not determined Not determined Not determined Not determined

Issue Date: 18-Nov-2013
Revision Date: 13-Jan-2015
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet