Safety Data Sheet

Trade Name: ACTIVA™ KIDS, BioACTIVE-RESTORATIVE

1.0	Commercial Product Name and Supplier					
1.1	Commercial product name	ACTIVA™ K	ACTIVA™ KIDS, BioACTIVE-RESTORATIVE			
1.2	Application / Use	Dental material	for use by dental professional	only.		
1.2.2	SIC	851 Human hea	851 Human health activity			
1.2.3	Use Category	55	55			
1.3	Manufacturer					
	Pulpdent Corporation 80 Oakland Street, P.O. Box 780 Watertown, MA 02472 USA		Telephone: 1 617 926-6666 / Fax: 1 617 926-6262 Email: <u>Pulpdent@pulpdent.com</u>			
1.4	Emergency Telephone Number	1-800-535-5053	1-800-535-5053 (24 Hour / USA)			
1.5	Authorized European Representative	Warwick, CV34				
2.0	Hazards Identification					
2.1	Classification					
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]	<u>Hazard Class</u> Eye irritation STOT SE Skin irritation Skin sensitization	<u>Hazard Category</u> 2 3 2 1	<u>Hazard Statement</u> H319 H335 H315 H317		
2.1.2	Classification according to Directive 67	7/548/EEC Irritant; Xi; R	36/37/38 – 43 (See SECTION 1	16 for full text of risk phrases		
2.2	GHS Label Elements					
	Hazard Pictograms					
	 Signal Word: WARNING Restricted to use by dental professional only. Hazard Statements H319: Eye irritation. 2. May cause eye irritation. H335: STOT SE. 3. May cause respiratory irritation. H315: Skin irritation. 2. May cause skin irritation. H317: Sensitization. 1. May cause an allergic skin reaction. 					
	Precautionary Statements					
	P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P305+P351: If in eyes, rinse cautiously with water for several minutes. P337+P313: If eye irritation persists, get medical advice/attention.					
	P302+P352: If on skin, wash with plenty of soap and water.					

P333+P313: If irritation or rash occurs, get medical advice/attention.

P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.

Pulpdent Corporation

Safety Data Sheet

Trade Name: ACTIVA™ KI	DS, BioACTIVE-RESTORATIVE
------------------------	---------------------------

3.0	Composition	position				
3.1	Chemical characterization of the preparation:			Bioactive ionic resin with reactive glass filler		
3.2	Hazardous ingredients					
	CAS Number	Name of the Ingredient		Concentration	Classification per 67/548/EEC	Classification per Regulation (EC No.1272/2008 (CLP).
	Proprietary	Blend of diurethane and other methacrylates with modified polyacrylic acid Silica, amorphous Sodium fluoride		44.6%	Irritant; Xi R 3637//38 - 43	Eye irritation, 2 STOT SE 3 Skin irritation, 2 Skin sensitization, 1
	112945-52-5			6.7%	Irritant; Xi, R 36/37/38	Eye irritation, 2 STOT SE 3 Skin irritation, 2
	7681-49-4			0.75%	Harmful (Xn); R22-36/38	Acute toxicity, 4 Skin irritation, 2 Eye irritation, 2
4.0	First Aid Measure	s		•		
4.1	General Information May be irritating to eyes, respiratory system and skin. Avoid contact with eye skin. Do not inhale vapors. May cause sensitization by skin contact. Show this data sheet to medical personnel. Get medical attention in case of uncertainty.				on by skin contact. Show this safet	
4.2	Inhalation		Move to fre medical atte		ry, administer oxyg	en and/or artificial respiration. See
4.3	Skin Contact		Take off co	ntaminated clothin	ıg. Wash skin thorou	ighly with soap and water.
4.4	Eye Contact		Keep eyelic	ls apart; flush with	running water for 1	5+ minutes. Get medical attention.
4.5	Ingestion		Rinse mouth with water. Do not induce vomiting. Get immediate medical attention May be irritating to mucous membranes. Never give anything by mouth to ar unconscious person.			
4.6	Precautions for firs	t responders	Ventilate th	e area. Wear eye	and skin protection.	
4.7	Information for physicians					
	Symptoms		Irritation or redness in eyes, throat or on skin.			
	Hazards		May be irritating to eyes, respiratory system and skin. May cause sensitization b skin contact.			
	Treatment		As above u	nder First Aid.		
5.0	Fire Fighting Mea	sures				
5.1	Suitable extinguishing media Carbon dioxide, dry chemical, alcohol foam, or water fog. Water spray may be to keep fire exposed containers cool.			ater fog. Water spray may be use		
5.2	Extinguishing medi	a to avoid	Do not use	direct water stream	m	
5.3	Special exposure h	nazards in a fire	Heat may c	ause polymerizati	on with rapid release	e of energy.
5.4	Special protective equipment for fire-fighters		Self-contained breathing apparatus			
6.0	Accidental Release Measures					
6.1	Personal precautions. Wear safety glasses, gloves and lab coat.					

Trade Name: ACTIVA™ KIDS, BioACTIVE-RESTORATIVE

6.2	Environmental precautions	Avoid releasing large amounts of uncured material into the environment. Cured / set- up material is, to our knowledge, inert.
6.3	Method for clean up	Contain spilled material. Absorb/wipe up spill with paper towels or cloths. Collect for disposal in a covered container. Wash area of spill with alcohol or soap and water.
7.0	Handling and Storage	
7.1	Handling	For use only by dental professionals. Follow good hygiene practices. Avoid direct / strong light sources, temperature extremes (>27°C/80°F, <5°C/40°F), contamination, cross contamination. Recap immediately after use.
7.2	Storage	Store product in tightly capped original container at cool room temperature (<25°C). Avoid direct, strong light, sources of ignition and extremes of temperature. Shelf life for unopened product is two years from date of manufacture, provided that the material has been stored properly.
7.3	Specific uses	Dental restorative material
8.0	Exposure Controls / Personal Prot	rection
8.1	Exposure limit values	PEL: Not established. TLV: Not established.
8.2	Exposure controls	
8.2.1	Occupational exposure controls	No special equipment required under normal conditions of use of this product in the quantity provided.
8.2.1.1	Respiratory protection	None required. Good general ventilation is sufficient to control any airborne vapors from uncured material.
8.2.1.2	Hand protection	No special requirements. The usual surgical gloves worn by dental staff will limit contact with uncured material.
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses worn by dental staff.
8.2.1.4	Skin protection	No special requirements. Good personal hygiene, safety practices and wearing a lab coat should protect dental staff from unnecessary exposure to uncured material.
8.2.1.5	Other controls	Emergency eye wash fountain should be available. Wash hands after use.
8.2.2	Environmental exposure controls	Cure material before disposing.
9.0	Physical and Chemical Properties	
9.1	Characteristics	
9.1.1	Appearance /Color / Physical state	Thick, opaque white paste
9.1.2	Odor	Faint, characteristic
9.2	Important health, safety and environn	nental information
9.2.1	рН	Not determined
9.2.2	Boiling point	Not determined
9.2.3	Flash point	Not determined
9.2.4	Flammability (solid, gas)	Not applicable
9.2.5	Explosive properties	Not applicable
9.2.6	Oxidizing properties	Not determined
9.2.7	Vapor pressure	< 1 mm Hg

Safety Data Sheet

Trade Name: ACTIVA™ KIDS, BioACTIVE-RESTORATIVE

9.2.8	Specific gravity	Part A: 1.580 ± 0.02 g/mL; Part B: 1.620 ± 0.02 g/mL	
9.2.9	Solubility in water	Nil	
9.2.10	Partition coefficient	Not determined	
9.2.11	Viscosity	Not determined	
9.2.12	Vapor density	Not determined	
9.2.13	Evaporation rate	Not determined	
10.0	Stability and reactivity		
10.1	Conditions to avoid	Temperature > 38°C, intense light, cross-contamination.	
10.2	Materials to avoid	Reducing and oxidizing agents, peroxides, amines.	
10.3	Hazardous decomposition products	Under fire conditions and with amounts greater than that supplied in this product, hazardous polymerization may occur with heat build-up and release of carbon monoxide, carbon dioxide, and oxides of nitrogen.	
10.4	Further information	Stable material if stored and used as directed. Polymerization will occur when light-cured material is exposed to direct light.	
11.0	Toxicological information		
11.1	Acute toxicity	Finished product in paste form presents a minimal health hazard under normal conditions of use and in the quantities necessary for dental restoration. Sodium fluoride: Oral rat LD ₅₀ : 180 mg/kg Silica, amorphous: Oral rat LD ₅₀ : 3160 mg/kg	
11.2	Irritation and corrosiveness	May be irritating to eyes, respiratory tract, mucous membranes or skin on contact or with prolonged exposure.	
11.3	Sensitization May be sensitizing. Prolonged or frequent skin contact may cause allergic s reactions in some susceptible individuals.		
11.4	Sub-acute, sub-chronic and prolonged toxicity Prolonged and/or frequent skin contact may cause allergic skin reactions susceptible individuals. Prolonged exposure to large amounts (more than this product) may cause eye and respiratory irritation.		
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	None known	
11.6	Empirical data	Biocompatibility has been tested and found to be acceptable.	
11.7	Clinical experience	Activa Restorative is a new product that has been evaluated by dentist consultants. There have been no reports of adverse events.	
12.0	Ecological Information		
12.1	Ecotoxicity	city Avoid release of uncured material into the environment. To the best of our knowledge, polymerized material is inert. No other information is available. Follow all government regulations.	
13.0	Disposal Considerations		
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.	
14.0	Transport Information		

Pulpdent Corporation

Safety Data Sheet

Trade Name: ACTIVA™ KIDS, BioACTIVE-RESTORATIVE

14.1	Restrictions	None. Not regulated.		
15.0	Regulatory Information			
15.1 EU Regulations		Class IIa medical device under MDD 93/42/EEC.		
15.2	US FDA	Class II medical device		
15.3	Health Canada	Class III medical device		
16.0	Other information			
16.1	List of relevant R phrases	R36/37/38: Irritating to eyes, respiratory system and skin. R43: Sensitizing by skin contact.		
16.2	Hazard Statements	H319: Eye irritation. Hazard category 2. H335: Specific Target Organ Toxicity - Single exposure; hazard category. 3. Respiratory tract irritation. H315: Skin irritation. Hazard category 2. H317: Skin Sensitization. Hazard category 1.		
16.3	Precautionary Statements	 P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P305 + P351: If in eyes, rinse cautiously with water for several minutes. P337 + P313: If eye irritation persists, get medical advice/attention. P302 + P352: If on skin, wash with plenty of soap and water. P333 + P313: If irritation or rash occurs, get medical advice / attention. P410 + P411: Protect from sunlight. Store at temperature < 27°C / 80°F. 		
16.4	Restrictions on use	To be sold to and used by dental professionals only.		
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.		
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH)		
		US Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).		
		Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency		
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format, Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.		