

# Page 1/10 Safety Data Sheet acc. to OSHA HCS Reviewed on 06/03/2017 Printing date 06/03/2017 1 Identification · Product identifier · Trade name: Cuttersil Hardener Universal Plus paste · Application of the substance / the mixture Activator for dental impression material · Details of the supplier of the safety data sheet Manufacturer/Supplier: Kulzer GmbH Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522 Information department: Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com • Emergency telephone number: Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500 2 Hazard(s) identification · Classification of the substance or mixture Flam. Lig. 3 H226 Flammable liquid and vapor. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. · Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS07 GHS08 · Signal word Warning · Hazard-determining components of labeling: dioctyltin oxide tetraethyl orthosilicate · Hazard statements Flammable liquid and vapor. Causes serious eye irritation. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Do not breathe dust/fume/gas/mist/vapors/spray. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (Contd. on page 2) USA



Page 2/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

# Trade name: Cuttersil Hardener Universal Plus paste

(Contd. of page 1)





· HMIS-Ratings (Scale 0-4)



• Results of PBT and vPvB assessment • PBT: Not applicable.

· vPvB: Not applicable.

## 3 Composition/information on ingredients

# · Chemical characterization: Mixtures

· Description: -

Dangerous components:

78-10-4 tetraethyl orthosilicate

Flam. Liq. 3, H226; Acute Tox. 4, H332; Eye Irrit. 2A, H319; STOT SE 3, H335 870-08-6 dioctyltin oxide

STOT RE 2, H373

• Additional information For the wording of the listed hazard phrases refer to section 16.

# 4 First-aid measures

#### · Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of complaints.

#### · After skin contact

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

- · After eye contact
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing
- Rinse out mouth and then drink plenty of water.
- Call a doctor immediately.
- If symptoms persist consult doctor.
- Information for doctor
  - · Most important symptoms and effects, both acute and delayed
  - No further relevant information available.

(Contd. on page 3)

10-25%

10-25%



Printing date 06/03/2017

Reviewed on 06/03/2017

Page 3/10

(Contd. of page 2)

# Trade name: Cuttersil Hardener Universal Plus paste

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
  - Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- Protective equipment: Mount respiratory protective device.
- · Additional information -

## 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

- Methods and material for containment and cleaning up: Pick up mechanically.
- Send for recovery or disposal in suitable receptacles.
- **Reference to other sections** See Section 13 for disposal information. See Section 8 for information on personal protection equipment.

## 7 Handling and storage

#### · Handling

- Precautions for safe handling Keep receptacles tightly sealed.
   Ensure good ventilation/exhaustion at the workplace.
   Please observe the additional instructions in the product's instructions for use.
   Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
  - · Storage
    - Requirements to be met by storerooms and receptacles: No special requirements.
    - Information about storage in one common storage facility: Not required.

(Contd. on page 4)



Printing date 06/03/2017

Reviewed on 06/03/2017

Page 4/10

(Contd. of page 3)

# Trade name: Cuttersil Hardener Universal Plus paste

· Further information about storage conditions:

Store in dry conditions.

Store receptacle in a well ventilated area. • Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

78-10-4 tetraethyl orthosilicate

PEL 850 mg/m<sup>3</sup>, 100 ppm

REL 85 mg/m<sup>3</sup>, 10 ppm

TLV 85 mg/m<sup>3</sup>, 10 ppm

681-84-5 tetramethyl orthosilicate

REL 6 mg/m<sup>3</sup>, 1 ppm

TLV 6 mg/m<sup>3</sup>, 1 ppm

• Additional information: The lists that were valid during the creation were used as basis.

#### Exposure controls

#### Personal protective equipment

General protective and hygienic measures
 Avoid contact with the eyes.
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Do not inhale gases / fumes / aerosols.
 Avoid contact with the eyes and skin.
 Breathing equipment: Not required.

Protection of hands:

# Impervious gloves

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.

recommended

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

(Contd. on page 5)



Printing date 06/03/2017

Reviewed on 06/03/2017

Page 5/10

(Contd. of page 4)

# Trade name: Cuttersil Hardener Universal Plus paste

Eye protection: Safety glasses
 Body protection: Protective work clothing.

Information on basic physical and ch · General Information	nemical properties
· Appearance:	
· Form:	Pasty
· Color:	Red
· Odor:	Aromatic
<ul> <li>Odor threshold:</li> </ul>	Not determined.
· pH-value:	Not determined.
<ul> <li>Change in condition</li> </ul>	
<ul> <li>Melting point/Melting range:</li> </ul>	undetermined
<ul> <li>Boiling point/Boiling range:</li> </ul>	110 °C (230 °F)
· Flash point:	37 °C (99 °F)
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosiv air/vapor mixtures are possible.
· Explosion limits:	
Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density:	Not determined
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
<ul> <li>Solubility in / Miscibility with</li> </ul>	
· Water:	Not miscible or difficult to mix
· Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	
<ul> <li>dynamic at 20 °C (68 °F):</li> </ul>	100000 mPas
kinematic:	Not determined.
Other information	No further relevant information available.

(Contd. on page 6)



Printing date 06/03/2017

Reviewed on 06/03/2017

# Trade name: Cuttersil Hardener Universal Plus paste

(Contd. of page 5)

Page 6/10

## 10 Stability and reactivity

· Reactivity No further relevant information available.

· Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: none

· Additional information: -

11 Toxicological information Information on toxicological effects

#### · Acute toxicity:

· LD/LC50 values that are relevant for classification:

112945-52-5 Kieselsäuren, amorphe

Oral LD50 > 10000 mg/kg (rat)

Dermal LD50 >5000 mg/kg (rabbit)

78-10-4 tetraethyl orthosilicate

Oral LD50 6270 mg/kg (rat)

Dermal LD50 5878 mg/kg (can)

870-08-6 dioctyltin oxide

Oral LD50 >4000 mg/kg (rat)

681-84-5 tetramethyl orthosilicate

Oral LD50 700 mg/kg (rat)

- Primary irritant effect:
  - on the skin: No irritant effect.
  - · on the eye: Irritating effect.
  - Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information	
· Toxicity	
· Aquatic toxicity:	
112945-52-5 Kieselsäuren, amorphe	
LC50/96h >10000 mg/l (fish)	

(Contd. on page 7)



Page 7/10

# Safety Data Sheet acc. to OSHA HCS

*Printing date 06/03/2017* 

Reviewed on 06/03/2017

# Trade name: Cuttersil Hardener Universal Plus paste

(Contd. of page 6)

78-10-4 tetraethyl orthosilicate EC50/48h >844 mg/l (daphnia)

870-08-6 dioctyltin oxide

EC50/48h 6.9 mg/l (daphnia)

LC50/96h 13 mg/l (fish)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes: Avoid transfer into the environment.

- · Results of PBT and vPvB assessment
  - · PBT: Not applicable.
  - · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

## · Waste treatment methods

Recommendation

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

#### · Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN1993
· UN proper shipping name	
· bot	Flammable liquids, n.o.s. (Tetraethyl silicate, Meth orthosilicate)
ADR	1993 Flammable liquids, n.o.s., special provision 640 (Tetraethyl silicate, Methyl orthosilicate)
·IMDG	FLAMMABLE LIQUIĎ, N.O.S. (TETRAETHY SILICATE, METHYL ORTHOSILICATE)
·IATA	Flammable liquid, n.o.s. (Tetraethyl silicate, Meth orthosilicate)



Page 8/10

# Safety Data Sheet acc. to OSHA HCS

Trade name: Cuttersil Hardener Universal Plus paste

Printing date 06/03/2017

Reviewed on 06/03/2017

## (Contd. of page 7) · Transport hazard class(es) · DOT 3 Flammable liquids · Class · Label 3 · ADR · Class 3 (F1) Flammable liquids · Label · IMDG, IATA · Class 3 Flammable liquids · Label 3 · Packing group · DOT, ADR, IMDG, IATA III· Environmental hazards: · Marine pollutant: No · Special precautions for user Warning: Flammable liquids · Danger code (Kemler): 30 F-E,<u>S-E</u> · EMS Number: · Stowage Category Α · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · ADR · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · IMDG · Limited quantities (LQ) 5L (Contd. on page 9) - UŚA



Page 9/10

# Safety Data Sheet acc. to OSHA HCS

Code: E1

Printing date 06/03/2017

Reviewed on 06/03/2017

# Trade name: Cuttersil Hardener Universal Plus paste

(Contd. of page 8)

· Excepted quantities (EQ)

· UN "Model Regulation":

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 1993 FLAMMABLE LIQUIDS, N.O.S., SPECIAL PROVISION 640E (TETRAETHYL SILICATE, METHYL ORTHOSILICATE), 3, III

	and environmental regulations/legislation specific for the substance or n	nixture
	A Section 355 (extremely hazardous substances)	
	gredients is listed.	
-	<b>Toxic Substances Control Act)</b> Medical devices are exempted from TSCA.	
	ogenity categories	
	(Threshold Limit Value established by ACGIH)	
870-08-6 diocty		A
	<b>elements</b> t is classified and labeled according to the Globally Harmonized System (GHS). <b>pictograms</b>	
GHS02		
•	vord Warning	
<ul> <li>Hazard-c dioctyltin</li> </ul>	determining components of labeling:	
	<i>i</i> oxide <i>i</i> orthosilicate	
· Hazard s	statements	
Flammab	ble liquid and vapor.	
	serious eye irritation.	
May caus May caus	se respiratory irritation. se damage to organs through prolonged or repeated exposure.	
	ionary statements	
Keep awa	/ay from heat/sparks/open flames/hot surfaces. No smoking.	
	losion-proof electrical/ventilating/lighting/equipment.	
DO NOT DI If on skin	reathe dust/fume/gas/mist/vapors/spray. n (or hair): Take off immediately all contaminated clothing. Rinse skin with wate	r/showor
If in eyes	s: Rinse cautiously with water for several minutes. Remove contact lenses, if p	present a
	do. Continue rinsing. cked up.	

(Contd. on page 10)



Page 10/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

# Trade name: Cuttersil Hardener Universal Plus paste

(Contd. of page 9)

16 Other information
These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
· Relevant phrases
H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H373 May cause damage to organs through prolonged or repeated exposure.
Date of preparation / last revision 06/03/2017 / 2
· Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification (VSA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
OSHA: Occupational Safety & Health TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
• * Data compared to the previous version altered.