# **DENTSPLY/International DENTSPLY/Caulk**

**Safety Data Sheet** 

526155

| 1. Identification |
|-------------------|
|-------------------|

| Product Name                       | SDS Code Number                                 |
|------------------------------------|---|
| Caulk <sup>®</sup> Tray Adhesive   | 526155  |
| Trade Name & Synonyms              | Date of Last Revision                           |
| Caulk <sup>®</sup> Tray Adhesive   | 02/21/14  |
| Manufacturer:                      | Address   |
| DENTSPLY Caulk                     | 38 West Clarke Avenue                           |
|                                    | Milford DE 19963-1805                           |
|                                    | http://www.caulk.com http://www.dentsply.com    |
| Grades or Minor Variant Identities | Information Telephone Number                    |
| Not Applicable                     | (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time) |
| Product Use (for Canada)           | Emergency Telephone Number                      |
| Not Applicable                     | (302) 422-4511 (8:00 AM – 4:30 PM Eastern Time) |

# 2. Hazard(s) Identification



Danger Highly Flammable Liquid and Vapor



MAY CAUSE AN ALLERGIC SKIN REACTION

Keep away from heat/sparks/open flames / hot surfaces. No smoking.

Keep container tightly closed. Use only non-sparking tools.

Take precautionary measures against static discharge.

In case of fire: Use dry chemical, alcohol foam, or carbon dioxide for extinction.

Store in a well ventilated place. Keep Cool.

Avoid breathing vapors.

Contaminated work clothing should not be allowed out of the workplace.

Wash thoroughly after handling.

Wear protective gloves.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: get medical attention.

Wash contaminated clothing before reuse.

Dispose of contents in accordance with local regulations.

3. Composition/Information on Ingredients

| Hazardous Components | C.A.S. Number | Exposure Limits | %    |
|----------------------|---------------|-----------------|------|
| Ethyl Acetate        | 141-78-6      | 400 ppm         | < 60 |

#### 4. First Aid Measures

| Routes of Exposure  | First Aid Instructions  | Immediate Medical Attention | Delayed Effects |
|---|---|-----------------------------|-----------------|
| Eye   | Eye Immediately flush with water for 15 minutes. Get medical attention.   |                             | Not Applicable  |
| Skin  |   |                             | Not Applicable  |
| Inhalation  | Remove to fresh air. Get medical attention if effects persist.  This may not be of concern when using clinically relevant quantities. | Not Applicable              | Not Applicable  |
| Ingestion Get medical attention. Do not induce vomiting.  This may not be of concern when using clinically relevant quantities. |   | Not Applicable              | Not Applicable  |
| Other   | Not Applicable  | Not Applicable              | Not Applicable  |
| Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.   |   |                             |                 |

**5. Fire Fighting Measures** 

| Flashpoint Method: -5°C (23°F)                      | Flammable (Explosive) Limits in Air | Autoignition Temperature: not  | Other: Not |
|---|-------------------------------------|--------------------------------|------------|
| Pensky-Marten Closed Cup                            | LEL: 2.5 vol. % UEL: not determined | determined                     | Applicable |
| Flame Propagation or Burning Rate (for Solids): Not | Properties Contributing to Fire     | Flammability Classification: 3 | ]          |
| Applicable  | Intensity: Not Applicable           |                                |            |

# DENTSPLY Milford Safety Data Sheet

1. Product and Company Identification

| Product Name   | SDS Code Number         |
|--|-------------------------|
| Aquasil®   | 578617                  |
| Substance Identity   | Date of Last Revision   |
| Aquasil, Aquasil Ultra, Aquasil Ultra Xtra, Smart Wetting® Impression Material, Aquasil  | 05/09/16                |
| Ultra Cordless Tissue Managing Impression Material, Aquasil Ultimate - Tissue  |                         |
| Managing Impression Material, Aquasil Ultra + Smart Wetting Impression Material  |                         |
| Manufacturer:  | Address                 |
| DENTSPLY Milford   | 38 West Clarke Avenue   |
|  | Milford DE 19963-1805   |
|  | http://www.dentsply.com |
| Grades or Minor Variant Identities   | Information Telephone   |
| AQUASIL MONOPHASE, AQUASIL RIGID, AQUASIL LV, AQUASIL Easy Mix PUTTY - Smart Wetting®  | Number: (302) 422-4511  |
| Impression Material, AQUASIL ULTRA MONOPHASE, AQUASIL ULTRA RIGID, AQUASIL ULTRA XLV, AQUASIL ULTRA LV, AQUASIL ULTRA HEAVY – Smart Wetting <sup>®</sup> Impression Material, Super Fast Set, Fast Setting                                   | (8:00 AM – 4:30 PM      |
| and Regular Setting – Including AQUASIL ULTRA DECA <sup>™</sup> Smart Wetting ® Impression Material for Dynamic Mixing   | Eastern Time)           |
| Machines and digit® Targeted Delivery Systems. AQUASIL ULTRA Xtra – Wash, Tray and DECA Tray. Aquasil Ultra  | ·                       |
| Cordless Tissue Managing Wash Impression Material and Aquasil Ultra Cordless Tissue Managing Tray Impression   |                         |
| Material, Aquasil Ultimate Cordless Tissue Managing Wash Impression Material, Aquasil Ultra Cordless Tissue Managing Tray Impression Material, Aquasil Ultra + Smart Wetting Impression Material Fast and Regular Setting - all viscosities. |                         |
| Product Use (for Canada)   | Emergency Telephone     |
| Dental Impression Material   | Number: (302) 422-4511  |
| Deficial impression material   | (8:00 AM – 4:30 PM      |
|  | Eastern Time)           |

# 2. Hazard(s) Identification



# WASH HANDS THOROUGHLY AFTER HANDLING WEAR PROTECTIVE GLOVES IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.

IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.

IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE / ATTENTION

TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE

3. Composition/Information on Ingredients

| <b>1</b>                           | 1             |                       |           |
|------------------------------------|---------------|-----------------------|-----------|
| Hazardous Components               | C.A.S. Number | Exposure Limits       | %         |
| Silicon Dioxide -Crystalline       | 14464-46-1    | $0.05 \text{ mg/m}^3$ | < than 30 |
| Silicon Dioxide - Amorphous        | 68855-54-9    | $1.20 \text{ mg/m}^3$ | < than 30 |
| Hydrophobic Amorphous Fumed Silica | 68909-20-6    | $10 \text{ mg/m}^3$   | < than 10 |
| Titanium Dioxide                   | 13463-67-7    | $10 \text{ mg/m}^3$   | < than 10 |

<u>Colorant Information</u>: The base pastes may contain fluorescent organic dyes and/or ultramarine pigments and/or inorganic iron oxides. The base pastes may also contain a red pigment known as a Red 2B Toner or a Calcium salt of a beta oxynaphthoate. The Chemical structure of all Ultramarine pigments, regardless of color, is Sodium Aluminosulfosilicate.

<u>Odorant Information:</u> This product contains Peppermint oil which may cause irritation to skin or mucosa or other allergic responses in susceptible persons.

#### 4. First Aid Measures

| Routes of  | First Aid Instructions                                       | Immediate         | Delayed Effects                              |  |  |  |
|------------|--|-------------------|--|--|--|--|
| Exposure   |  | Medical Attention |  |  |  |  |
| Eye        | Rinse opened eye for several minutes under running water. If | Not Applicable    | Not Applicable                               |  |  |  |
|            | symptoms persist consult physician                           |                   |  |  |  |  |
| Skin       | Immediately wash with soap and water and rinse thoroughly    | Not Applicable    | Not Applicable                               |  |  |  |
| Inhalation | Supply fresh air, consult physician if symptoms persist      | Not Applicable    | Not Applicable                               |  |  |  |
| Ingestion  | If symptoms persist consult physician                        | Not Applicable    | Low order of toxicity is expected when large |  |  |  |

|   |                |                | amounts of material are ingested. Acute toxicology study in rats LD <sub>50</sub> >2,000mg/kg. |
|---|----------------|----------------|--|
| Other   | Not Applicable | Not Applicable | Not Applicable   |
| Note to Physicians (Treating Testing and Monitoring): Treat symptomatically |                |                |  |

5. Fire Fighting Measures

|   | Flame Propagation or Burning Rate   |  | Flammability Classification: Not Applicable      | Other: Not Applicable |
|---|---|--|--|-----------------------|
|   | (for Solids): Not Applicable Not Applicable   |  |  |                       |
| Extinguishing Media: CO <sub>2</sub> , extinguishing powder, foam carbon dioxide or water Extinguishing Media to Av |   |  | Extinguishing Media to Avoid: Water with full jo | et.                   |
|   | spray. Fight larger fires with water spray or alcohol resistant foam.   |  |  |                       |
|   | Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.         |  |  |                       |
|   | Unusual Fire and Explosion Hazards: No dangerous decomposition products known Product does not present an explosion hazard. |  |  |                       |

#### 6. Accidental Release Measures

| Containment Techniques: Material is a paste and as such will not flow.   |                                      |  |
|--|--------------------------------------|--|
| Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container. |                                      |  |
| Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.                      |                                      |  |
| Evacuation Procedures: Not Applicable  | Special Instructions: Not Applicable | Reporting Requirements: Not Applicable |

#### 7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Protect from exposure to direct light. Store away from food and beverages.

# 8. Exposure Control / Personal Protection









| Individual Protection                        | Personal Protective Equipment for Normal Use                           | Personal Protective Equipment for    |
|--|--|--------------------------------------|
| Measures                                     | Measures   |                                      |
| Eye/Face                                     | Eye/Face Safety Glasses  |                                      |
| Skin   | The glove material has to be impermeable and resistant to the product. | Not Applicable                       |
| Inhalation Not Required                      |  | Not Applicable                       |
| Body Protection Protective work clothing     |  | Not Applicable                       |
| Occupational Exposure Limits: Not Applicable |  | Engineering Controls: Not Applicable |

## 9. Physical and Chemical Characteristics

| Appearance: Various colored pastes, may be high viscosity                    | Odor: Peppermint odor.                |   |  |  |
|--|---------------------------------------|---|--|--|
| Normal Physical State: Material is available in several visco                | Melting Point: Not Applicable         |   |  |  |
| (Paste) to a more runny material.  |                                       |   |  |  |
| Specific Gravity: Varies from 1.1 g/cm <sup>3</sup> to 1.5 g/cm <sup>3</sup> | Solubility in Water: Not soluble      | pH: Not Applicable                        |  |  |
| Vapor Pressure (mm Hg): Not Applicable                                       | Vapor Density (AIR=1): Not Applicable | Evaporation Rate (Butyl Acetate =1): N A  |  |  |
| Flashpoint Method: Not Applicable  | Flammable (Explosive) Limits in Air   | Autoignition Temperature: Not Applicable, |  |  |
| LEL: Not Applicable UEL: Not Applicable Product will not autoignite.         |                                       |   |  |  |
| Other: Not Applicable  |                                       | -   |  |  |

# 10. Stability and Reactivity Data

| Incompatibility (Materials to Avoid): Strong oxidizing materials.  |  |  |  |  |
|--|--|--|--|--|
| Hazardous Products Produced During Decomposition: No dangerous decomposition products known if used according to Directions for Use. |  |  |  |  |
| Hazardous Polymerization: May Occur May Not Occur Conditions to Avoid: None known  |  |  |  |  |
| Stability? ☑ Stable ☐ Unstable Conditions to Avoid: None known   |  |  |  |  |

## 11.Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: Product may irritate the skin and mucous membranes. The unpolymerized product may cause irritation to the skin in susceptible persons. On the eye the product has an irritating effect. Sensitization: No sensitizing effects known.

Emergency Overview: Material may be mildly irritating to eyes

|            | Emergency Overview. Waterial may be limited intending to eyes. |                      |                   |   |                 |  |
|------------|--|----------------------|-------------------|---|-----------------|--|
| Routes of  |  | Single, Repeated, or | Severity (Mild,   | Acute and Chronic Health Effect(s)  |                 |  |
| Exposure   | Signs and Symptoms   | Lifetime Exposure    | Moderate, Severe) |   | Target Organ(s) |  |
| Eye        | Material can cause irritation.                                 | Single               | Moderate          | Irritation and possible corneal damage  | Not Applicable  |  |
| Skin       | Material may be an irritant                                    | Single & Repeated    | Moderate          | Irritation or possible allergic response.   | Not Applicable  |  |
| Inhalation | Not Applicable   | Not Applicable       | Not Applicable    | Not Applicable  | Not Applicable  |  |
| Ingestion  | Material is probably not harmful if swallowed                  | Not Applicable       | Mild              | Low order of toxicity is expected when large amounts of material are ingested.  Acute toxicology study in rats LD <sub>50</sub> | Not Applicable  |  |

|   |                |                |                | >2,000mg/kg.   |                |
|---|----------------|----------------|----------------|----------------|----------------|
| Other   | Not Applicable |
| Medical Conditions Aggravated by Exposure Open sores and wounds of the skin.  |                |                |                |                |                |
| Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in           |                |                |                |                |                |
| compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. |                |                |                |                |                |
| Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.  |                |                |                |                |                |
| NFPA Hazard Classification Ratings (Scale 0-4), Health = 0, Fire = 1, Reactivity = 0  |                |                |                |                |                |

#### 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system.

#### 13.Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

#### **14.Transport Information**

| Regulated for Shipping: No. Not Regulated        | DOT Shipping Name: Not Regulated | Packing Group: Not Applicable |
|--|----------------------------------|-------------------------------|
| Do Changes in Quantities, packaging, or shipment | DOT Hazard Class: Not Applicable | UN Number: Not Applicable     |
| method change product classification? No         |                                  |                               |

#### **15.Regulatory Information**

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

<u>Section 313 Toxic Chemicals</u>: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

<u>U.S. State Regulations California Proposition 65:</u> This product does not contain any chemicals, which are on the California Proposition 65 list.

<u>International Regulations: Canadian Environmental Protection Act:</u>

This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation.

European Inventory of New and Existing Chemicals Substances (EINECS):

This product is a medical device and not subject to chemical notification requirements.

Other: Not Applicable

#### **16.Other Information**

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex. All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

| Extinguishing Media: CO <sub>2</sub> , extinguishing powder or water spray. Fight larger fires with dry   | Extinguishing Media to Avoid: Water with full jet |  |  |  |
|---|---|--|--|--|
| chemical, foam, or water spray.   |   |  |  |  |
| Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.   |   |  |  |  |
| Unusual Fire and Explosion Hazards: Vapors are heavier than air and may travel to a source of ignition and flash back. Static electricity will accumulate and may |   |  |  |  |
| ignite vapors.  |   |  |  |  |
| Hazardous Decomposition Products: Thermal breakdown of this product during fire or very high heat conditions  | may evolve the following hazardous decomposition  |  |  |  |

#### 6. Accidental Release Measures

Containment Techniques: Wear protective clothing and absorb spill with inert material (e.g. vermiculite, sand, earth), then place material in suitable labeled plastic or metal container.

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and absorb spill with inert material (e.g. vermiculite, sand, earth), then place material in suitable labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.

Evacuation Procedures: Not Applicable Special Instructions: Not Applicable R

products. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

Reporting Requirements: Not Applicable

# 7. Handling and Storage

Handling Practices and Warnings: Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Protect from exposure to direct light. Store away from food and beverages.

#### 8. Exposure Control / Personal Protection









| Ventilation: None required during normal intended use of this product                  |   |                |  |  |  |
|--|---|----------------|--|--|--|
| Engineering Controls: Not Applicable   |   |                |  |  |  |
| Individual Protection Personal Protective Equipment for Normal Use Personal Protective |   |                |  |  |  |
| Measures Equipment for Emergence   |   |                |  |  |  |
| Eye/Face   | Safety Glasses  | Not Applicable |  |  |  |
| Skin   | The glove material has to be impermeable and resistant to the product.        | Not Applicable |  |  |  |
| Inhalation   | Not required when using clinically relevant quantities used in Dental office. | Not Applicable |  |  |  |
| Body Protection  | Protective work clothing  | Not Applicable |  |  |  |

#### 9. Physical and Chemical Characteristics

| Appearance: Viscous purple liquid with characteristic odor           | Odor: Sweet solvent odor of ethyl acetate                 |  |  |  |  |
|--|---|--|--|--|--|
| Normal Physical State: Liquid  | Melting Point: Not Determined Boiling Point: 63°C (145°F) |  |  |  |  |
| Specific Gravity: 1.02 @ 25 °C   Solubility in Water: Not determined | pH: Not Applicable due to anhydrous organic solvent.      |  |  |  |  |
| Vapor Pressure (mm Hg): 94 @ 25 °C   Vapor Density (AIR=1): 3.04     | Evaporation Rate (Butyl Acetate =1): 9                    |  |  |  |  |
| Other: Not Applicable  |   |  |  |  |  |

## 10. Stability and Reactivity Data

| Incompatibility (Materials to Avoid): Oxidizing material can cause a reaction.  |   |  |  |  |
|---|---|--|--|--|
| Hazardous Products Produced During Decomposition: Thermal breakdown of this product during fire or very high heat conditions may evolve the following |   |  |  |  |
| hazardous decomposition products. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.                    |   |  |  |  |
| Hazardous Polymerization: May Occur May Not Occur Conditions to Avoid: High Temperatures, ignition sources.   |   |  |  |  |
| Stability? Stable Unstable  | Conditions to Avoid: High Temperatures, ignition sources. |  |  |  |

#### 11. Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: Product may be a mild irritant to the skin and mucous membranes in susceptible persons. On the eye the product has an irritating effect.

Emergency Overview: Material is irritating to eyes, respiratory system and skin. Breathing vapors may cause drowsiness and dizziness.

| Routes of  |  | Single, Repeated, or | Severity (Mild, | Acute and Chronic Health Effect(s)        | Target   |
|------------|--|----------------------|-----------------|---|----------|
| Exposure   | Signs and Symptoms                     | Lifetime Exposure    | Moderate,       |   | Organ(s) |
|            |  |                      | Severe)         |   |          |
| Eye        | Material can cause irritation.         | Single               | Moderate        | Irritation and possible corneal damage    | Yes      |
| Skin       | Material may be an irritant and may be | Single & Repeated    | Moderate        | Irritation or possible allergic response. | Yes      |
|            | absorbed through the skin.             |                      |                 | Severe allergic response may result       |          |
|            |  |                      |                 | in breathing difficulties.                |          |
| Inhalation | Inhalation of high concentrations may  | Repeated             | Moderate        | Chronic inhalation may cause effects      | Yes      |
|            | cause central nervous system effects   |                      |                 | similar to those of acute inhalation.     |          |

|                | characterized by nausea, headache,<br>dizziness, unconsciousness and coma.<br>This may not be of concern when using<br>clinically relevant quantities. |                   |                | Causes respiratory tract irritation. May cause motor in coordination and speech abnormalities. |            |
|----------------|--|-------------------|----------------|--|------------|
| Ingestion      | May cause irritation of the digestive tract.  This may not be of concern when using  | Single & Repeated | Mild           | Not Applicable   | No         |
|                | clinically relevant quantities.  |                   |                |  |            |
| Other Central  | Not Applicable   | Not Applicable    | Not Applicable | Not Applicable   | Not        |
| nervous system |  |                   |                |  | Applicable |

Medical Conditions Aggravated by Exposure Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No. All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4) Health =2, Fire =3, Reactivity=0 Specific Hazard = None

## 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): Not determined.

#### 13.Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

RCRA P-Series: None Listed, RCRA U-Series CAS#67-64-1: Waste Number U002 (Ignitable Waste)

#### **14.Transport Information**



#### Flammable Liquid

| Regulated for Shipping: Yes                      | Proper Sh | ipping Name: Ethyl Acetate Solution | Packing Group: II              |
|--|-----------|-------------------------------------|--------------------------------|
| Do Changes in Quantities, packaging, or shipment |           | Hazard Class: 3                     | UN Identification Number: 1173 |
| method change product classification? No         |           |                                     |                                |

#### 15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Federal Regulations: All chemical substances in this material are included on or exempted from listing on the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. Hazard Symbol:

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: CAS# 141-78-6: RQ is 5000 lb. final RQ; 2268 kg final RQ.

Report spills required under federal, state and local regulations

SARA Code: CAS# 141-78-6 Ethyl Acetate: fire.

Section 312 Hazard Class: Acute: Yes, Chronic: Yes, Fire: Yes, Pressure: No, Reactive: No

Section 313 Toxic Chemicals: None This product does not contain any chemicals subject to Annual Release Reporting Requirements as per Section 313 of SARA Title III and 40 CFR Part 373.

Section 302 Extremely Hazardous Substances (TPQ): None

OSHA: OSHA does not consider CAS# 141-78-6 Ethyl Acetate highly hazardous.

RCRA P-Series: None Listed

RCRA U-Series Hazardous Waste Code for CAS# 141-78-6 Ethyl Acetate: U112

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

State CAS# 141-78-6 Ethyl Acetate can be found on the following state right to know lists: New Jersey, Pennsylvania, and Massachusetts.

CAS# 68440-70-0 is on the following state right to know lists: New Jersey, and Pennsylvania.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

WGK (Water Danger/Protection) CAS# 141-78-6 Ethyl Acetate

Canada - DSL/NDSL CAS# 141-78-6 Ethyl Acetate is listed on Canada's DSL List.

<u>Canada – WHMIS</u> This product has a WHMIS Classification of B2.

Canadian Ingredient Disclosure List: CAS# 141-78-6 Ethyl Acetate, is listed on the Canadian Ingredient Disclosure List.

 $\underline{International\ Regulations: Canadian\ Environmental\ Protection\ Act:}$ 

This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: in accordance with EC Directives: International Regulations: Hazard Symbol: Flammable XI F Risk Phrases: R11 Highly Flammable, R36 Irritating to Eyes, R66 Repeated exposure may cause dryness or cracking, R67 Vapors may cause drowsiness and dizziness. Safety Phrases: S9 Keep container in a well –ventilated place, S16 Keep away from sources of ignition – No Smoking, S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice, S33 Take precautionary measures against static discharge.

European Inventory of New and Existing Chemicals Substances (EINECS): 205-500-4 Ethyl Acetate

Other: Not Applicable

# **16.Other Information**

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

# DENTSPLY Milford Safety Data Sheet

1. Product and Company Identification

| Product Name   | SDS Code Number         |
|--|-------------------------|
| Aquasil®   | 578617                  |
| Substance Identity   | Date of Last Revision   |
| Aquasil, Aquasil Ultra, Aquasil Ultra Xtra, Smart Wetting® Impression Material, Aquasil  | 05/09/16                |
| Ultra Cordless Tissue Managing Impression Material, Aquasil Ultimate - Tissue  |                         |
| Managing Impression Material, Aquasil Ultra + Smart Wetting Impression Material  |                         |
| Manufacturer:  | Address                 |
| DENTSPLY Milford   | 38 West Clarke Avenue   |
|  | Milford DE 19963-1805   |
|  | http://www.dentsply.com |
| Grades or Minor Variant Identities   | Information Telephone   |
| AQUASIL MONOPHASE, AQUASIL RIGID, AQUASIL LV, AQUASIL Easy Mix PUTTY - Smart Wetting®  | Number: (302) 422-4511  |
| Impression Material, AQUASIL ULTRA MONOPHASE, AQUASIL ULTRA RIGID, AQUASIL ULTRA XLV, AQUASIL ULTRA LV, AQUASIL ULTRA HEAVY – Smart Wetting <sup>®</sup> Impression Material, Super Fast Set, Fast Setting                                   | (8:00 AM – 4:30 PM      |
| and Regular Setting – Including AQUASIL ULTRA DECA <sup>™</sup> Smart Wetting ® Impression Material for Dynamic Mixing   | Eastern Time)           |
| Machines and digit® Targeted Delivery Systems. AQUASIL ULTRA Xtra – Wash, Tray and DECA Tray. Aquasil Ultra  | ·                       |
| Cordless Tissue Managing Wash Impression Material and Aquasil Ultra Cordless Tissue Managing Tray Impression   |                         |
| Material, Aquasil Ultimate Cordless Tissue Managing Wash Impression Material, Aquasil Ultra Cordless Tissue Managing Tray Impression Material, Aquasil Ultra + Smart Wetting Impression Material Fast and Regular Setting - all viscosities. |                         |
| Product Use (for Canada)   | Emergency Telephone     |
| Dental Impression Material   | Number: (302) 422-4511  |
| Deficial impression material   | (8:00 AM – 4:30 PM      |
|  | Eastern Time)           |

# 2. Hazard(s) Identification



# WASH HANDS THOROUGHLY AFTER HANDLING WEAR PROTECTIVE GLOVES IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.

IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.

IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE / ATTENTION

TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE

3. Composition/Information on Ingredients

| <b>1</b>                           | 0             |                       |           |
|------------------------------------|---------------|-----------------------|-----------|
| Hazardous Components               | C.A.S. Number | Exposure Limits       | %         |
| Silicon Dioxide -Crystalline       | 14464-46-1    | $0.05 \text{ mg/m}^3$ | < than 30 |
| Silicon Dioxide - Amorphous        | 68855-54-9    | $1.20 \text{ mg/m}^3$ | < than 30 |
| Hydrophobic Amorphous Fumed Silica | 68909-20-6    | $10 \text{ mg/m}^3$   | < than 10 |
| Titanium Dioxide                   | 13463-67-7    | $10 \text{ mg/m}^3$   | < than 10 |

<u>Colorant Information</u>: The base pastes may contain fluorescent organic dyes and/or ultramarine pigments and/or inorganic iron oxides. The base pastes may also contain a red pigment known as a Red 2B Toner or a Calcium salt of a beta oxynaphthoate. The Chemical structure of all Ultramarine pigments, regardless of color, is Sodium Aluminosulfosilicate.

<u>Odorant Information:</u> This product contains Peppermint oil which may cause irritation to skin or mucosa or other allergic responses in susceptible persons.

#### 4. First Aid Measures

| I I II DO I II DO I II DO I I DO I DO I |  |                   |  |  |  |
|---|--|-------------------|--|--|--|
| Routes of                               | First Aid Instructions                                       | Immediate         | Delayed Effects                              |  |  |
| Exposure                                |  | Medical Attention |  |  |  |
| Eye                                     | Rinse opened eye for several minutes under running water. If | Not Applicable    | Not Applicable                               |  |  |
|   | symptoms persist consult physician                           |                   |  |  |  |
| Skin                                    | Immediately wash with soap and water and rinse thoroughly    | Not Applicable    | Not Applicable                               |  |  |
| Inhalation                              | Supply fresh air, consult physician if symptoms persist      | Not Applicable    | Not Applicable                               |  |  |
| Ingestion                               | If symptoms persist consult physician                        | Not Applicable    | Low order of toxicity is expected when large |  |  |

|   |                |                | amounts of material are ingested. Acute toxicology study in rats LD <sub>50</sub> >2,000mg/kg. |  |  |
|---|----------------|----------------|--|--|--|
| Other   | Not Applicable | Not Applicable | Not Applicable   |  |  |
| Note to Physicians (Treating Testing and Monitoring): Treat symptomatically |                |                |  |  |  |

5. Fire Fighting Measures

|  | Flame Propagation or Burning Rate   | Properties Contributing to Fire Intensity: | Flammability Classification: Not Applicable | Other: Not Applicable |  |  |
|--|---|--|---|-----------------------|--|--|
|  | (for Solids): Not Applicable  | Not Applicable                             |   |                       |  |  |
| Extinguishing Media: CO <sub>2</sub> , extinguishing powder, foam carbon dioxide or water Extinguishing Media to Avoid: Water with full jet. |   |  | et.   |                       |  |  |
|  | spray. Fight larger fires with water spray or alcohol resistant foam.   |  |   |                       |  |  |
|  | Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.         |  |   |                       |  |  |
|  | Unusual Fire and Explosion Hazards: No dangerous decomposition products known Product does not present an explosion hazard. |  |   |                       |  |  |

#### 6. Accidental Release Measures

| Containment Techniques: Material is a paste and as such will not flow.   |  |  |  |  |
|--|--|--|--|--|
| Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing and scoop up bulk material and place in a labeled plastic or metal container. |  |  |  |  |
| Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.                      |  |  |  |  |
| Evacuation Procedures: Not Applicable Special Instructions: Not Applicable Reporting Requirements: Not Applicable                                    |  |  |  |  |

#### 7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Protect from exposure to direct light. Store away from food and beverages.

# 8. Exposure Control / Personal Protection









| Individual Protection                        | Personal Protective Equipment for Normal Use                                | Personal Protective Equipment for    |
|--|---|--------------------------------------|
| Measures                                     | Measures  |                                      |
| Eye/Face                                     | Eye/Face Safety Glasses   |                                      |
| Skin   | Skin The glove material has to be impermeable and resistant to the product. |                                      |
| Inhalation Not Required                      |   | Not Applicable                       |
| Body Protection Protective work clothing     |   | Not Applicable                       |
| Occupational Exposure Limits: Not Applicable |   | Engineering Controls: Not Applicable |

## 9. Physical and Chemical Characteristics

| Appearance: Various colored pastes, may be high viscosity                    | Odor: Peppermint odor.                |   |
|--|---------------------------------------|---|
| Normal Physical State: Material is available in several visco                | Melting Point: Not Applicable         |   |
| (Paste) to a more runny material.  |                                       |   |
| Specific Gravity: Varies from 1.1 g/cm <sup>3</sup> to 1.5 g/cm <sup>3</sup> | pH: Not Applicable                    |   |
| Vapor Pressure (mm Hg): Not Applicable                                       | Vapor Density (AIR=1): Not Applicable | Evaporation Rate (Butyl Acetate =1): N A  |
| Flashpoint Method: Not Applicable  | Flammable (Explosive) Limits in Air   | Autoignition Temperature: Not Applicable, |
|  | Product will not autoignite.          |   |
| Other: Not Applicable  |                                       | -   |

# 10. Stability and Reactivity Data

| Incompatibility (Materials to Avoid): Strong oxidizing materials.  |  |  |  |
|--|--|--|--|
| Hazardous Products Produced During Decomposition: No dangerous decomposition products known if used according to Directions for Use. |  |  |  |
| Hazardous Polymerization: May Occur May Not Occur Conditions to Avoid: None known  |  |  |  |
| Stability? Stable Unstable Conditions to Avoid: None known   |  |  |  |

## 11.Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data: Product may irritate the skin and mucous membranes. The unpolymerized product may cause irritation to the skin in susceptible persons. On the eye the product has an irritating effect. Sensitization: No sensitizing effects known.

Emergency Overview: Material may be mildly irritating to eyes

| Emergency Overview. Waterian may be minary inflating to eyes. |   |                      |                   |   |                 |
|---|---|----------------------|-------------------|---|-----------------|
| Routes of   |   | Single, Repeated, or | Severity (Mild,   | Acute and Chronic Health Effect(s)  |                 |
| Exposure  | Signs and Symptoms                            | Lifetime Exposure    | Moderate, Severe) |   | Target Organ(s) |
| Eye   | Material can cause irritation.                | Single               | Moderate          | Irritation and possible corneal damage  | Not Applicable  |
| Skin  | Material may be an irritant                   | Single & Repeated    | Moderate          | Irritation or possible allergic response.   | Not Applicable  |
| Inhalation  | Not Applicable                                | Not Applicable       | Not Applicable    | Not Applicable  | Not Applicable  |
| Ingestion   | Material is probably not harmful if swallowed | Not Applicable       | Mild              | Low order of toxicity is expected when large amounts of material are ingested.  Acute toxicology study in rats LD <sub>50</sub> | Not Applicable  |

|   |                |                |                | >2,000mg/kg.   |                |
|---|----------------|----------------|----------------|----------------|----------------|
| Other   | Not Applicable |
| Medical Conditions Aggravated by Exposure Open sores and wounds of the skin.  |                |                |                |                |                |
| Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in           |                |                |                |                |                |
| compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. |                |                |                |                |                |
| Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.  |                |                |                |                |                |
| NFPA Hazard Classification Ratings (Scale 0-4), Health = 0, Fire = 1, Reactivity = 0  |                |                |                |                |                |

#### 12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system.

#### 13.Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

#### **14.Transport Information**

| Regulated for Shipping: No. Not Regulated        | DOT Shipping Name: Not Regulated | Packing Group: Not Applicable |
|--|----------------------------------|-------------------------------|
| Do Changes in Quantities, packaging, or shipment | DOT Hazard Class: Not Applicable | UN Number: Not Applicable     |
| method change product classification? No         |                                  |                               |

#### **15.Regulatory Information**

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

<u>Section 313 Toxic Chemicals</u>: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

<u>U.S. State Regulations California Proposition 65:</u> This product does not contain any chemicals, which are on the California Proposition 65 list.

<u>International Regulations: Canadian Environmental Protection Act:</u>

This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation.

European Inventory of New and Existing Chemicals Substances (EINECS):

This product is a medical device and not subject to chemical notification requirements.

Other: Not Applicable

#### **16.Other Information**

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex. All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.