

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identification

Product Name: Organa II
Product Number: 806003, 806004, 806004-2, 806004-1.
CAS Number: Blend

Company Identification

Nobilium, Div. of CMP Industries LLC
413 North Pearl St
Albany, NY 12207-1311 USA
(518)-434-3147 (For product information)
(800)-424-9300 (For emergencies)
1-800-424-9300 or 1-703-741-5500 (CHEMTREC)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

WARNING: Overexposure to Aluminum Sulfate (or it's components) has been suggested as a cause of the following effects in humans: Lung damage and eye damage.

GHS Classification:

Skin Corrosion/Irritation-Category 5
Acute Toxicity, Inhalation - Category 5

GHS Hazard Symbols:

Irritant



GHS Hazard Statements:

H317 - May cause an allergic skin reaction.
H303 - May be harmful if swallowed

GHS Precautionary Statements:

P264 - Wash thoroughly after handling.
P305/351/338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332/313 - If skin irritation occurs: Get medical advice/attention.



EYE:

Causes eye irritation.

SKIN:

Causes skin irritation.

INHALATION:

Prolonged or excessive inhalation may cause respiratory tract irritation.

INGESTION:

Can cause nausea and vomiting.

CHRONIC EFFECTS:

May cause lung and eye damage.

REPRODUCTIVE HAZARDS:

None.

CARCINOGENICITY INFORMATION:

No known cancer hazards.

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT LISTING:

Chemical Name	Amount	CAS Number
ALUMINUM SULFATE	0.2 %	10043-01-3

This product contains hazardous materials as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

As defined under Sara 311 and 312, this product contains materials that are acute, chronic hazards.

4. FIRST AID MEASURES

EYE CONTACT FIRST AID:

In case of contact, immediately flush eyes with plenty of water, lifting upper and lower lids, for at least 15 minutes. Get immediate medical attention.

SKIN CONTACT FIRST AID:

Wash skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if irritation develops. Launder clothing before re-use.

If cool wax contacts skin, wash with warm soapy water.

INHALATION FIRST AID:

If inhaled, remove to fresh air. If breathing is difficult, have qualified personnel administer oxygen. Contact a physician immediately.

INGESTION FIRST AID:

Contact a physician immediately. Do not induce vomiting. If conscious, give water to dilute. Never give anything to an unconscious or convulsing person.



5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

COC Flash Point: N/A

Autoignition Temperature: N/A

FLAMMABLE LIMITS IN AIR

LEL: N/A

UEL: N/A

EXTINGUISHING MEDIA:

Use alcohol foam or dry chemical.

FIRE & EXPLOSION HAZARDS:

None known.

FIRE FIGHTING INSTRUCTIONS:

As in any fire, wear self-contained breathing apparatus in the positive pressure-demand NIOSH (approved or equivalent) and full protective gear. Cool fired exposed containers with water.

COMBUSTION PRODUCTS:

Carbon monoxide, carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

LARGE SPILLS PROCEDURE:

Wait until gel is formed and pick-up to dispose of.

Wear respirator and protective clothing as appropriate. Shut off source of leak. Dike & contain. Allow wax to cool and remove as solid.

SMALL SPILLS PROCEDURE:

Same as large spill.

7. HANDLING AND STORAGE

HANDLING (PERSONNEL):

Avoid contact with the eyes, skin and clothing. Avoid breathing mists. Wear protective clothing and equipment. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use.

STORAGE PRECAUTIONS:

Avoid excessive hot or freezing areas. Store in a cool, dry, well-ventilated place.

MISCELLANEOUS:

Do not reuse containers. Empty containers retain product residues can be hazardous. Follow all SDS precautions when handling empty containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION



EYE / FACE PROTECTION REQUIREMENTS:

Use safety glasses with side shields or chemical splash goggles.

SKIN PROTECTION REQUIREMENTS:

Use natural rubber, neoprene or polyvinyl gloves and protection.

RESPIRATORY PROTECTION REQUIREMENTS:

If exposure exceeds exposure limits, use NIOSH approved respirator.

MISCELLANEOUS:

Use general or local ventilation.

EXPOSURE GUIDELINES:**ALUMINUM SULFATE**

OSHA TWA: 2 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM:	Gel
COLOR:	Translucent
ODOR:	No odor
BOILING POINT:	212 F
VAPOR PRESSURE:	3 mm Hg
VAPOR DENSITY:	3.1 (Air = 1)
SOLUBILITY IN WATER:	Complete
SPECIFIC GRAVITY:	1.1 (Water = 1)
% VOLATILES:	30 %

10. STABILITY AND REACTIVITY

STABILITY:

Stable.

POLYMERIZATION:

Product will not undergo polymerization.

INCOMPATIBILITY WITH OTHER MATERIALS:

Avoid contact with strong oxidizing agents, alkalies, alkali metals.

DECOMPOSITION:

Glycerin may liberate acrolein.

11. TOXICOLOGICAL INFORMATION

ALUMINUM SULFATE

Test Code: Oral LD50

Description: Acute Oral Effects

Species: Mouse

Results: 6207 mg/kg



Test Code: Lymphocyte Study
Description: Mutagenicity
Species: Human
Results: 20 mg/L caused sister chromatid exchange.

Test Code: Intraperitoneal
Description: Reproductive
Species: Mouse
Results: 800 mg/kg administered from 10-13 days of pregnancy affected newborn growth statistics and behavior.

GLYCERINE

Test Code: Oral LD50
Species: Mouse
Results: 26000 mg/kg

12. ECOLOGICAL INFORMATION

ALUMINUM SULFATE

Test Code: TLM
Species: Mosquito Fish
Results: 235 ppm/96 hr

Test Code: LC50
Species: Largemouth Bass
Results: 250 ppm/96 hr

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Dispose of waste material in accordance with all local, state / provincial, and national requirements.

14. TRANSPORT INFORMATION

PRODUCT LABEL:	Organa II
D.O.T. SHIPPING NAME:	N/A
TECHNICAL SHIPPING NAME:	N/A
D.O.T. HAZARD CLASS:	N/A
UN NUMBER:	N/A

15. REGULATORY INFORMATION

REGULATORY LISTS SEARCHED:

01 = SARA 313	02 = CA Proposition 65
03 = SARA 302/304	04 = CERCLA 302.4
05 = ACGIH TWA	06 = ACGIH STEL
07 = ACGIH CALC TLV	08 = OSHA PEL
10 = OSHA CEILING	



EEC Symbols and Indications of Danger:

Harmful (Xn), Irritant (Xi)



R-Phrases:

R20/21 - Harmful by inhalation and in contact with skin.

R36/38 - Irritating to eyes and skin.

R37 - Irritating to respiratory system.

S-Phrases:

S3/9 - Keep in a cool, well-ventilated place.

CERCLA Hazardous Substances

ALUMINUM SULFATE (10043-01-3) -- RQ 5000 lb

16. OTHER INFORMATION

REASON FOR ISSUE:	Add additional product number
PREPARED BY:	John Nicpon
APPROVED BY:	John Nicpon
TITLE:	Quality Manager
APPROVAL DATE:	March 12, 2018
SUPERCEDES DATE:	November 4, 2015
RTN NUMBER:	00000047 (Official Copy)

HMIS Rating:

Health - 1
Flammability - 0
Reactivity - 0

NFPA Rating:

Health - 1
Flammability - 0
Reactivity - 0

ABBREVIATIONS USED IN THIS MSDS:

TLV - THRESHOLD LIMIT VALUE
STEL - SHORT TERM EXPOSURE LIMIT
RQ - REPORTABLE QUANTITY
C - CEILING LIMIT
NDA - NO DATA AVAILABLE

TWA - Time Weighted Average
TPQ - Threshold Planning Quantity
PEL - Permissible Exposure Limit
CAS - Chemical Abstract Service Number
N/A - Not Applicable or Not Available

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of CMP Industries LLC. The data on this sheet are related only to the specific material designated herein. CMP Industries LLC assumes no legal responsibility for use or reliance upon these data.



END OF SAFETY DATA SHEET

