Zhermack	Zhermack S.p.a	Revision nr. 1
BEYOND INNOVATION		Dated 18/12/2013
	C401600 C - ELITE TRANSPARENT -	Printed on 18/12/2013
	CATALIST	Page n. 1/8
	Information Sheet	
<b>SECTION 1. Identification</b>	n of the substance/mixture and of the company/und	ertaking
1.1. Product identifier		
Code:	C401600_C ELITE TRANSPARENT - CATALYST	
Product name	ELITE TRANSPARENT - CATALTST	
1.2. Relevant identified uses of the	e substance or mixture and uses advised against	
Intended use Addi	tion silicone for laboratory use.	
1.3. Details of the supplier of the s	-	
Name Full address	Zhermack S.p.a Via Bovazecchino	
District and Country	45021 Badia Polesine (RO)	
	Italy	
	Tel. +39 0425-597611	
	Fax +39 0425-53596	
e-mail address of the competent per		
responsible for the Safety Data Shee	et msds@zhermack.com	
1.4. Emergency telephone number		
For urgent inquiries refer to	CAV Italia: Centro Antiveleni di Milano: 02 66101029;	Centro Antiveleni di Pavia: 0382
<b>C</b>	24444; Centro Antiveleni di Bergamo: 800 883300; Ce	
	7947819; Centro Antiveleni di Roma: 06 3054343; Cen 49978000; Centro Antiveleni di Napoli: 081 7472870	itro Antiveleni di Roma: 06
	Servicio de Información Toxicológica (España): + 34	91 562 04 20 (24h/365 días)
	Numéro ORFILA (INRS-France): + 33 (0)1 45 42 59 59	(24h/ 7 jours sur 7)
	UK Emergency number: 844 892 0111 (24 hours)	
	Deutschland Notruf: BERLIN Tel.: 030/19240; HOMBU 0228/19240; MAINZ Tel.: 06131/19240; ERFURT Tel.: 0	0361/730 730; MÜNCHEN Tel.:
	089/19240; FREIBURG Tel.: 0761/19240; NÜRNBERG Tel.:0551/19 240	Tel: 0911/398-2451; GÖTTINGEN
SECTION 2. Hazards ider	ntification.	

## 2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

## 2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments.

Hazard classification and indication:

## 2.2. Label elements.

		Zhermack S.p.a	Revision nr. 1 Dated 18/12/2013
	-	C401600_C - ELITE TRANSPARENT -	Printed on 18/12/2013
		CATALYST	Page n. 2/8
Hazard pictograms:			
Signal words:			
Hazard statements:			
Precautionary statements:			
2.3. Other hazards.			

Information not available.

## **SECTION 3. Composition/information on ingredients.**

#### 3.1. Substances.

Information not relevant.

#### 3.2. Mixtures.

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions set forth in Directives 67/548/EEC and/or EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

#### **SECTION 4. First aid measures.**

#### 4.1. Description of first aid measures.

No episodes of harm to the staff authorised to use the product have been reported. The following general measures should be adopted as necessary: INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention. INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Do not give anything by mouth to an unconscious person. EYES and SKIN: Wash with plenty of water. In the event of persistent irritation, get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed.

No episodes of damage to health ascribable to the product have been reported.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

## **SECTION 5. Firefighting measures.**

### 5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak. UNSUITABLE EXTINGUISHING EQUIPMENT



Revision nr. 1

Dated 18/12/2013 Printed on 18/12/2013

# C401600\_C - ELITE TRANSPARENT -

CATALYST

Page n. 3/8

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

#### 5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6.** Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage.**

#### 7.1. Precautions for safe handling.

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities.



Revision nr. 1

Dated 18/12/2013 Printed on 18/12/2013

## C401600\_C - ELITE TRANSPARENT -CATALYST

Page n. 4/8

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

## **SECTION 8. Exposure controls/personal protection.**

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION None required.

SKIN PROTECTION None required.

EYE PROTECTION None required.

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9.** Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance	fluid
Colour	transparent
Odour	odourless
Odour threshold.	Not available.
pH.	Not available.
Melting point / freezing point.	Not available.
Initial boiling point.	Not available.



Revision nr. 1

Dated 18/12/2013 Printed on 18/12/2013

## C401600\_C - ELITE TRANSPARENT -CATALYST

Page n. 5/8

Boiling range. Flash point. Evaporation Rate Flammability of solids and gases Lower inflammability limit. Upper inflammability limit. Lower explosive limit. Upper explosive limit. Vapour pressure. Vapour density Relative density. Solubility Partition coefficient: n-octanol/water Auto-ignition temperature. Decomposition temperature. Viscosity Explosive properties Oxidising properties

Not available. Not available. NA Not available. insoluble in water NA Not available. Not available. Not available. Not available. Not available.

#### 9.2. Other information.

Information not available.

## **SECTION 10. Stability and reactivity.**

#### 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

## **SECTION 11. Toxicological information.**

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial

Zhermack Beyond Innovation	Zhermack S.p.a	Revision nr. 1 Dated 18/12/2013
	C401600_C - ELITE TRANSPARENT - CATALYST	Printed on 18/12/2013 Page n. 6/8

practices.

11.1. Information on toxicological effects.

Information not available.

### **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

#### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

### **SECTION 13.** Disposal considerations.

#### 13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Avoid littering. Do not contaminate soil, sewers and waterways. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14. Transport information.**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.



Revision nr. 1

Dated 18/12/2013 Printed on 18/12/2013

## C401600\_C - ELITE TRANSPARENT -CATALYST

Page n. 7/8

## **SECTION 15. Regulatory information.**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 689/2008:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

### **SECTION 16. Other information.**

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization

Zhermack	Zhermack S.p.a	Revision nr. 1 Dated 18/12/2013
	C401600_C - ELITE TRANSPARENT -	Printed on 18/12/2013
	CATALYST	Page n. 8/8
NDEX NUMBER: Identifier in Annex		
.C50: Lethal Concentration 50% .D50: Lethal dose 50%		
DEL: Occupational Exposure Level PBT: Persistent bioaccumulative and	toxic as REACH Regulation	
EC: Predicted environmental Conce EL: Predicted exposure level		
NEC: Predicted no effect concentra	ation	
REACH: EC Regulation 1907/2006	national transport of dangerous goods by train	
LV: Threshold Limit Value LV CEILING: Concentration that sh	ould not be exceeded during any time of occupational exposure.	
WA STEL: Short-term exposure lim WA: Time-weighted average expos	it	
OC: Volatile organic Compounds		
PvB: Very Persistent and very Bioa	ccumulative as for REACH Regulation.	
NERAL BIBLIOGRAPHY Directive 1999/45/EC and following Directive 67/548/EEC and following Regulation (EC) 1907/2006 (REACI Regulation (EC) 790/2009 (I Atp. Cl Regulation (EC) 453/2010 of the Eu Regulation (EC) 286/2011 (II Atp. C The Merck Index 10th Edition Handling Chemical Safety	amendments and adjustments H) of the European Parliament of the European Parliament LP) of the European Parliament uropean Parliament CP) of the European Parliament	
. Niosh - Registry of Toxic Effects of . INRS - Fiche Toxicologique (toxico . Patty - Industrial Hygiene and Toxi	plogical sheet)	
	Industrial Materials-7, 1989 Edition	
te for users: e information contained in the pres proughness of provided information	sent sheet are based on our own knowledge on the date of the last ver according to each specific use of the product.	rsion. Users must verify the suitability and
e use of this product is not subject	as a guarantee on any specific product property.	
	as a guarantee on any specific product property. to our direct control; therefore, users must, under their own responsibility relieved from any liability arising from improper uses. training on how to use chemical products.	, comply with the current health and safety
	to our direct control; therefore, users must, under their own responsibility relieved from any liability arising from improper uses.	r, comply with the current health and safety
	to our direct control; therefore, users must, under their own responsibility relieved from any liability arising from improper uses.	r, comply with the current health and safety
	to our direct control; therefore, users must, under their own responsibility relieved from any liability arising from improper uses.	r, comply with the current health and safet
	to our direct control; therefore, users must, under their own responsibility relieved from any liability arising from improper uses.	r, comply with the current health and safet



Revision nr. 1

Dated 18/12/2013

C401600\_B - ELITE TRANSPARENT - BASE

Printed on 18/12/2013 Page n. 1/8

	Information Sheet
SECTION 1. Identification of the sub	ostance/mixture and of the company/undertaking
1.1. Product identifier	
Code: Product name	C401600_B ELITE TRANSPARENT - BASE
1.2. Relevant identified uses of the substance or	mixture and uses advised against
Intended use Addition silicone for laboratory use.	
1.3. Details of the supplier of the safety data shee	st
Name Full address District and Country	Zhermack S.p.a Via Bovazecchino 45021 Badia Polesine (RO) Italy
	Tel. +39 0425-597611
	Fax +39 0425-53596
e-mail address of the competent person responsible for the Safety Data Sheet	msds@zhermack.com
1.4. Emergency telephone number	
For urgent inquiries refer to	CAV Italia: Centro Antiveleni di Milano: 02 66101029; Centro Antiveleni di Pavia: 0382 24444; Centro Antiveleni di Bergamo: 800 883300; Centro Antiveleni di Firenze: 055 7947819; Centro Antiveleni di Roma: 06 3054343; Centro Antiveleni di Roma: 06 49978000; Centro Antiveleni di Napoli: 081 7472870
	Servicio de Información Toxicológica (España): + 34 91 562 04 20 (24h/365 días)
	Numéro ORFILA (INRS-France): + 33 (0)1 45 42 59 59 (24h/ 7 jours sur 7)
	UK Emergency number: 844 892 0111 (24 hours)
	Deutschland Notruf: BERLIN Tel.: 030/19240; HOMBURG Tel.: 06841/19240; BONN Tel.: 0228/19240; MAINZ Tel.: 06131/19240; ERFURT Tel.: 0361/730 730; MÜNCHEN Tel.: 089/19240; FREIBURG Tel.: 0761/19240; NÜRNBERG Tel: 0911/398-2451; GÖTTINGEN Tel.:0551/19 240
SECTION 2. Hazards identification.	

#### 2.1. Classification of the substance or mixture.

---

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

#### 2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments.

Hazard classification and indication:

#### 2.2. Label elements.

Hazard pictograms:

Zhermack

Revision nr. 1

Dated 18/12/2013

C401600\_B - ELITE TRANSPARENT - BASE

Printed on 18/12/2013 Page n. 2/8

Signal words:

Hazard statements:

Precautionary statements:

#### 2.3. Other hazards.

Information not available.

## **SECTION 3. Composition/information on ingredients.**

#### 3.1. Substances.

Information not relevant.

#### 3.2. Mixtures.

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions set forth in Directives 67/548/EEC and/or EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

## **SECTION 4. First aid measures.**

#### 4.1. Description of first aid measures.

Not specifically necessary. Observance of good industrial hygiene is recommended.

#### 4.2. Most important symptoms and effects, both acute and delayed.

No episodes of damage to health ascribable to the product have been reported.

#### 4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

### **SECTION 5. Firefighting measures.**

#### 5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.



Revision nr. 1

Dated 18/12/2013

## C401600\_B - ELITE TRANSPARENT - BASE

Printed on 18/12/2013 Page n. 3/8

#### 5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6.** Accidental release measures.

#### 6.1. Personal precautions, protective equipment and emergency procedures.

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage.**

#### 7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

#### 7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.



Revision nr. 1

Dated 18/12/2013 Printed on 18/12/2013

C401600\_B - ELITE TRANSPARENT - BASE

Page n. 4/8

## **SECTION 8. Exposure controls/personal protection.**

#### 8.1. Control parameters.

Information not available.

#### 8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION None required.

SKIN PROTECTION None required.

EYE PROTECTION None required.

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9.** Physical and chemical properties.

#### 9.1. Information on basic physical and chemical properties.



Revision nr. 1

Dated 18/12/2013

## C401600\_B - ELITE TRANSPARENT - BASE

Printed on 18/12/2013 Page n. 5/8

Viscosity Explosive properties Oxidising properties Not available. Not available. Not available.

9.2. Other information.

Information not available.

## **SECTION 10. Stability and reactivity.**

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

## **SECTION 11. Toxicological information.**

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

#### 11.1. Information on toxicological effects.

Information not available.

## **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

## 12.1. Toxicity.

Information not available.



Revision nr. 1

Dated 18/12/2013

C401600\_B - ELITE TRANSPARENT - BASE

Printed on 18/12/2013 Page n. 6/8

#### 12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

#### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects.

Information not available.

## **SECTION 13. Disposal considerations.**

#### 13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Avoid littering. Do not contaminate soil, sewers and waterways. CONTAMINATED PACKAGING

#### Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14. Transport information.**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### **SECTION 15. Regulatory information.**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

None.

Seveso category.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

None.



Revision nr. 1

Dated 18/12/2013

## C401600\_B - ELITE TRANSPARENT - BASE

Printed on 18/12/2013 Page n. 7/8

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 689/2008:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

## **SECTION 16. Other information.**

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation.

GENERAL BIBLIOGRAPHY



Revision nr. 1

Dated 18/12/2013

## C401600 B - ELITE TRANSPARENT - BASE

Printed on 18/12/2013 Page n. 8/8

- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- Regulation (EC) 1907/2006 (REACH) of the European Parliament
  Regulation (EC) 1272/2008 (CLP) of the European Parliament
  Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament

- Regulation (EC) 453/2010 (r) the European Parliament
  Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
- 8. The Merck Index. 10th Edition
- 9. Handling Chemical Safety
- 10. Niosh Registry of Toxic Effects of Chemical Substances
- 11. INRS Fiche Toxicologique (toxicological sheet)
- 12. Patty Industrial Hygiene and Toxicology
- 13. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 14. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.