

according to Regulation (EC) No 1907/2006

**GI-Mask Automix**

Revision date: 20.04.2015

Print date: 20.04.2015

Page 1 of 3

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

GI-Mask Automix

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

for dental use only

**1.3. Details of the supplier of the safety data sheet**

Company name:	Coltène/Whaledent AG
Street:	Feldwiesenstrasse 20
Place:	CH-9450 Altstätten
Telephone:	+41 (71) 75 75 300
Telefax:	+41 (71) 75 75 301
e-mail:	info.ch@coltene.com
Internet:	www.coltene.com
Responsible Department:	Regulatory Affairs msds@coltene.com

**Further Information**

Only supplied to dentists and dental laboratories or upon their instructions

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS].  
The preparation is not dangerous in the sense of Directive 1999/45/EC.  
Preparation/mixture without hazards for human health or environment

**2.2. Label elements****Hazardous components which must be listed on the label**

According to EC directive 1999/45/EC or annex VI of directive 67/548/EEC the preparation does not have to be labelled.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Polymer preparations and compounds

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

No special measures are necessary.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Water. Foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Sand.

according to Regulation (EC) No 1907/2006

**GI-Mask Automix**

Revision date: 20.04.2015

Print date: 20.04.2015

Page 2 of 3

**Additional information**

Co-ordinate fire-fighting measures to the fire surroundings.

**SECTION 6: Accidental release measures****6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**No special precautionary measures are necessary.  
Observe instructions for use.**7.2. Conditions for safe storage, including any incompatibilities****Further information on storage conditions**Keep the packing dry and well sealed to prevent contamination and absorption of humidity.  
Recommended storage temperature: 15 - 23 °C**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****8.2. Exposure controls****Protective and hygiene measures**

When using do not eat, drink or smoke.

**Hand protection**Single-use gloves.  
Unsuitable material: NR (Natural rubber (Caoutchouc), Natural latex).**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: Paste

Colour:

**Test method****Changes in the physical state**

Initial boiling point and boiling range: &gt;150 °C

Water solubility: insoluble  
(at 23 °C)**Solubility in other solvents**

ketone.

**SECTION 10: Stability and reactivity****Further information**

No special measures are necessary.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

according to Regulation (EC) No 1907/2006

**GI-Mask Automix**

Revision date: 20.04.2015

Print date: 20.04.2015

Page 3 of 3

**Acute toxicity**

LD50: &gt;2000 mg/kg (Rat)

The statement is derived from products of similar composition.

**Irritation and corrosivity**

Irritant effect on the skin: (Rabbit)

Not an irritant.

The statement is derived from products of similar composition.

**Sensitising effects**

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.

**SECTION 12: Ecological information****Further information**

No special environmental measures are necessary.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

**SECTION 14: Transport information****Other applicable information**

Not a hazardous material with respect to these transportation regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information****Additional information**

-----

**SECTION 16: Other information****Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

according to Regulation (EC) No 1907/2006

**GI-Mask Universal Separator**

Revision date: 28.01.2015

Print date: 27.05.2015

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

GI-Mask Universal Separator

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

for dental use only

Reserved for industrial and professional use.

**1.3. Details of the supplier of the safety data sheet**

Company name: Coltène/Whaledent AG  
Street: Feldwiesenstrasse 20  
Place: CH-9450 Altstätten  
Telephone: +41 (71) 75 75 300  
Telefax: +41 (71) 75 75 301  
e-mail: info.ch@coltene.com  
Internet: www.coltene.com  
Responsible Department: Regulatory Affairs  
msds@coltene.com

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Directive 67/548/EEC or 1999/45/EC**

Indications of danger: F+ - Extremely flammable, Xi - Irritant, N - Dangerous for the environment

R phrases:

Extremely flammable.

Irritating to skin.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Vapours may cause drowsiness and dizziness.

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard categories:

Aerosol: Aerosol 1

Skin corrosion/irritation: Skin Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Causes skin irritation.

May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.

**2.2. Label elements****Hazardous components which must be listed on the label**

hexane, mixture of isomers (containing &lt; 5 % n-hexane (203-777-6))

n-hexane

isopropyl acetate

Signal word: Danger

Pictograms: GHS02-GHS07-GHS09

according to Regulation (EC) No 1907/2006

**GI-Mask Universal Separator**

Revision date: 28.01.2015

Print date: 27.05.2015

Page 2 of 8

**Hazard statements**

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P261	Do not breathe aerosol.
P273	Avoid release to the environment.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P332+P313	If skin irritation occurs: Get medical advice/attention.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

according to Regulation (EC) No 1907/2006

### GI-Mask Universal Separator

Revision date: 28.01.2015

Print date: 27.05.2015

Page 3 of 8

#### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
-	hexane, mixture of isomers (containing < 5 % n-hexane (203-777-6))	30 - 50 %
-	F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-65-38-67-51-53	
601-007-00-7	Flam. Liq. 2, Asp. Tox. 1, Skin Irrit. 2, STOT SE 3, Aquatic Chronic 2; H225 H304 H315 H336 H411	
203-448-7	butane	15 - 30 %
106-97-8	F+ - Extremely flammable R12	
601-004-00-0	Flam. Gas 1; H220	
200-857-2	isobutane	5 - 15 %
75-28-5	F+ - Extremely flammable R12	
601-004-00-0	Flam. Gas 1; H220	
203-777-6	n-hexane	1 - < 5 %
110-54-3	Repr. Cat. 3, F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-62-48/20-65-38-67-51-53	
601-037-00-0	Flam. Liq. 2, Repr. 2, Asp. Tox. 1, STOT RE 2, Skin Irrit. 2, STOT SE 3, Aquatic Chronic 2; H225 H361f *** H304 H373 ** H315 H336 H411	
203-561-1	isopropyl acetate	1 - 5 %
108-21-4	F - Highly flammable, Xi - Irritant R11-36-66-67	
607-024-00-6	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066	
201-142-8	isopentane; 2-methylbutane	0.1 - 1 %
78-78-4	F+ - Extremely flammable, Xn - Harmful, N - Dangerous for the environment R12-65-66-67-51-53	
601-085-00-2	Flam. Liq. 1, Asp. Tox. 1, STOT SE 3, Aquatic Chronic 2; H224 H304 H336 H411 EUH066	

Full text of R-, H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes skin irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

according to Regulation (EC) No 1907/2006

**GI-Mask Universal Separator**

Revision date: 28.01.2015

Print date: 27.05.2015

Page 4 of 8

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>).  
Sand.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Precautions against fire and explosion:  
Extremely flammable aerosol.  
Caution! Container under pressure. Danger of bursting container.

**5.3. Advice for firefighters**

DO NOT fight fire when fire reaches explosives.  
In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Co-ordinate fire-fighting measures to the fire surroundings.  
Do not allow water used to extinguish fire to enter drains or waterways.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition. Provide adequate ventilation. Remove persons to safety.

**6.2. Environmental precautions**

Avoid release to the environment. Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Wipe up with absorbent material (eg. cloth, fleece).

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Avoid contact with skin and eyes.  
Restricted to professional users. Keep out of the reach of children.  
Observe instructions for use.

**Advice on protection against fire and explosion**

Do not spray on naked flames or any incandescent material.  
Keep away from sources of ignition. - No smoking.

**Further information on handling**

Do not pierce or burn, even after use. This material and its container must be disposed of as hazardous waste.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed and in a well-ventilated place.

**Further information on storage conditions**

Do not expose to temperatures exceeding 50°C/122°F. Recommended storage temperature: 15 - 23 °C

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

according to Regulation (EC) No 1907/2006

### GI-Mask Universal Separator

Revision date: 28.01.2015

Print date: 27.05.2015

Page 5 of 8

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL
78-78-4	Isopentane	600	1800		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
108-21-4	Isopropyl acetate	-	-		TWA (8 h)	WEL
		200	849		STEL (15 min)	WEL
110-54-3	n-Hexane	20	72		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

#### 8.2. Exposure controls

##### Protective and hygiene measures

When using do not eat, drink or smoke.

##### Eye/face protection

Framed glasses.

##### Hand protection

Wear protective gloves.

##### Skin protection

Lab apron.

##### Respiratory protection

Provide adequate ventilation. Do not breathe aerosol.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	characteristic

#### Test method

##### Changes in the physical state

Flash point: &lt; 0 °C

#### 9.2. Other information

Extremely flammable aerosol.

### SECTION 10: Stability and reactivity

#### 10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition. (R3)

#### 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

### GI-Mask Universal Separator

Revision date: 28.01.2015

Print date: 27.05.2015

Page 6 of 8

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
106-97-8	butane				
	inhalative (4 h) gas	LC50	658 ppm	Rat	GESTIS
108-21-4	isopropyl acetate				
	oral	LD50	6750 mg/kg	Rat	GESTIS
	dermal	LD50 mg/kg	> 17400	Rabbit	GESTIS
	inhalative (4 h) vapour	LC50	50,6 mg/l	Rat	

#### Irritation and corrosivity

Causes skin irritation.

#### STOT-single exposure

May cause drowsiness or dizziness.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
110-54-3	n-hexane					
	Acute fish toxicity	LC50	2,5 mg/l	96 h	Pimephales promelas	Geiger et al. 1990

### 12.2. Persistence and degradability

May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
106-97-8	butane	2,89
75-28-5	isobutane	2,8
110-54-3	n-hexane	3,9
108-21-4	isopropyl acetate	1,02

### 12.6. Other adverse effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Further information

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Dispose of waste according to applicable legislation.

## SECTION 14: Transport information

### Land transport (ADR/RID)

#### 14.1. UN number:

UN 1950

according to Regulation (EC) No 1907/2006

**GI-Mask Universal Separator**

Revision date: 28.01.2015

Print date: 27.05.2015

Page 7 of 8

**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
 Hazard label: 2.1  
 Classification code: 5F  
 Special Provisions: 190 327 344 625  
 Limited quantity: 1 L  
 Transport category: 2  
 Tunnel restriction code: D

**Other applicable information (land transport)**

Environmentally hazardous: YES

**Marine transport (IMDG)**

**14.1. UN number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2.1  
**14.4. Packing group:** -  
 Hazard label: 2.1  
 Marine pollutant: YES  
 Special Provisions: 63, 190, 277, 327, 344, 959  
 Limited quantity: 1 L  
 EmS: F-D, S-U

**Other applicable information (marine transport)**

E0

**Air transport (ICAO)**

**14.1. UN number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS, flammable  
**14.3. Transport hazard class(es):** 2.1  
 Hazard label: 2.1  
 Special Provisions: A145 A167 A802  
 Limited quantity Passenger: 30 kg G  
 IATA-packing instructions - Passenger: 203  
 IATA-max. quantity - Passenger: 75 kg  
 IATA-packing instructions - Cargo: 203  
 IATA-max. quantity - Cargo: 150 kg

**Other applicable information (air transport)**

: Y203

E0

150 kg

**SECTION 15: Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulatory information

Additional information

-----

**SECTION 16: Other information**

Relevant R-phrases (Number and full text)

11 Highly flammable.

according to Regulation (EC) No 1907/2006

**GI-Mask Universal Separator**

Revision date: 28.01.2015

Print date: 27.05.2015

Page 8 of 8

12	Extremely flammable.
36	Irritating to eyes.
38	Irritating to skin.
48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation.
51	Toxic to aquatic organisms.
53	May cause long-term adverse effects in the aquatic environment.
62	Possible risk of impaired fertility.
65	Harmful: may cause lung damage if swallowed.
66	Repeated exposure may cause skin dryness or cracking.
67	Vapours may cause drowsiness and dizziness.

**Relevant H- and EUH-phrases (Number and full text)**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*