Safety Data Sheet

D182 ArcticBlastTM Refrigerant Spray Copying and/or downloading of this information for the purpose of properly utilizing Marie Reiko product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Marie Reiko, & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION			
Marie Reiko, Inc.		Product Name:	ArcticBlast [™] Refrigerant Spray
4790 Caughlin Pkwy, #444		Product Code:	D182
Reno, NV 89519		Product Use:	Air Duster
1 (775) 849-3477		24-hour emergency phone:	1-800-424-9300 [CHEMTREC]
. ,		_ ·	
2. HAZARD IDENTIFICATION	N		
POTENTIAL HEALTH EFFECTS			
Classification of the chemical in accordance GHS Hazard Symbols			
GHS Classification	Gases under pressure - Liquified Gas Simple Asphyxiant Category 1		
Signal Word	Warning		
Hazard Statements	Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid suffocation		
Precautionary Statements			
Storage	Protect from sunlight. Store in a well-ventilated place.		

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	<u>CAS #</u>	<u>Percent</u>	
Halogenated hydrocarbon	811-97-2	80 - 100	
HMIS® III* HAZARDOUS WARNING Health: 1	S: Flammability: 1	Physical: 0	Personal See Section 8 Protective Equipment:

* See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES			
Eyes:	Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.		
Skin Contact:	In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Seek medical attention if symptoms persist. Wash clothing before reuse.		
Ingestion:	Ingestion is an unlikely route of exposure.		
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical attention.		
NOTES TO PHYS			

NOTES TO PHYSICIAN:

Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, should be used only in situations of emergency life support.

5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards:	Gas is not flammable at ambient temperatures and atmospheric pressure. However, this material may become		
	combustible when mixed with oxygen or air under pressure or air above atmospheric pressure.Containers may		
	rupture or explode under fire conditions.		
Fire Fighting Instructions:	Use CO2, foam or dry chemical. Water is generally not effective and may spread fire; however, water spray may		
	be used from a safe distance to cool closed containers and protect surrounding area.		

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Ventilate contaminated area. Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely.

7. HANDLING AND STORAGE

 Handling:
 Use with adequate ventilation. Do not use near ignition sources. Do not breathe vapor. May cause frostbite.

 Storage:
 Store in a cool, dry, well ventilated area away from all sources of ignition. Do not store at temperatures above 120 degrees F. Empty container may contain residues which are hazardous.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to prevent known, suspected or apparent adverse of	1	nits indicated below in this s	ection of the MSDS (from
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Do not wear contact lenses. Have an eye wash station available.			
Skin Protection:	The use of chemically resistant gloves skin.	is recommended if there is	any possibility of prolonged	or repeated liquid contact with
Respiratory Protection:	None required for well ventilated situal maintain exposure limits. Use NIOSH aerosol.			
COMPONENT	<u>CAS #</u>	ACGIH TLV	OSHA PEL	OTHER
Halogenated hydrocarbon	811-97-2	Not established	Not established	1000ppm (mfr.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Appearance:	Aerosol None	Lower Flammability Limit (%): Upper Flammability Limit (%):	Not applicable Not applicable
Odor:	Slight ethereal.	Vapor Pressure (PSIG @ 70°F):	85.80
Odor Threshold:	Very faint	Vapor Density $[air = 1]$:	3.60
pH:	Not applicable	Relative Density (H2O=1):	1.22
Melting/Freezing Point (°F):	-150	Solubility in Water:	Negligible; 0-1%
Boiling Point (°F):	-15.2	Partial Coefficient: n- octanol/water:	1.06
Flash Point (°F PMCC):	Not applicable	Autoignition Temperature (°F):	1382
Evaporation Rate:	0.5-2 (n-Butyl acetate = 1)	Decomposition Temperature (°F):	482
Flammability (solid, gas): Percent VOCs (%):	No data available < 0.0001	Viscosity, dynamic (cSt):	No data available

10. STABILITY AND REACTION

Conditions to Avoid:Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Avoid contact with: Alkali. Alkaline earth metals. Freshly abraded aluminum surfaces. Powdered metals. Magnesium. Zinc. Chemically active metals: calcium, powdered aluminum, zinc, sodium, potassium, magnesium, etc.Decomposition Products:This material can be decomposed by extremely high temperatures (open flames, glowing metal surfaces, etc.) forming	Chemical Stability:	Stable. Do not mix with oxygen or air above atmospheric pressure. Any source of high temperature [>250 C], may form
Decomposition Products:metals: calcium, powdered aluminum, zinc, sodium, potassium, magnesium, etc.This material can be decomposed by extremely high temperatures (open flames, glowing metal surfaces, etc.) forming	Conditions to Avoid:	hydrofluoric acid and possibly carbonyl fluoride decomposition products. Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Avoid contact with: Alkali.
Decomposition Products: This material can be decomposed by extremely high temperatures (open flames, glowing metal surfaces, etc.) forming		
	Decomposition Products:	

11. TOXICOLOGICAL INFORMATION

Inhalation Toxicity:	Inhalation LC50 (4h) Rat > 500000 ppm		
Reproductive & Developmental	No data available.		
Toxicity:			
Ingredient	CAS #	Toxicological Data	
Halogenated hydrocarbon	811-97-2	Inhalation LC50 (4h) $Rat > 500000 ppm$	

12. ECOLOGICAL INFORMATION

Ecological Toxicity: Mobility: Degradability:	Presents little or no hazard to the aquatic environment. No data available Not considered biodegradable; 100% volatile.		
Ingredient No data available	CAS #	Toxicological Data	

recommend)

13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN3159	1,1,1,2-Tetrafluoroethane	2.2	Not applicable
IATA	UN3159	1,1,1,2-Tetrafluoroethane	2.2	Not applicable
IMDG	UN3159	1,1,1,2-Tetrafluoroethane	2.2	Not applicable

15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:				
COMPONENT	CAS #	% BY WEIGHT	Regulatory Body	
No components listed in this section.			SARA Section 313	

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below. No components listed in this section. Prop65 Cancer

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below. No components listed in this section. Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

16. OTHER INFORMATION

Other Information : MSDS Prepared by L. Dean Swartz, MSDS Coordinator

Version Date: 05/14/15

This information contained in this MSDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Marie Reiko, it is the user's obligation to determine the conditions of safe use.