

Prepared to US-OSHA Standards

SDS Revision: 3.0

SDS Revision Date: 10Jan19

B4 Brands AVANT® INSTANT HAND SANITIZER

1. PRODUCT AND COMPANY IDENTIFICATION				
1.1	Product Name:	B4 Brands AVANT [®] INSTANT HAND SANITIZER		
1.2	Product Code:	12089FF		
1.3	Product Uses &	OTC Antimicrobial Hand Sanitizer for consumer and occupational use.		
	Restrictions:	To To Antimicrobial Hand Samilizer for consumer and occupational use.		
1.4	Supplier Name:	B4 Brands		
1.5	Supplier Address:	1001 North Washington Street		
1.6	Business Phone:	1-888-667-6066		
1.7	Business Email:	www.b4brands.com		
1.8	Emergency Phone:	INFOTRAC: 1-800-535-5053 (North America) +1-352-323-3500 (Outside North America)		
This	This document is written for the packaged product and contains information for an occupational, or workplace, setting			

his document is written for the packaged product and contains information for an occupational, or workplace, setting.

2. HA	2. HAZARDS IDENTIFICATION					
2.1	Classification of the	Physical Hazards: Flammable Liquid - Category 3				
	Substance or	ealth Hazards: Serious Eye Irritation - Category 2A				
	Mixture:	Environmental Hazards: Not Classified	vironmental Hazards: Not Classified			
2.2	Labeling Elements:	Hazard Signal Word: Warning Hazard				
		Hazard Statements: Flammable Liquid and Vapour. Causes serious eye irritation.	Pictograms:			
		Precautionary Statements: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Store in well ventilated place. Keep cool. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Dispose of waste and residue in accordance with local authority requirements.				
2.3	Other Hazards:	None known.				

3. COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS No. GHS Hazard Classification		% by Weight
Ethanol	64-17-5	Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A	60 - 65

There are no other ingredients present in the mixture which, within the current knowledge of the supplier and in the concentrations applicable, are classified as physical, health or environmental hazards, or have been assigned a workplace exposure limit, and hence require reporting in this section.

4. FII	4. FIRST AID MEASURES					
4.1	4.1 Description of First Ingestion: In case of ingestion, do not induce vomiting without medical advice. Give victim several quantum several q					
	Aid Measures:	water to drink. Never give anything by mouth to an unconscious person. Seek medical attention if necessary.				
		Eyes: In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if				
		present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.				
	Skin: If signs of irritation to the skin develop, wash the affected area with plenty of water and soap. Seek					
		medical attention in the event of an adverse reaction or if symptoms persist.				
		Inhalation: If respiratory distress or irritation occurs, remove victim to fresh air. Seek medical attention in the				
		event of an adverse reaction or if symptoms persist.				
4.2 Most Important						
	Symptoms and	Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and				
	Effects, Both Acute	redness.				
	and Delayed:					
4.3	Indication of					
	Immediate Medical	Drawide general gunn article magazures and troot aurontomatically. No known an acific antidates				
Attention and Special Provide general supportive measures and treat symptomatically. No kr		Provide general supportive measures and treat symptomatically. No known specific antidotes.				
	Treatment Needed:					



Prepared to US-OSHA Standards

SDS Revision: 3.0

SDS Revision Date: 10Jan19

	RE FIGHTING MEAS	SURES					
5.1	Extinguishing Media:	Suitable Extinguishing Media: Water mist, dry chemical, alcohol resistant foam, or carbon dioxide. <u>Unsuitable Extinguishing Media:</u> None known.					
5.2	Specific Hazards:	Warning! Flammable liquid and vapor. When heated above the flash point, vapours may burn or form explosive mixture with air. May produce oxides of carbon and/or nitrogen on combustion.					
5.3	Special Protective						
	Equipment and	Wear self-contained bre		is and full personal prote	ective gear.		
	Precautions for	Use standard firefightin	g procedures.				
	Firefighters:						
6. A	CCIDENTAL RELEAS	SE MEASURES					
6.1	Personal						
	Precautions,	Observe all personal pr	otection equipm	ent recommendations d	escribed in Section 8. Re	emove all sources of	
	Protective Equipment	ignition and ensure ade	quate ventilation	n. Ventilate closed space	es before entering them.	Keep unnecessary	
	and Emergency	personnel away.					
	Procedures:						
6.2	Environmental	Dike or contain spill to r	prevent from ente	ering drains. Avoid dired	ct release to drains, surfa	ace and ground water.	
	Precautions:	-					
6.3		Clean up spill with non-					
	for Containment and				al, state and local regula	itions. Use non-	
	Cleaning Up:	sparking tools and equi	prilent. Take act	ion to prevent static disc	marges.		
7 H	ANDLING AND STO	RAGE					
7.1	Precautions for Safe		not surfaces, spa	rks, open flames and of	ther ignition sources. Util	lize safe handling and	
	Handling:				duct. Ensure adequate v		
	J J				e while handling. Wear a		
					hing and protective equip		
		hygiene practices.					
7.2	Conditions for Safe	Store in a cool, dry, and well-ventilated area away from direct sun-light and incompatible materials (see					
	Storage:	Section 10). Do not store near heat, sparks, open flames and other ignition sources. Store at temperatures 4					
		to 40°C (39 to 104°F).				_	
Q E	XPOSURE CONTRO	IS / DEDSONAL DE	OTECTION				
8.1	Control Parameters:	LO / FERSONAL FR		000	upational Exposure Li	mite	
· · ·		CHEMICAL NAME	CAS	OSHA PEL	NIOSH REL	ACGIH TLV	
		OTTERMORE WAINE	Number	(TWA)	(TWA)	(STEL)	
				1000 ppm	1000 ppm		
		Ethanol	64-17-5	1900 mg/m ³	1900 mg/m ³	1000 ppm	
8.2	Engineering	Provide adequate ventil	lation in the worl		rne levels below recomm	lended evnosure	
U.Z	Controls:	limits.	adon in the WOR	value io maintain alibu	THE IEVERS DEION IECOIIIII	ichaea exposure	
8.3	Respiratory						
0.0	Protection:	NIOSHA approved resp	irator in accorda	ance with 29 CFR 1910.	134 if airborne exposure	limits are exceeded.	
8.4	Eye Protection:	Avoid eye contact. Wea	ar protective eye	wear (e.g., safety glasse	es with side-shield) if eye	contact hazards exist	
		in the workplace.					
8.5	Skin Protection:	No special skin protection	on is required ur	nder typical circumstanc	es of use and handling.		
• •		#44 DD 4DEDTIE					
	HYSICAL AND CHEM						
9.1	Appearance:	Clear, colorless fluid ge	l				
9.2	Odor:	Alcohol	a neadust				
9.3	Odor Threshold:	No data available on thi	s product				
9.4 9.5	pH: Melting Point:	No data available on thi	is product				
9.5 9.6	Freezing Point:	No data available on thi					
9.7	Initial Boiling Point/Boiling Range:	No data available on thi	•				
9.8	Flashpoint:	27°C (80.6°F) - Closed	Cup				
J.U	μιασπροπιτ.	21 C (00.0 F) - Closed	Oup				



Prepared to US-OSHA Standards

SDS Revision: 3.0

SDS Revision Date: 10Jan19

	I= -			
9.9	Evaporation Rate:	No data available on this product		
9.10	Flammability	No data available on this product		
2.44	(solid, gas):	· · · · · · · · · · · · · · · · · · ·		
9.11	Upper/Lower	UEL: 19.0% (ethanol)		
	Flammability or	LEL: 3.3% (ethanol)		
0.40	Explosive Limits:	No data available on this product		
	Vapor Pressure:	No data available on this product No data available on this product		
	Vapor Density: Relative Density	·		
9.14	(water=1.0):	810 - 0.870		
9.15	Solubility:	Soluble in water		
	Partition Coefficient	JOIUDIE III WALEI		
	(n-octanol/water):	No data available on this product		
9.17	Autoignition Temperature:	No data available on this product		
9.18	Decomposition	No data available on this product		
	Temperature:	·		
	Viscosity:	No data available on this product		
9.20	Other Information:	No relevant additional information available on this product		
40.0	TABILITY AND DEA	OTIV/ITV		
	TABILITY AND REA			
	Reactivity:	The product is not reactive under normal conditions of use, storage and transport.		
	Chemical Stability:	This product is stable under normal handling and storage conditions.		
10.3	Possibility of	No hazardous reactions known under conditions of normal use. Hazardous polymerization is not expected.		
	Hazardous	ino nazardous reactions known under conditions of normal use. Hazardous polymenzation is not expected.		
10.4	Reactions: Conditions to Avoid:	Direct sunlight, extremely high or low temperatures, sparks, open flame, and other ignition sources.		
	Incompatible			
	Materials:	Strong acids, bases, and oxidizing agents.		
10.6	Hazardous	No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on		
	Decomposition	combustion.		
	Products:			
	OXICOLOGICAL INI			
		Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations		
		h US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional		
	nent data not shown.			
11.1		Effects and Symptoms:		
	Eye Contact:	Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and		
	Okin Onntt	redness.		
	Skin Contact:	No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting, drying and cracking of the skin.		
	Ingestion:	No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed.		
	mgcodon.	Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system		
		depression (headache, dizziness and drowsiness).		
	1			
	Inhalation:			
	Inhalation:	No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness).		
11.2		No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of		
		No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness).		
	Potential Chronic Heal	No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). Ith Effects: None known		
	Potential Chronic Heal	No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). Ith Effects: None known Product Summary/Conclusion: Classification criteria are not met. Acute Toxicity Estimate: Calculation Method Oral: > 11,000 mg/kg		
	Potential Chronic Heal Acute Toxicity: Product:	No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). Ith Effects: None known Product Summary/Conclusion: Classification criteria are not met. Acute Toxicity Estimate: Calculation Method Oral: > 11,000 mg/kg Dermal: > 33,000 mg/kg		
	Potential Chronic Heal Acute Toxicity: Product:	No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). Ith Effects: None known Product Summary/Conclusion: Classification criteria are not met. Acute Toxicity Estimate: Calculation Method Oral: > 11,000 mg/kg Dermal: > 33,000 mg/kg Ethanol: CAS 64-17-5		
	Potential Chronic Heal Acute Toxicity: Product:	No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness). Ith Effects: None known Product Summary/Conclusion: Classification criteria are not met. Acute Toxicity Estimate: Calculation Method Oral: > 11,000 mg/kg Dermal: > 33,000 mg/kg		



Prepared to US-OSHA Standards

SDS Revision: 3.0

SDS Revision Date: 10Jan19

	Skin Corrosion/	Product Summary/Conclusion: Classification criteria are not met.
	Irritation:	Product: Human Repeat Insult Patch Test - No evidence of skin irritation.
		Ethanol: CAS 64-17-5
		Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating to skin
		Modified Draize 1944 for Human Repeat Occluded (95% active): Slightly irritating under extreme
		repeat dose situations.
11.5	Serious Eye	Product Summary/Conclusion: Causes serious eye irritation.
	Damage/Irritation:	Ethanol: CAS 64-17-5
		Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): GHS Category 2A eye irritant.
11.6	Respiratory or Skin	Product Summary/Conclusion: Classification criteria are not met.
	Sensitization:	Product: Human Repeat Insult Patch Test - No evidence of skin sensitization.
		Ethanol: CAS 64-17-5
		Respiratory Sensitization: No reports of human respiratory sensitization.
		Skin Sensitization: No skin sensitization evident in animal studies at 75% concentration.
11.7	Germ Cell	Product Summary/Conclusion: Classification criteria are not met. No data available to indicate product or
' ' ' '	Mutagenicity:	any components present at greater than 0.1% are mutagenic or genotoxic.
	widtagemony.	Ethanol: CAS 64-17-5
		In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salomella typhimurium up to
		maximum plate concentration of 10 mg/plate, with and without metabolic activation.
11.8	Carcinogenicity:	No components at levels greater than or equal to 0.1% are listed as carcinogens by IARC, US OSHA or NTP.
11.9	Reproductive	Product Summary/Conclusion: Classification criteria are not met. No data available to indicate product or
	Toxicity:	any components present at greater than 0.1% cause reproductive or developmental effects.
		Ethanol: CAS 64-17-5
		Two-Generation Reproduction Toxicity, OECD 416, Mouse, Oral: NOAEL 15% (20.7g/kg/day) (highest
		concentration tested)
		Prenatal Developmental Toxicity, OECD 414, Rat, Inhalation: NOAEL (maternal toxicity) 16,000 ppm,
		NOAEL (teratogenicity) > 20,000 ppm (highest concentration tested)
11.10	STOT-Single	Not classified due to lack of data.
	Exposure:	140t blassified due to lack of data.
11.11	STOT-Repeated	Product Summary/Conclusion: Classification criteria are not met.
	Exposure:	Ethanol: CAS 64-17-5
		90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg
		Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm
11.12	Aspiration Hazard:	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data.
		Not classified due to lack of data.
	Aspiration Hazard:	Not classified due to lack of data.
12. E		Not classified due to lack of data.
12. E	COLOGICAL INFO	Not classified due to lack of data. RMATION
12. E	COLOGICAL INFO	Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met.
12. E	COLOGICAL INFO	Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5
12. E	COLOGICAL INFO	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina)
12. E	COLOGICAL INFO	Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow)
12. E	COLOGICAL INFO	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina)
12. E 12.1	COLOGICAL INFO	Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow)
12. E 12.1	Ecotoxicity: Persistence and	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable
12. E 12.1	Ecotoxicity: Persistence and Degradability:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5
12. E 12.1	Ecotoxicity: Persistence and Degradability: Bioaccumulative	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable
12. E 12.1	COLOGICAL INFO	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available
12. E 12.1 12.2 12.3 12.4	COLOGICAL INFO	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow)
12. E 12.1 12.2 12.3	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available
12. E 12.1 12.2 12.3 12.4 12.5	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards.
12. E 12.1 12.2 12.3 12.4 12.5	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards.
12. E 12.1 12.2 12.3 12.4 12.5	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: ISPOSAL CONSIDI Waste Disposal	Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large
12. E 12.1 12.2 12.3 12.4 12.5	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for
12. E 12.1 12.2 12.3 12.4 12.5	Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: ISPOSAL CONSIDI Waste Disposal Methods:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal.
12. E 12.1 12.2 12.3 12.4 12.5 13. D 13.1	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: ISPOSAL CONSIDI Waste Disposal Methods: Special Precautions:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for
12. E 12.1 12.2 12.3 12.4 12.5	COLOGICAL INFO	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal. Observe all precautions for ignitable waste.
12. E 12.1 12.2 12.3 12.4 12.5 13. D 13.1	COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: ISPOSAL CONSIDI Waste Disposal Methods: Special Precautions:	RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal.



Prepared to US-OSHA Standards

SDS Revision: 3.0

SDS Revision Date: 10Jan19

14. T	4. TRANSPORT INFORMATION				
	US DOT (GROUND):	Consumer Commodity, Limited Quantity			
	IATA (AIR):	Consumer Commodity, ID 8000, Class 9			
	IMDG (OCEAN):	UN 1170, Ethanol Solutions, Class 3, Packing Group III, Limited Quantity			
	Environmental	Net as a sulete d			
	Hazards:	Not regulated			
14.7	Transport in Bulk				
	According to Annex II	Not applicable			
	of Marpol and the IBC	The applicable			
	Code:				
14.8	Special Precautions	Transport within user's premises: Transport in closed containers that are upright and secure. Read SDS and			
	for User:	emergency procedures before handling.			
15 D	EGULATORY INFO	PMATION .			
	SARA 302 TPQ:	No chemical components in this product are listed.			
	SARA 302 TPQ.	No chemical components in this product are listed.			
	SARA 311/312:	Not applicable - product is exempt.			
	SARA 313:	No chemical components in this product are listed.			
	CERCLA RQ:	RCRA D001/Unlisted Ignitable Hazardous Waste, Ethanol = 100 lbs			
15.6	Clean Air Act (CAA)	No chamical components in this product are listed			
	Section 112(r) TQ:	No chemical components in this product are listed.			
15.7	Clean Water Act	No chemical components in this product are listed.			
	(CWA):	The chemical components in this product are listed.			
15.8	California	This product is not subject to California warning labeling for carcinogens or reproductive toxins.			
	Proposition 65:	This product is not subject to sumering hasoning for substituted or reproductive textus.			
	THER INFORMATION				
16.1	Legend:	ACGIH: American Conference of Governmental Industrial Hygienists			
		CAS: Chemical Abstracts Service			
		CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act CFR: Code of Federal Regulations			
		DOT: (US) Department of Transportation			
		EC50: Effective Concentration, 50%			
		EPA: (US) Environmental Protection Agency			
		GHS: Globally Harmonized System of Classification and Labeling Chemicals			
		IATA: International Air Transport Association			
		IARC: International Agency for the Research of Cancer			
		IBC: Intermediate Bulk Container			
		IMDG: International Maritime Dangerous Goods			
		LC50: Lethal Concentration, 50%			
		LD50: Lethal Dose, 50% LOAEL: Lowest Observed Adverse Effect Level			
		Log Kow: Logarithm of the n-octanol/water partition coefficient			
		NIOSH: National Institute for Occupational Safety and Health			
		NOAEC: No Observed Adverse Effect Concentration			
		NOAEL: No Observed Adverse Effect Level			
		NTP: National Toxicology Program			
		OECD: Organisation for Economic Co-operation and Development			
		OSHA: (US) Occupational Safety & Health Administration			
		OTC: Over-The-Counter			
		PEL: Permissible Exposure Limit			
		RCRA: Resource Conservation and Recovery Act			
		REL: Recommended Exposure Limit			
		RQ: Reportable Quantity SARA: Superfund Amendments and Reauthorization Act			
		STEL: Short Term Exposure Limit			
		STOT: Specific Target Organ Toxicity			
L		1			



Prepared to US-OSHA Standards

SDS Revision: 3.0

SDS Revision Date: 10Jan19

		TLV: Threshold Limit Value TPQ: Threshold Planning Quantity TQ: Threshold Quantity TWA: Time Weighted Average
16.2	Disclaimer:	This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information set forth herein has been compiled from sources considered to be reliable and is believed to be accurate as of the date of publication. This information is offered in good faith by B4 Brands and the accuracy, suitability or completeness is not guaranteed, and no warranties of any type, either expressed or implied, are provided. If this product(s) is combined with other materials, all component properties must be considered. The user assumes all liability for any damage or from any hazards inherent in the nature of the product.
16.3	Last Revision Date:	21Sep17
16.4	Reason for Revision:	Updated format and to current regulations.