Version 1.0	Revision Date: 05-26-2015		SDS Number: 00000002990	Date of last issue: - Date of first issue: 05-26-2015			
SECTIO	N 1. IDENTIFICATION						
Pro	duct name	:	: Kleenex® Ultra Moisturizing Foam Hand Sanitizer				
Product code		:	: 34604, 34605, 34610, 34618, 34640, 34643, 34700, 34678				
	nufacturer or supplier's mpany name of supplier			orporation			
Address		:	1400 Holcomb Bridge Road, Roswell, GA 30076-2199				
Tel	ephone	:	1-888-346-6452				
Em	ergency telephone	:	1-877-561-6587				

### SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 2
Eye irritation	: Category 2B
GHS Label element	
Hazard pictograms	
Signal Word	: Danger
Hazard Statements	<ul> <li>H225 Highly flammable liquid and vapor.</li> <li>H320 Causes eye irritation.</li> </ul>
Precautionary Statements	<ul> <li>Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ atten- tion.</li> <li>Storage: P403 + P235 Store in a well-ventilated place. Keep cool.</li> <li>Disposal: P501 Dispose of contents/ container to an approved waste dis- posal plant.</li> </ul>

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	05-26-2015	10000002990	Date of first issue: 05-26-2015

#### Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 74.7323 %

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Chemical nature	:	Mixture
-----------------	---	---------

#### **Hazardous ingredients**

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
propan-2-ol	67-63-0	>= 1 - < 5

#### SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures. When symptoms persist or in all cases of doubt seek medica advice.
If inhaled	: No hazards which require special first aid measures.
In case of skin contact	: If symptoms persist, call a physician.
In case of eye contact	: If in eyes, rinse with water for 15 minutes. If eye irritation persists, consult a specialist.
If swallowed	: Do NOT induce vomiting. Consult a physician if necessary.
Most important symptoms and effects, both acute and delayed	: None known.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	: Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	: Water spray jet
Specific hazards during fire fighting	: Highly flammable liquid and vapor.
Hazardous combustion prod- ucts	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Versi 1.0	on Revision Date: 05-26-2015	MSDS Number: 100000002990	Date of last issue: - Date of first issue: 05-26-2015
	Specific extinguishing meth- ods		ng measures that are appropriate to local cir- I the surrounding environment.
F	Further information	: Standard procee	dure for chemical fires.
	Special protective equipment for fire-fighters	: In the event of fi	re, wear self-contained breathing apparatus.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Ensure adequate ventilation. Remove all sources of ignition.
Environmental precautions	:	Try to prevent the material from entering drains or water courses.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Shovel into suitable container for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).
Advice on safe handling	:	No special precautions required.
Conditions for safe storage	:	Keep containers tightly closed in a cool, well-ventilated place.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		STEL	1,000 ppm	ACGIH
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	OSHA Z-1

	05-26-2015	1000	00002990		Date of firs	t issue: 05-	26-2015		
				T\	VA	400 ppm 980 mg/n	n3	05	SHA P0
				S	ΓEL	500 ppm 1,225 mg	ı/m3	05	SHA PO
					NA	400 ppm 980 mg/n	n3		OSH REL
				S	Г	500 ppm 1,225 mg	J/m3	NI	OSH REL
-	gical occupational	-	limits						
Ingree	dients	CAS-No.	Control paramete	ers	Biological specimen	Sam- pling time	Permissi concentration		Basis
		67-63-0	Acetone		Urine	End of shift at end of work- week	40 mg/l		ACGIH BEI
	onal protective equ	-							
Resp	ratory protection		o personal r equired.	esp	iratory prote	ctive equipi	ment norm	ally	
Hand	protection								
Re	marks	: n	ot required u	Inde	er normal use	Э			
Eye p	rotection	: n	ot required u	inde	er normal use	Э			
Skin a	and body protection	: n	ot required u	inde	er normal use	Э			
Prote	ctive measures	: N	o special pro	otec	tive equipme	ent required	d.		
	ne measures	: G	eneral indus	stria	l hygiene pra	actice.			

Appearance	:	liquid
Color	:	milky
Odor	:	alcoholic
рН	:	5
Flash point	:	16 °C
Upper explosion limit	:	19 %(V)
Lower explosion limit	:	2 %(V)
Relative density	:	0.875

Version 1.0	Revision Date: 05-26-2015	MSDS Number: 100000002990	Date of last issue: - Date of first issue: 05-26-2015
	ility(ies) iter solubility	: completely solul	ble
Autoig	gnition temperature	: > 425 °C	
Visco: Vis	sity cosity, dynamic	: 250 mPa.s	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.	
Chemical stability	: Stable	
Possibility of hazardous reac- tions	: Keep away from oxidizing agents, and acidic or alkaline products.	
Conditions to avoid	: Heat, flames and sparks.	
Incompatible materials	: Oxidizing agents	
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).	-

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Ingredients:	
Ethanol:	
Acute oral toxicity	: LD50 (Rat, female): 15,000 mg/kg
propan-2-ol:	
Acute oral toxicity	: LD50 Oral (Rat): 5,840 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 16000 ppm
Acute dermal toxicity	: LD50 Dermal (Rabbit): 12,800 mg/kg
Skin corrosion/irritation	
Product	

#### Product: Posult: No skip ir

Version 1.0	Revision Date: 05-26-2015	MSDS Number: 100000002990	Date of last issue: - Date of first issue: 05-26-2015
Serio	ous eye damage/eye	irritation	
<u>Prod</u> Resu	uct: It: Irritating to eyes.		
Resp	piratory or skin sensi	tization	
<u>Prod</u> Rema		ble data, the classificat	on criteria are not met
Carc	inogenicity		
IARC			his product present at levels greater than or dentified as probable, possible or confirmed h by IARC.
OSH	IA		nis product present at levels greater than or dentified as a carcinogen or potential carcino-
NTP			his product present at levels greater than or dentified as a known or anticipated carcinogen
STO	T-single exposure		
<u>Prod</u> Rema	l <mark>uct:</mark> arks: Not applicable		
STO	T-repeated exposure		
<u>Prod</u>	uct:		
Rema	arks: Not applicable		
Aspi	ration toxicity		
<u>Prod</u> No as	uct: spiration toxicity classi	fication	
SECTION	12. ECOLOGICAL IN	FORMATION	
Ecot	oxicity		

Ingredients:	
Ethanol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 14.2 g/l Exposure time: 96 h
	Test Type: flow-through test

/ersion .0	Revision Date: 05-26-2015	MSDS Number: 100000002990	Date of last issue: - Date of first issue: 05-26-2015
	ity to daphnia and other iic invertebrates	: EC50 (Ceriod Exposure time Test Type: sta	
Toxic	ity to algae	: EC50 (Chlore Exposure time Test Type: sta	
	an-2-ol: ity to fish	: LC50: 9,640 r Exposure time	0
	ity to daphnia and other tic invertebrates	: EC50: 10,000 Exposure time	
	stence and degradabili ata available	ity	
	ccumulative potential ata available		
	<b>lity in soil</b> ata available		
	r adverse effects ata available		

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

International Regulation	
<b>IATA-DGR</b> UN/ID No. Proper shipping name	<ul><li>: UN 1987</li><li>: Alcohols N.O.S (Ethanol, Isopropanol)</li></ul>
Class	: 3
Packing group	: II
<b>IMDG-Code</b>	: UN 1987
UN number	: ALCOHOLS N.O.S
Proper shipping name	(Ethanol, Isopropanol)

Version 1.0	Revision Date: 05-26-2015	MSDS Number: 100000002990	Date of last issue: - Date of first issue: 05-26-2015			
	g group pollutant	: 3 : II : no				
•	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.					

Domestic regulation

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know


SARA 311/312 Hazards	:	: Fire Hazard		
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		
		propan-2-ol	67-63-0	4.9995 %
California Prop 65	:	This product does not conta State of California to cause reproductive defects.		
The ingredients of this produc	ct	are reported in the following	ng inventories:	
	:	<ul> <li>This mixture contains only ingredients which have been subject to a pre-registration according to Regulation (EU) N 1907/2006 (REACH).</li> </ul>		

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	05-26-2015	10000002990	Date of first issue: 05-26-2015

### **SECTION 16. OTHER INFORMATION**



The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8