# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

073904356

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

073904380 073904398 073904406 073904422

## MEDICAL EMERGENCIES: CHEMTREC ASSISTANCE: (800) 424-9300

#### SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: AMS GLI, GL15, GL825

SYNONYM: None

**CHEMICAL FAMILY:** Polyaziridine **FORMULA:** Proprietary Formulation **CAS NUMBER:** None Assigned

**DOT SHIPPING NAME:** None Assigned **DOT HAZARD CLASS:** None Assigned **UN/NA NUMBER:** None Assigned

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS) RATING:

Health = 2 Flammability = 1 Reactive = 1 Protective Equipment = B

### **SECTION II - HEALTH SAFETY ALERT**

### **CAUTION:**

Avoid contact with skin and eyes. Avoid prolonged or repeated inhalation of vapors. Wear eye, hand and skin protective equipment when using this product. Do not use this product until MSDS has been read and understood. Components of this product may be harmful if swallowed, inhaled or absorbed through skin.

#### SECTION III - HEALTH HAZARD INFORMATION

**EYE:** Direct contact with liquid can produce moderate to severe irritation.

SKIN: May produce mild irritation on prolonged or repeated contact.

INHALATION: Prolonged or repeated inhalation may produce nose or throat irritation, headache, nausea and dizziness.

INGESTION Swallowing this product may lead to mouth and stomach irritation accompanied by burning pain, nausea, vomiting and diarrhea. SEE SECTION XII - COMMENTS.

## **SECTION IV - EMERGENCY AND FIRST AID PROCEDURES**

**EYE CONTACT:** Flush with water for at least 15 minutes. Do not use chemical agents to neutralize. Seek medical aid.

**SKIN CONTACT:** Wipe or wash material from skin. Wash contaminated clothing. Seek medical aid.

**INHALATION:** Remove from exposure. Administer artificial respiration and oxygen if necessary. Seek medical aid.

INGESTION: Contact CHEMTREC at 1-800-424-9300 and seek medical aid.

### SECTION V - FIRE AND EXPLOSION HAZARD INFORMATION

FLAST POINT & METHOD: N/A

## FLAMMABLE LIMITS, LOWER: N/A

**EXTINGUISHING MEDIA:** Carbon dioxide, dry chemical powder, polymer foam **FIRE AND EXPLOSION HAZARDS:** Combustion can evolve carbon monoxide and oxides of nitrogen, and HCI

## SECTION VI - SPILL, LEAK, AND DISPOSAL INFORMATION

**SPILL OR LEAK PROCEDURES:** Contain and solidify with absorber and place in a suitable closed container. Wear gloves. For very large spills, use personal respiratory protection and eye protection.

**WASTE DISPOSAL:** All waste disposal must be done in accordance with applicable regulations.

# SECTION VII - RECOMMENDED OCCUPATIONAL EXPOSURE LIMIT/ HAZARDOUS INGREDIENTS

**EXPOSURE LIMIT (Product):** None Established **HAZARDOUS INGREDIENTS** 

Polyaziridine N/A < 5.0 Not Established Hydrochloric Acid 7647-01-0 < 5.0 OSHA PEL: 8H TWA 5PPM (7mg/m3)

### **SECTION VII - PERSONAL PROTECTION INFORMATION**

**EYE PROTECTION:** Safety glasses.

**SKIN PROTECTION:** Gloves impervious to formaldehyde.

**RESPIRATORY PROTECTION:** NIOSH/OSHA approved air purifying. air-line respirator or self containing respirator should be used whenever spills occur.

**VENTILATION:** Use in a well ventilated area.

## **SECTION IX - PERSONAL HANDLING INSTRUCTION**

## HANDLING: STORAGE: OTHER:

No special handling required. Avoid prolonged, excessive or repeated skin contact or inhalation. Avoid eye contact.

Keep away from sparks and flame. This product can react with oxidizing agents, peroxides or concentrated acids or bases. Do not take internally. Wash exposed areas promptly and thoroughly after contact and before eating, drinking, use of tobacco products, or use of restrooms. Do not wear contacts without eye protection.

#### **SECTION X - REACTIVITY DATA**

**CONDITIONS CONTRIBUTING TO INSTABILITY: None.** 

**INCOMPATIBILITY**: Strong acids, bases, peroxides, oxidizing agents.

## HAZARDOUS REACTIONS/ DECOMPOSITION PRODUCTS: Carbon

monoxide, carbon dioxide, ammonia and oxides of nitrogen.

CONDITIONS CONTRIBUTING TO HAZARDOUS POLYMERIZATION: None.

#### SECTION XI - PHYSICAL DATA

**BOILING POINT:** N/A SPECIFIC GRAVITY; N/A **MELTING POINT:** N/A VOLATILE BY VOL: N/A

**VAPOR PRESSURE:** N/A EVAPORATION RATE: N/A

**VAPOR DENSITY:** N/A VISCOSITY: N/A

**SOLUBILITY:** 100% Ph: 4-5

APPEARANCE/ODOR: Colorless liquid, very slight "amine odor"

### **SECTION XII - COMMENTS**

Persons with a history of disease or illness involving the skin, eyes, respiratory tract or circulatory system may be at greater risk of developing adverse health effects from exposure to this product. No known ingredients which occur at greater than 0.1 % are listed as carcinogens by the IARC Monographs on the Evaluation of the Carcinogenic Risk to Humans, the NTP Annual Report on Carcinogens, or OSHA 29 CPR 1910.1001-1047 Subpart Z Toxic and Hazardous Substances. ALDEX is a registered trademark of WCM Inc.

NOTICE: While the information and recommendations set forth herein are believed to be accurate as of the date hereof, WCM Inc. makes no warranty with respect thereto and disclaims all liability from reliance thereon.

This product is manufactured by WCM Inc.

# SAFETY DATA SHEET

1. Identification

Product identifier ALDEX® Liquid

Other means of identification

Synonyms AMSGL1, AMSGL1-12, AMSGL15, AMSGL825

Recommended use Not available. Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

WCM, Inc. Company name

Address 6054 Corte Del Cedro

Carlsbad, CA 92011

United States

Telephone General Assistance

E-mail info@wastewise.com

Contact person Customer Service

800-424-9300 Emergency phone number CHEMTREC

2. Hazard(s) identification

Physical hazards Not classified.

Not classified. Health hazards

Hazardous to the aquatic environment, acute **Environmental hazards** Category 3

760-930-9101

Category 4

Hazardous to the aquatic environment, long-term hazard

OSHA defined hazards Not classified.

Label elements

None. Hazard symbol None. Signal word

Harmful to aquatic life. May cause long lasting harmful effects to aquatic life. Hazard statement

Precautionary statement

Prevention Avoid release to the environment.

Response Wash hands after handling.

2405 Version #: 02 Revision date: 10-23-2018 Issue date: 10-15-2018

Store away from incompatible materials. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

None known.

classified (HNOC)

Supplemental information None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%	
UREA		57-13-6	30 - < 40	
Other components below reportable levels			70 - < 80	

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Material name: ALDEX® Liquid

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Direct contact with eyes may cause temporary irritation.

Most important

symptoms/effects, acute and

delayed

Treat symptomatically.

Indication of immediate medical attention and special

treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

General information

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed,

Special protective equipment and precautions for firefighters

Move containers from fire area if you can do so without risk.

Fire fighting equipment/instructions

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment, Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Provide adequate ventilation, Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Components Type Value Form UREA (CAS 57-13-6) TWA 10 mg/m3 Total particulate. No biological exposure limits noted for the ingredient(s).

**Biological limit values** Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Material name: ALDEX® Liquid

SDS US

## Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other

Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Physical state

Liquid.

Form

Liquid.

Color

Colorless.

Slight amine

Odor threshold

Not available.

рН

4-5

Melting point/freezing point

270.86 °F (132.7 °C) estimated

Initial boiling point and boiling

Not available.

range

Odor

Flash point

Not available.

**Evaporation rate** 

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

0.00001 hPa estimated

Vapor density

Not available.

Relative density Solubility(ies)

Solubility (water)

100 %

Partition coefficient

Not available.

(n-octanol/water)

Not available.

Auto-ignition temperature

Decomposition temperature

Not available.

Viscosity

Not available.

Other information

Density

1.32 g/cm3 estimated

**Explosive properties** 

Not explosive.

Oxidizing properties

Not oxidizing.

Percent volatile

66.16 % estimated

Specific gravity

1.32 estimated

VOC (Weight %)

15 % estimated

Material name: ALDEX® Liquid

SDS US

2405 Version #: 02 Revision date: 10-23-2018 Issue date: 10-15-2018

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport,

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components Species **Test Results** UREA (CAS 57-13-6) Acute Oral LD50 Rat 8471 mg/kg 28500 mg/kg Sheep

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

#### OSHA Specifically Regulated Substances (29 CFR 1910,1001-1050)

Not regulated.

# US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful,

Material name: ALDEX® Liquid

SDS US

2405 Version #: 02 Revision date: 10-23-2018 Issue date: 10-15-2018

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

### 12. Ecological information

#### **Ecotoxicity**

Harmful to aquatic life. May cause long lasting harmful effects to aquatic life. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results	
UREA (CAS 57-13-6)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 24 hours	
Fish	LC50	Fish	9100 mg/l, 96 hours	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

UREA -2.11

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not established. Annex II of MARPOL 73/78 and

the IBC Code

#### 15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication US federal regulations

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Material name: ALDEX® Liquid 2405 Version #: 02 Revision de Obtained by Global Safety Management; www.globalsafetynet.com, (877) 683-7460

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### US state regulations

# US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### US. Massachusetts RTK - Substance List

Not regulated.

## US. New Jersey Worker and Community Right-to-Know Act

Not listed

# US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

#### US. Rhode Island RTK

Not regulated.

## US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or as reproductive toxins..

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
		100

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date

10-15-2018

Revision date

10-23-2018

Version #

02

Material name: ALDEX® Liquid

SDS US

2405 Version #: 02 Revision date: 10-23-2018 Issue date: 10-15-2018

# Isolyser®/SMS®

# Safety Data Sheet

## SECTION 1 - IDENTIFICATION

Date of Revision: June 1, 2015

Emergency Contact Telephone: CHEMTREC (800) 424-9300

Product Name: SRS 800, SMS 2400, SMS 4000, SMS 10000

Synonym: None

CAS Number: None Assigned

Chemical Family: Solution: Water Based Monomer Solution, Catalysts: Inorganic Salts and Oxide

Manufacturer:

WCM, Inc. 6054 Corte Del Cedro Carlsbad, CA 92011 (760) 930-9101 info@wastewise.com **EMERGENCY CONTACT INFORMATION:** 

CHEMTREC: (800) 424-9300

## SECTION 2 - HAZARD(S) IDENTIFICATION



#### Warning:

Harmful if inhaled
Harmful if ingested
Harmful if absorbed through the skin
May cause eye irritation
May cause skin irritation
May cause respiratory irritation
Catalysts are also corrosive.

## **Precautionary Statement Prevention:**

Wear protective gloves/ eye protection/ face protection Avoid breathing fumes

If contact occurs, flush with water for fifteen minutes. If ingested, contact a physician for medical attention and call CHEMTREC at 1-800-424-9300.

#### SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

(See Section 8 for exposure limits)

Component:

N-Methylolacrylamide Benzotriazole Sodium Nitrite APS (Catalyst A) ZFS (Catalyst B) CAS Number:

924-42-5 95-14-7 7632-00-0 7727-54-0100 24887-06-7

#### SECTION 4 - FIRST AID MEASURES

EYE CONTACT: Flush with water for 15 minutes. Do not use chemical agents to neutralize. Seek medical aid.

SKIN CONTACT: Flush with water for 15 minutes. Remove and clean contaminated clothing. Seek medical aid.

INHALATION: Remove from exposure. Administer artificial respiration and oxygen if necessary. Seek medical aid.

INGESTION: Call CHEMTREC (800) 424-9300 and seek medical aid.

#### SECTION 5- FIRE-FIGHTING MEASURES

FLASH POINT & METHOD: Not Applicable AUTO IGNITION TEMP: Not Established

FLAMMABLE LIMITS (o/c VOLUME/AIR) LOWER: No Data UPPER: No Data

EXTINGUISHING MEDIA: Not combustible under expected conditions of use. Water spray if fire occurs in area.

FIRE-FIGHTING PROCEDURES: Wear self-contained breathing apparatus to fight large fires.

FIRE/EXPLOSION HAZARDS: Emits toxic fumes under fire conditions. Contact with powdered metals causes fire.

#### SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Solution: absorb with paper, vermiculite, or floor absorbent. Catalyst: Sweep up using broom and dust pan.

WASTE DISPOSAL: All waste disposal must be done in accordance with applicable regulations.

#### SECTION 7- HANDLING AND STORAGE

HANDLING: Avoid contact with liquid, powders, and vapors. Use with adequate ventilation. Handle in accordance with good industrial hygiene, appropriate personal protective equipment and following safe work practices.

**STORAGE**: Keep container and catalyst packs closed and away from other chemicals, heat, spark or open flame. Do not freeze. Catalyst is moisture sensitive and may generate heat when wet.

OTHER: Do not take internally. Do not wear contacts without eye protection.

#### SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines: (Product) Solution - None Established. Catalyst - PEL is 5 mg/rn3 for total dust.

#### Ingredients CAS NO. Percent Exposure:

Solution:

N-Methylolacrylamide 924-42-5 < 60 I mg/m3 [manufacturer's]

Benzotriazole 95-14-7 None Established Sodium Nitrite 7632-00-0 None Established

Catalyst:

APS, Ammonium persulfate (A) 7727-54-0100) ACGIH 0.1 mg/m<sup>3</sup> (TWA) (per manufacturer)

ZFS, Zinc formaldehyde sulfoxylate (B) 24887-06-7 Total dust OSHA PEL, ACGIH TLV (per manufacturer)

\*APS and ZFS contain sodium sulfate and Zinc (as component of ZFS) which may be subject to the reporting requirements of Section 313, Title 111 of SARA. Sodium nitrite may be subject to the reporting requirements of Section 313, Title III of SARA.

Engineering Controls: Use in a well-ventilated area

Respiratory Protection: NIOSH/OSHA air purifying or air-line respirators when dust levels exceed PEL.

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

Eye Protection: Dust-tight and chemical resistant goggles.

Hand Protection: Chemical resistant gloves.

Skin Protection: Wear appropriate protective clothing to minimize skin exposure.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Solution: APS ZFS Boiling Point: NA Melting Point: NA Vapor Pressure: NA Vapor Density: NA

Solubility in Water: 100%

Specific Gravity: I.07 - I.051 @ 25° C

Viscosity (30 °C): NA % Volatile by vol.: NA

pH: 4.9 - 6.5

Evaporation Rate: Equivalent to Water NA

Appearance/Odor: Clear liquid with mild odor. White powder/stale odor, White powder/strong odor

#### SECTION 10 - STABILITY AND REACTIVITY

Condition Contributing to Instability: Extreme temperatures, exposure to incompatible materials.

Incompatibility: Oxidizing and reducing agents, strong acids or bases, peroxides, chloroformates, bisulfites, ammonia, cyanides, amines, copper, aluminum, and brass. Contact of finely powdered metals with catalyst may cause fire.

Hazardous Reactions/ Decomposition Products: Carbon monoxide, ammonia oxides of nitrogen and sulfur.

Condition Contributing to Hazardous Polymerization: Excessive heat.

#### SECTION 11 - TOXICOLOGICAL INFORMATION

**EYE AND SKIN:** Solution. Direct contact may cause moderate irritation. Material may penetrate skin and cause nausea with prolonged or repeated contact. Catalyst: APS may permanently damage the eye causing blindness, be severely irritating to skin causing potentially permanent damage, and penetrate intact skin causing internal organ damage. ZFS may also cause irritation.

**INHALATION:** Solution: May produce tissue irritation, headaches, drowsiness, or unconsciousness. Catalyst: ZFS may cause transient irritation of the airways. If ZFS is heated and fumes generated (not consistent with anticipated product use), fever and reversible symptoms resembling an upper respiratory tract infection could occur. APS inhalation may be fatal due to severe respiratory tract inflammation.

**INGESTION:** May cause gastric irritation. One or more ingredients may be toxic if swallowed Catalyst: ZFS may also produce mouth and throat irritation, nausea, vomiting and systemic illness. Ingestion of APS may be life threatening due to tissue corrosion.

SECTION 12 - ECOLOGICAL INFORMATION (non-mandatory)

SECTION 13 - DISPOSAL CONSIDERATIONS (non-mandatory)

SECTION 14 - TRANSPORT INFORMATION (non-mandatory)

# SECTION 15 - REGULATORY INFORMATION

US FDA - Class II Medical Device

#### SECTION 16 - OTHER INFORMATION

CA Prop. 65: This product contains a chemical(s) known to the State of California to cause cancer.

# HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS) RATING:

Health= 2

Flammability = 1

Reactivity= 2 Protective Equipment= F

Isolyser and SMS are registered trademarks of WCM, Inc.

Disclaimer: While the information and recommendations set forth herein are believed to be accurate as of the date hereof, WCM Inc, makes no warranty with respect thereto and disclaims all liability from reliance thereon. This product line is manufactured by WCM Inc.