# SAFETY DATA SHEET



Issuing Date 29 Oct 2021

Revision Date 29 Oct 2021

ECR# 27964

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

# GHS product identifier

**Product Name** 

**BondLink Bond** 

Dental bonding agent

# Enhancer Other means of identification

UN-Number UN1993

Synonyms None

# Recommended use of the chemical and restrictions on use

#### Recommended Use

Uses advised against No information available

# Supplier's details

Supplier Address DenMat 1017 W. Central Ave. Lompoc, CA 93436 TEL: 805-346-3700

#### **Emergency telephone number**

805-346-3700

# 2. HAZARDS IDENTIFICATION

# **Classification**


This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation	Category 2
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3
Flammable liquids	Category 2

GHS Label elements, including precautionary statements

# Emergency Overview

•	Causes serious eye irritation May cause drowsiness or dizziness Highly flammable liquid and vapor



### **Precautionary Statements**

#### Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Keep cool

### **General Advice**

None

#### Eyes

• IF IN EYES: Rinse Cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing. • IF eye irritation persists: Get medical advice/attention

#### Skin

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

#### Inhalation

- If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- · Call a POISON CENTER or doctor/physician if you feel unwell

#### Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

- Store in a well-ventilated place. Keep container tightly closed.
- Store locked up.

#### Disposal

• Dispose of contents/container to an approved waste disposal plant.

#### Hazard Not Otherwise Classified (HNOC)

Not applicable

#### Other information

Aspiration hazard if swallowed - can enter lungs and cause damage Harmful to aquatic life

<5% of the mixture consists of ingredient(s) of unknown toxicity.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Acetone	67-64-1	85 - 95	*
NTG-GMA Salt	133736-31-9	3-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

Description of necessary first-aid measures				
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician.			
Skin Contact	Wash off with warm water and soap. Consult a physician if necessary.			
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If not breathing, give artificial respiration. Seek immediate medical attention/advice.			
Ingestion	Do NOT induce vomiting. Aspiration hazard if swallowed - can enter lungs and cause damage. Call a physician or Poison Control Center immediately.			
Most important symptoms/effects, acute and delayed				
Most Important Symptoms/Effects	Dizziness. Drowsiness.			
Indication of immediate medical attentic	n and special treatment needed, if necessary			
Notes to Physician	Condition of the patient should be carefully monitored. Aspiration of this product during induced emesis can result in lung injury. If evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation. Contact a Poison Control Center for additional treatment information.			

# 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

# Specific Hazards Arising from the Chemical

Extremely flammable.

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. Yes.

#### **Protective Equipment and Precautions for Firefighters**

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight from a protected location or safe distance.

# **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

# **Personal Precautions** Ensure adequate ventilation. Avoid breathing vapors or mists. Remove all sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Environmental Precautions **Environmental Precautions** Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information. Methods and materials for containment and cleaning up **Methods for Containment** Prevent further leakage or spillage if safe to do so. Methods for Cleaning Up Pick up and transfer to properly labeled containers. 7. HANDLING AND STORAGE Precautions for safe handling Handling Ensure adequate ventilation. Avoid breathing vapors. Keep away from open flames, hot surfaces and sources of ignition. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Conditions for safe storage, including any incompatibilities Storage Keep containers tightly closed in a dry, cool and well-ventilated place. **Incompatible Products** Strong acids. Strong oxidizing agents.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup> (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m <sup>3</sup> (vacated) STEL: 2400 mg/m <sup>3</sup> The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm	IDLH: 2500 ppm 10% LEL TWA: 250 ppm TWA: 590 mg/m <sup>3</sup>
NTG-GMA Salt 133736-31-9	N/D	N/D	N/D

#### Appropriate engineering controls

#### **Engineering Measures**

Showers Eyewash stations Ventilation systems

### Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Safety glasses with side-shields. Tightly fitting safety goggles. Long sleeved clothing. Impervious gloves. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Odor	Liquid Aromatic solvent/acetone	Appearance Odor Threshold	Clear to light yellow. No information available
Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents	Values No Data Available Not determined 55-60 °C -17 °C No data available No data available No data available 184 mm Hg 2.0 0.7 - 0.8 @ 25°C Soluble 100% soluble in acetor	Remarks/ None knowr None knowr For acetone None knowr None knowr None knowr None knowr None knowr None knowr None knowr None knowr	
Information on basic physic	al and chemical properties		
Partition coefficient: n-octanol/ Autoignition Temperature Decomposition Temperature	water No data available No data available No data available	None knowr None knowr None knowr	1
Viscosity None known	Similar to water		
Flammable Properties	Not flammable		
Explosive Properties Oxidizing Properties	No data available No data available		
Other information			
VOC Content (%)	90%		

# **10. STABILITY AND REACTIVITY**

# **Reactivity**

No dangerous reaction known under conditions of normal use.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

Ignitions sources - heat, sparks and open flames.

### Incompatible materials

Strong acids. Strong oxidizing agents.

#### Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information Inhalation Eye Contact Skin Contact Ingestion Symptoms related to the physical,	The product itself has not been tested. Data is for major component in product. May cause drowsiness and dizziness based on components. May cause irritation of respiratory tract. Irritating to eyes. May cause skin irritation and/or dermatitis. Potential for aspiration if swallowed. Vomiting may aspirate into lungs and cause chemical pneumonia.				
Symptoms	May cause drowsiness and dizziness. Eye contact with liquid may cause irritation including stinging, burning, tearing, or reddening of the eyes.				
Delayed and immediate effects and	Delayed and immediate effects and also chronic effects from short and long term exposure				
Sensitization Mutagenic Effects Carcinogenicity	No information available. No information available. Ethanol has been shown to be carcinogenic in long-term studies only when consumed and abused as an alcoholic beverage.				
Reproductive Toxicity STOT - single exposure STOT - repeated exposure Target Organ Effects Aspiration Hazard	No information available. No information available. No information available. Eyes. Respiratory system. Based on product level data, this product does not meet the requirement to be classified as an aspiration hazards. However, this product contains an ingredient that may cause aspiration if swallowed.				

Numerical measures of toxicity - Product			
Acute Toxicity	<5% of the mixture consists of ingredient(s) of unknown toxicity.		
The following values are calculate	d based on chapter 3.1 of the GHS document:		
LD50 Oral	7200 mg/kg; Acute toxicity estimate		
Inhalation			
dust/mist	1520.7 mg/L; Acute toxicity estimate		

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Acetone 67- 64-1		LC50 96 h: 4.74 - 6.33 mL/L (Oncorhynchus mykiss) LC50 96 h: 6210 – 8120 mg/L static (Pimephales promelas) LC50 96 h: = 8300 mg/L (Lepomis macrochirus)	EC50 = 14500 mg/L 15 min	EC50 48 h: 10294 - 17704 mg/L Static (Daphnia magna) EC50 48 h: 12600 - 12700 mg/L (Daphnia magna)
Sodium NTG-GMA 133736-31-9		N/A	N/A	N/A

Persistence and Degradability

No information available.

**Bioaccumulation** 

No information available.

Chemical Name	Log Pow
Acetone	-0.24

**Other Adverse Effects** 

No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal MethodsThis material, as supplied, is not a hazardous waste according to Federal regulations (40<br/>CFR 261). This material could become a hazardous waste if it is mixed with or otherwise<br/>comes in contact with a hazardous waste, if chemical additions are made to this material, or<br/>if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether<br/>the altered material is a hazardous waste. Consult the appropriate state, regional, or local<br/>regulations for additional requirements.

#### **Contaminated Packaging**

Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone - 67-64-1		Included in waste stream:		U002
		F039		

14. TRANSPORT INFORMATION
---------------------------

DOT	
UN-Number	UN1993
Proper shipping name	Flammable liquids, n.o.s.
Hazard Class	3
Packing Group	II
Description	UN1993, Flammable liquids, n.o.s. (Acetone), 3, II
Emergency Response Guide Number	128
TDG	
UN-Number	UN1993
Proper shipping name	Flammable liquids, n.o.s.
Hazard Class	3
Packing Group	
Description	UN1993, Flammable liquids, n.o.s. (Acetone), 3, II

MEX_ UN-Number Proper shipping name Hazard Class Packing Group Description	UN1993 Flammable liquids, n.o.s. 3 II UN1993, Flammable liquids, n.o.s. (Acetone), 3, II
<u>IATA</u> UN-Number Proper shipping name Hazard Class Packing Group Description	UN1993 Flammable liquids, n.o.s. 3 II UN1993, Flammable liquids, n.o.s. (Acetone), 3, II

IMDG/IMO UN-Number Proper shipping name Hazard Class Packing Group Description	UN1993 Flammable liquids, n.o.s. 3 II UN1993, Flammable liquids, n.o.s. (Acetone), 3, II
EmS No.	F-E, S-E
Description	UN1993, Flammable liquid, n.o.s. (Acetone), 3, II

# **15. REGULATORY INFORMATION**

International Inventories TSCA

All components of this product are either listed or are exempt on the TSCA inventory.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

#### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetone	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

# U.S. State Regulations

<u>California Proposition 65</u> Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.



# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Acetone	Х	Х	Х		Х

U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 1	Flammability 3	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2*	Flammability 3	Physical Hazard 0	Personal Protection X

Issuing Date	29 Oct 2021
Revision Date	29 Oct 2021

#### **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet