



# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 09 November 2018 Revision date: 09 November 2018

Version: 1.0

### SECTION 1: Identification

#### 1.1. Identification

Product form	: Mixture
Trade name	: Predicta™ Flow Dual Cure Bulk-fill Composite – Catalyst Component
Identifiers	S600 Predicta™ Bioactive Core Dual-Cure Core White Flowable S601 Predicta™ Bioactive Core Dual-Cure Core Build-up Tooth Flowable S605 Predicta™ Bioactive Core Dual-Cure Core Build-up White Stackable S606 Predicta™ Bioactive Core Dual-Cure Core Build-up Tooth Stackable S610 Predicta™ Bioactive Bulk Dual-Cure Restorative A1/B1 Flowable S611 Predicta™ Bioactive Bulk Dual-Cure Restorative A2/B2 Flowable S615 Predicta™ Bioactive Bulk Dual-Cure Restorative A1/B1 Sculptable S616 Predicta™ Bioactive Bulk Dual-Cure Restorative A2/B2 Sculptable S620 5ml Dispensing Gun S621 17-gauge Dispensing Tips (30pcs) S622 19-gauge Dispensing Tips (30pcs)

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture	: Dual-Cure Resin Composite Restorative
------------------------------	---

#### 1.3. Supplier

Parkell Inc.  
300 Executive Drive  
Edgewood, NY 11717  
T (631) 249-1134

#### 1.4. Emergency telephone number

Emergency number	: INFOTRAC 1-352-323-3500 (International)
------------------	---

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 2A	Causes serious eye irritation
Skin sensitization, Category 1	May cause an allergic skin reaction
Specific target organ toxicity (single exposure) Category 3	May cause respiratory irritation


# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.2. GHS Label elements, including precautionary statements

#### GHS-US labeling

Hazard pictograms (GHS-US)	:	
Signal word (GHS-US)	:	Warning
Hazard statements (GHS-US)	:	Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation May cause respiratory irritation
Precautionary statements (GHS-US)	:	Avoid breathing mist, vapors. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace Wear protective gloves. If on skin: Wash with plenty of water If inhaled: Remove person to fresh air and keep comfortable for breathing If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Call a doctor, a POISON CENTER if you feel unwell If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification	:	Additional hazards when processed. Dust explosion possible if in powder or granular form, mixed with air.
--	---	---

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-{(2-methyl-1-oxo-2-propenyl)oxy}-	(CAS-No.) 41637-38-1	10 - 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 3, H335
2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester	(CAS-No.) 6606-59-3	4.2 - 11	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
2-Propenoic acid, 2-methyl-, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] ester	(CAS-No.) 1565-94-2	0.8 - 4	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Dibenzoyl peroxide	(CAS-No.) 94-36-0	0.0097 - 0.97	Org. Perox. B, H241 Eye Irrit. 2A, H319 Skin Sens. 1, H317

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Immediately rinse with plenty of water (for at least 15 minutes). Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. If swallowed: rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: May cause respiratory irritation. May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: May cause gastric irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None known.

#### 5.2. Specific hazards arising from the chemical

- Fire hazard : None under normal use. On combustion, forms: carbon oxides (CO and CO<sub>2</sub>).
- Explosion hazard : No direct explosion hazard.
- Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

#### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Additional hazards when processed. Avoid creating or spreading dust.

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : On land, sweep or shovel into suitable containers. Store away from other materials. Additional hazards when processed. Minimize generation of dust.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	:	Avoid creating or spreading dust. Dust may form flammable and explosive mixture with air.
Precautions for safe handling	:	Provide good ventilation in process area to prevent formation of vapor. Avoid breathing mist, vapors,.
Hygiene measures	:	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	:	Keep only in the original container in a cool, well ventilated place away from : Incompatible materials. Keep container tightly closed. Keep away from heat.
Incompatible materials	:	Strong oxidizing agents.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]- (41637-38-1)**

Not applicable

**Dibenzoyl peroxide (94-36-0)**

ACGIH	Local name	Benzoyl peroxide
ACGIH	ACGIH TWA (mg/m³)	5 mg/m³
ACGIH	Remark (ACGIH)	URT & skin irr
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
IDLH	US IDLH (mg/m³)	1500 mg/m³
NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³

**2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)**

Not applicable

**2-Propenoic acid, 2-methyl-, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] ester (1565-94-2)**

Not applicable

#### 8.2. Appropriate engineering controls

Appropriate engineering controls	:	Either local exhaust or general room ventilation is usually required. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
----------------------------------	---	--

#### 8.3. Individual protection measures/Personal protective equipment

##### Hand protection:

Impermeable protective gloves

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Eye protection:**

Chemical goggles or safety glasses

**Skin and body protection:**

Wear suitable protective clothing

**Respiratory protection:**

Wear appropriate mask. Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment

**Other information:**

Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: gel. Paste.
Color	: natural color
Odor	: Characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

#### 9.2. Other information

No additional information available

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

May polymerize on exposure to temperature rise.

#### 10.4. Conditions to avoid

Additional hazards when processed. Avoid dust formation.

#### 10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. On combustion, forms: carbon oxides (CO and CO<sub>2</sub>).

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	:	Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	:	Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	:	Not classified (Based on available data, the classification criteria are not met)

Dibenzoyl peroxide (94-36-0)	
LD50 oral rat	7710 mg/kg

Skin corrosion/irritation	:	Causes skin irritation.
Serious eye damage/irritation	:	Causes serious eye irritation.
Respiratory or skin sensitization	:	May cause an allergic skin reaction.
Germ cell mutagenicity	:	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	:	Not classified (Based on available data, the classification criteria are not met)

Dibenzoyl peroxide (94-36-0)	
IARC group	3 - Not classifiable

Reproductive toxicity	:	Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity – single exposure	:	May cause respiratory irritation.

Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.'-[(2-methyl-1-oxo-2-propenyl)oxy]- (41637-38-1)		
Specific target organ toxicity – single exposure	:	May cause respiratory irritation.

2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)		
Specific target organ toxicity – single exposure	:	May cause respiratory irritation.

Specific target organ toxicity – repeated exposure	:	Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	:	Not classified (Based on available data, the classification criteria are not met)



# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, kinematic	:	No data available
Likely routes of exposure	:	Inhalation. Ingestion. Skin and eye contact.
Symptoms/effects after inhalation	:	May cause respiratory irritation. May cause an allergic skin reaction.
Symptoms/effects after skin contact	:	Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	:	Causes eye irritation.
Symptoms/effects after ingestion	:	May cause gastric irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : This material has not been tested for environmental effects.

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Not regulated

### Transportation of Dangerous Goods

Not regulated

### Transport by sea

Not regulated

### Air transport

Not regulated

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]- (41637-38-1)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

### **Dibenzoyl peroxide (94-36-0)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Subject to reporting requirements of United States SARA Section 313

### **2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **2-Propenoic acid, 2-methyl-, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] ester (1565-94-2)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.2. International regulations

### CANADA

### **Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]- (41637-38-1)**

Listed on the Canadian DSL (Domestic Substances List)

### **Dibenzoyl peroxide (94-36-0)**

Listed on the Canadian DSL (Domestic Substances List)

### **2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)**

Listed on the Canadian NDSL (Non-Domestic Substances List)

### **2-Propenoic acid, 2-methyl-, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] ester (1565-94-2)**

Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

No additional information available

### **Dibenzoyl peroxide (94-36-0)**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### **2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### **2-Propenoic acid, 2-methyl-, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] ester (1565-94-2)**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### National regulations

### **Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]- (41637-38-1)**

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Dibenzoyl peroxide (94-36-0)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

### 2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

### 2-Propenoic acid, 2-methyl-, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] ester (1565-94-2)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

### 15.3. US State regulations

No additional information available

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 09 November 2018

Full text of H-phrases:

H241	Heating may cause a fire or explosion
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Trade name : Predicta™ Flow Dual Cure Bulk-fill Composite – Base Component

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Dual-Cure Resin Composite Restorative  
Restrictions on use : For professional use only

#### 1.3. Supplier

Parkell Inc.  
300 Executive Drive  
Edgewood, NY 11717  
T (631) 249-1134

#### 1.4. Emergency telephone number

Emergency number : INFOTRAC 1-352-323-3500 (International)

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 2: Hazard(s) identification


#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 1	Causes serious eye damage
Skin sensitization, Category 1	May cause an allergic skin reaction
Reproductive toxicity Category 2	Suspected of damaging fertility or the unborn child
Specific target organ toxicity (single exposure) Category 3	May cause respiratory irritation

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-US labeling

Hazard pictograms (GHS-US)	:	
Signal word (GHS-US)	:	Danger
Hazard statements (GHS-US)	:	Causes skin irritation May cause an allergic skin reaction Causes serious eye damage May cause respiratory irritation Suspected of damaging fertility or the unborn child
Precautionary statements (GHS-US)	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist, vapors. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace Wear protective gloves. If on skin: Wash with plenty of water If inhaled: Remove person to fresh air and keep comfortable for breathing If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If exposed or concerned: Get medical advice/attention. Call a doctor, a POISON CENTER if you feel unwell If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification	:	Additional hazards when processed. Dust explosion possible if in powder or granular form, mixed with air. Titanium dioxide is in a form that is not available for respiration.
--	---	--

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
2-Propenoic acid, 2-methyl-, 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl ester	(CAS-No.) 72869-86-4	8 - 20	Skin Sens. 1, H317
Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]-	(CAS-No.) 41637-38-1	7 - 15	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 3, H335
2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester	(CAS-No.) 6606-59-3	4 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
2-Hydroxyethyl methacrylate	(CAS-No.) 868-77-9	0.5 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Ethanol, 2,2'-[(4-methylphenyl)imino]bis-	(CAS-No.) 3077-12-1	0.1 - 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Bicyclo[2.2.1]heptane-2,3-dione, 1,7,7-trimethyl-, (+-)-	(CAS-No.) 10373-78-1	0.01 - 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	(CAS-No.) 75980-60-8	0.01 - 2	Repr. 2, H361
Titanium dioxide	(CAS-No.) 13463-67-7	0.001 - 1	Carc. 2, H351

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
- First-aid measures after skin contact : Immediately rinse with plenty of water (for at least 15 minutes). Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 20-30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. If swallowed: rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects : Suspected of damaging fertility or the unborn child.
- Symptoms/effects after inhalation : May cause respiratory irritation. May cause an allergic skin reaction.
- Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Causes serious eye damage.
- Symptoms/effects after ingestion : May cause gastric irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None known.

#### 5.2. Specific hazards arising from the chemical

- Fire hazard : None under normal use. On combustion, forms: carbon oxides (CO and CO<sub>2</sub>).
- Explosion hazard : No direct explosion hazard.
- Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

#### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Additional hazards when processed. Avoid creating or spreading dust.

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : On land, sweep or shovel into suitable containers. Store away from other materials. Additional hazards when processed. Minimize generation of dust.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	:	Avoid creating or spreading dust. Dust may form flammable and explosive mixture with air.
Precautions for safe handling	:	Provide good ventilation in process area to prevent formation of vapor. Avoid breathing mist, vapors, spray.
Hygiene measures	:	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	:	Keep only in the original container in a cool, well ventilated place away from : Incompatible materials. Keep container tightly closed. Keep away from heat.
Incompatible materials	:	Strong oxidizing agents.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

<b>Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]- (41637-38-1)</b>		
Not applicable		
<b>2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)</b>		
Not applicable		
<b>2-Propenoic acid, 2-methyl-, 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diyl ester (72869-86-4)</b>		
Not applicable		
<b>2-Hydroxyethyl methacrylate (868-77-9)</b>		
Not applicable		
<b>Ethanol, 2,2'-[(4-methylphenyl)imino]bis- (3077-12-1)</b>		
Not applicable		
<b>Bicyclo[2.2.1]heptane-2,3-dione, 1,7,7-trimethyl-, (.+.-)- (10373-78-1)</b>		
Not applicable		
<b>diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide (75980-60-8)</b>		
Not applicable		
<b>Titanium dioxide (13463-67-7)</b>		
ACGIH	Local name	Titanium dioxide
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³



# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Titanium dioxide (13463-67-7)		
ACGIH	Remark (ACGIH)	LRT irr; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure)
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (total dust)
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
IDLH	US IDLH (mg/m <sup>3</sup> )	5000 mg/m <sup>3</sup>
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	2.4 mg/m <sup>3</sup> (CIB 63-fine) 0.3 mg/m <sup>3</sup> (CIB 63-ultrafine, including engineered nanoscale)

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Impermeable protective gloves

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Wear appropriate mask. Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment

#### Other information:

Do not eat, drink or smoke during use.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: gel. Paste.
Color	: natural color
Odor	: Characteristic.
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

May polymerize on exposure to temperature rise.

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.4. Conditions to avoid

Additional hazards when processed. Avoid dust formation.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. On combustion, forms: carbon oxides (CO and CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

- Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
- Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
- Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

2-Hydroxyethyl methacrylate (868-77-9)	
LD50 oral rat	5050 mg/kg
LD50 dermal rabbit	> 3 g/kg

Titanium dioxide (13463-67-7)	
LD50 oral rat	> 10000 mg/kg
LD50 dermal rat	> 10000 mg/kg

- Skin corrosion/irritation : Causes skin irritation.
- Serious eye damage/irritation : Causes serious eye damage.
- Respiratory or skin sensitization : May cause an allergic skin reaction.
- Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
- Carcinogenicity : Not classified. (Based on available data, the classification criteria are not met)  
Titanium dioxide is in a form that is not available for respiration

Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
In OSHA Hazard Communication Carcinogen list	Yes

- Reproductive toxicity : Suspected of damaging fertility or the unborn child.
- Specific target organ toxicity – single exposure : May cause respiratory irritation.

Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]- (41637-38-1)	
Specific target organ toxicity – single exposure	May cause respiratory irritation.

2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)	
Specific target organ toxicity – single exposure	May cause respiratory irritation.

Bicyclo[2.2.1]heptane-2,3-dione, 1,7,7-trimethyl-, (.+.-)- (10373-78-1)	
Specific target organ toxicity – single exposure	May cause respiratory irritation.

- Specific target organ toxicity – repeated exposure : Not classified (Based on available data, the classification criteria are not met)

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Viscosity, kinematic	: No data available
Likely routes of exposure	: Inhalation. Ingestion. Skin and eye contact.
Symptoms/effects	: Suspected of damaging fertility or the unborn child.
Symptoms/effects after inhalation	: May cause respiratory irritation. May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: May cause gastric irritation.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : This material has not been tested for environmental effects.

#### 2-Hydroxyethyl methacrylate (868-77-9)

LC50 fish 1	213 - 242 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	227 mg/l (Exposure time: 96 h - Species: Pimephales promelas)

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

#### 2-Hydroxyethyl methacrylate (868-77-9)

BCF fish 1	1.34 - 1.54
Log Pow	0.47

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated

#### Transportation of Dangerous Goods

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### **Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]- (41637-38-1)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

##### **2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### **2-Propenoic acid, 2-methyl-, 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diyl ester (72869-86-4)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### **2-Hydroxyethyl methacrylate (868-77-9)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### **Ethanol, 2,2'-[(4-methylphenyl)imino]bis- (3077-12-1)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### **Bicyclo[2.2.1]heptane-2,3-dione, 1,7,7-trimethyl-, (.+.)- (10373-78-1)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

PMN

##### **diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

PMN

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.2. International regulations

### CANADA

#### Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]- (41637-38-1)

Listed on the Canadian DSL (Domestic Substances List)

#### 2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)

Listed on the Canadian NDSL (Non-Domestic Substances List)

#### 2-Propenoic acid, 2-methyl-, 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl ester (72869-86-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

#### 2-Hydroxyethyl methacrylate (868-77-9)

Listed on the Canadian DSL (Domestic Substances List)

#### Ethanol, 2,2'-[(4-methylphenyl)imino]bis- (3077-12-1)

Listed on the Canadian DSL (Domestic Substances List)

#### Bicyclo[2.2.1]heptane-2,3-dione, 1,7,7-trimethyl-, (.+.-)- (10373-78-1)

Listed on the Canadian DSL (Domestic Substances List)

#### diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide (75980-60-8)

Listed on the Canadian DSL (Domestic Substances List)

#### Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

No additional information available

#### 2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 2-Propenoic acid, 2-methyl-, 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl ester (72869-86-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 2-Hydroxyethyl methacrylate (868-77-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Ethanol, 2,2'-[(4-methylphenyl)imino]bis- (3077-12-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Bicyclo[2.2.1]heptane-2,3-dione, 1,7,7-trimethyl-, (.+.-)- (10373-78-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide (75980-60-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Titanium dioxide (13463-67-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### National regulations

#### Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]- (41637-38-1)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### 2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### 2-Propenoic acid, 2-methyl-, 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl ester (72869-86-4)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### 2-Hydroxyethyl methacrylate (868-77-9)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### Ethanol, 2,2'-[(4-methylphenyl)imino]bis- (3077-12-1)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### Bicyclo[2.2.1]heptane-2,3-dione, 1,7,7-trimethyl-, (.+.-)- (10373-78-1)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

### Titanium dioxide (13463-67-7)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)

### 15.3. US State regulations

Titanium dioxide (13463-67-7)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 9 November 2018

Full text of H-phrases:

H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*



# Predicta™ Flow Dual Cure Bulk-fill Composite

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations