1.0	Commercial Product Name and Supplier			
1.1	Commercial product name / designation	SPEE-DEE™ Build-	Up	
1.2	Application / Use	Dental material for use by dental professional only.		
1.2.2	SIC	851 Human health a	ctivity	
1.2.3	Use Category	55		
1.3	Manufacturer			
	Pulpdent Corporation 80 Oakland Street Watertown, MA 02472 USA	Telephone: 1 617 92 Email: <u>Pulpdent@pu</u>	6-6666 / Fax:1 617 926-6 lpdent.com	262
1.4	Emergency Telephone Number	1-800-535-5053 (24 Hour / USA)		
1.5	Authorized European Representative	Advena Ltd. Pure Offices, Plato C Warwick, CV34 6WE United Kingdom		
2.0	Hazards Identification			
2.1	Classification			
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]	Hazard Class Eye irritation STOT SE Skin irritation Skin sensitization	Hazard Category 2 3 2 1	Hazard Statement H319 H335 H315 H317
2.1.2	Classification according to Directive 67/548/EEC	Irritant; Xi; R 36/3	37/38 – 43 (See SECTION	16 for full text of risk phrases

Revision Date: May 28, 2019

2.2 GHS Label Elements

Hazard Pictograms



Signal Word: WARNING

Restricted to use by dental professional only.

Hazard Statements

H319: Eye irritation. 2. May cause eye irritation.

H335: STOT SE. 3. May cause respiratory irritation.

H315: Skin irritation. 2. May cause skin irritation.

H317: Sensitization. 1. May cause an allergic skin reaction.

Precautionary Statements

P261: Avoid breathing vapor.

P280: Wear protective gloves and eye protection

P305+P351: If in eyes, rinse cautiously with water for several minutes.

P337+P313: If eye irritation persists, get medical advice/attention.

P302+P352: If on skin, wash with plenty of soap and water.

P333+P313: If irritation or rash occurs, get medical advice/attention.

P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.

3.0 Composition

3.1 Chemical characterization of the preparation: Acrylate ester monomers in two-part, glass-filled, dual-cure paste.

Safety Data Sheet

Trade Name: SPEE-DEE™ Build-Up, Multi-Purpose Core and Tooth Build-Up Material

3.2 Hazardous ingredients

	CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP).	
	Proprietary	Uncured acrylate ester monomers	55-60%	Xi (Irritant), R 36/37/38 - 43	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315 Skin sensitization, 1, H317	
	112945-52-5	Silica, amorphous	5 %	Xi (Irritant), R 36/37/38	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315	
4.0	First Aid Measur	res				
4.1	General Information		May be irritating to eyes, respiratory system and skin. Do not inhale vapors. Avoid contact with eyes and skin. May cause sensitization by skin contact. Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty.			
4.2	Inhalation		Move to fresh air. If necessary, administer oxygen and/or artificial respiration. Seek medical attention.			
4.3	Skin Contact	Т	Take off contaminated clothing. Wash skin thoroughly with soap and water.			
4.4	Eye Contact		Keep eyelids apart; flush with running water for 15+ minutes. Get medical attention.			
4.5	Ingestion		Rinse mouth with water. Do not induce vomiting. Get immediate medical attention. May be irritating to mucous membranes. Never give anything by mouth to an unconscious person.			
4.6	Precautions for fir	st responders V	entilate the area. Wea	ar eye and skin protection	1.	
4.7	Information for ph	•				
	Symptoms			eyes, throat or on skin.		
	Hazards		May be irritating to eye kin contact.	s, respiratory system and	d skin. May cause sensitization by	
	Treatment		As above under First Aid.			
5.0	Fire Fighting Me	asures				
5.1			Carbon dioxide, dry ch sed to keep fire expos		water fog. Water spray may be	
5.2	Extinguishing med	Extinguishing media to avoid		Do not use direct water stream		
5.3	Special exposure	Special exposure hazards in a fire Heat may cause polymerization with rapid release of energy.			se of energy.	
5.4	Special protective fighters	Special protective equipment for fire- Self-contained breathing apparatus fighters				
6.0	Accidental Relea	se Measures				
6.1	Personal precauti	ons. V	Wear safety glasses, gloves and lab coat.			
6.2	Environmental pre		Avoid releasing large amounts of uncured material into the environment. Cured / set-up material is, to our knowledge, inert.			
6.3					wels or cloths. Collect for disposal lcohol or soap and water.	

Trade Name: SPEE-DEE™ Build-Up, Multi-Purpose Core and Tooth Build-Up Material

Revision Date: May 28, 2019

7.0	Handling and Storage	
7.1	Handling	For use only by dental professionals. Follow good hygiene practices. Avoid direct/strong light sources, temperature extremes (>27°C/80°F, <5°C/40°F) contamination, cross contamination. Recap immediately after use.
7.2	Storage	Store in tightly capped in original container at cool room temperature (<25°C) Avoid direct, strong light, sources of ignition, temperature extremes. Shelf life fo unopened product is two years from date of manufacture, provided that the material has been stored properly.
7.3	Specific uses	Dental material
8.0	Exposure Controls / Personal Protection	ction
8.1	Exposure limit values	PEL: Not established. TLV: Not established.
8.2	Exposure controls	
8.2.1	Occupational exposure controls	No special equipment required under normal conditions of use.
8.2.1.1	Respiratory protection	Good general ventilation is sufficient to control any airborne vapors.
8.2.1.2	Hand protection	No special requirements other than the usual surgical gloves worn.
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses.
8.2.1.4	Skin protection	Good personal hygiene and safety practices; wearing a lab coat.
8.2.1.5	Other controls	Emergency eye wash fountain should be close by. Wash hands after use.
8.2.2	Environmental exposure controls	Cure material before disposing.
9.0	Physical and Chemical Properties	
9.1	Characteristics	
9.1.1	Appearance / Color / Physical state	Part A: Thick yellow paste. Part B: Thick white paste.
9.1.2	Odor	Faint, characteristic
9.2	Important health, safety and environment	ental information
9.2.1	рН	Not determined
9.2.2	Boiling point	Not determined
9.2.3	Flash point	Not determined
9.2.4	Flammability (solid, gas)	Not applicable
9.2.5	Explosive properties	Not applicable
9.2.6	Oxidizing properties	Not determined
9.2.7	Vapor pressure	< 1 mm Hg
	Specific gravity	1.660
9.2.8	5,5500	
	Solubility in water	Nil
9.2.9	, , ,	Nil Not determined
9.2.9 9.2.10	Solubility in water	
9.2.8 9.2.9 9.2.10 9.2.11 9.2.12	Solubility in water Partition coefficient	Not determined

Safety Data Sheet

Trade Name: SPEE-DEE™ Build-Up, Multi-Purpose Core and Tooth Build-Up Material

Revision Date: May 28, 2019

mation veness nic and prolonged tagenicity,	Temperature > 38°C, light, cross-contamination. Reducing and oxidizing agents, peroxides, amines. Under fire conditions and with amounts greater than that supplied in this product, hazardous polymerization may occur with heat build-up and release of carbon monoxide, carbon dioxide, oxides of nitrogen. Stable material if stored and used as directed. Polymerization will occur when light-cured material is exposed to direct light. Not toxic. Minimal health hazard in the quantities present in this product and under normal conditions of use. May be irritating to eyes, mucous membranes or skin on contact or with prolonged exposure. May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals. Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation. None known
mation veness nic and prolonged	Under fire conditions and with amounts greater than that supplied in this product, hazardous polymerization may occur with heat build-up and release of carbon monoxide, carbon dioxide, oxides of nitrogen. Stable material if stored and used as directed. Polymerization will occur when light-cured material is exposed to direct light. Not toxic. Minimal health hazard in the quantities present in this product and under normal conditions of use. May be irritating to eyes, mucous membranes or skin on contact or with prolonged exposure. May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals. Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.
mation veness nic and prolonged	product, hazardous polymerization may occur with heat build-up and release of carbon monoxide, carbon dioxide, oxides of nitrogen. Stable material if stored and used as directed. Polymerization will occur when light-cured material is exposed to direct light. Not toxic. Minimal health hazard in the quantities present in this product and under normal conditions of use. May be irritating to eyes, mucous membranes or skin on contact or with prolonged exposure. May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals. Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.
veness inic and prolonged tagenicity,	when light-cured material is exposed to direct light. Not toxic. Minimal health hazard in the quantities present in this product and under normal conditions of use. May be irritating to eyes, mucous membranes or skin on contact or with prolonged exposure. May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals. Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.
veness inic and prolonged tagenicity,	and under normal conditions of use. May be irritating to eyes, mucous membranes or skin on contact or with prolonged exposure. May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals. Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.
nic and prolonged tagenicity,	and under normal conditions of use. May be irritating to eyes, mucous membranes or skin on contact or with prolonged exposure. May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals. Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.
nic and prolonged tagenicity,	prolonged exposure. May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals. Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.
agenicity,	skin reactions in some susceptible individuals. Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.
agenicity,	susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.
	None known
	Not available
	Spee-Dee has been on the market for almost six years with no reports of adverse events or serious complaints.
tion	
	Avoid release of uncured material into the environment. To the best of our knowledge, polymerized material is inert. No other information is available. Follow all government regulations.
ations	
	Follow all local and national government regulations in disposing material or contaminated packaging.
ion	
	None. Not regulated.
ation	
	Class IIa medical device under MDD 93/42/EEC.
	Class II medical device
rases	R36/37/38: Irritating to eyes, respiratory system and skin. R43: Sensitizing by skin contact.
	ations ion ition

Trade Name: SPEE-DEE™ Build-Up, Multi-Purpose Core and Tooth Build-Up Material

Revision Date: May 28, 2019

16.2	Hazard Statements	H319: Eye irritation. Hazard category 2. H335: Specific Target Organ Toxicity - Single exposure; hazard category. 3. Respiratory tract irritation. H315: Skin irritation. Hazard category 2. H317: Skin Sensitization. Hazard category 1.
16.3	Precautionary Statements	P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P305 + P351: If in eyes, rinse cautiously with water for several minutes. P337 + P313: If eye irritation persists, get medical advice / attention. P302 + P352: If on skin, wash with plenty of soap and water. P333 + P313: If irritation or rash occurs, get medical advice / attention. P410 + P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.
16.4	Restrictions on use	Pulpdent medical devices are to be sold to and used by dental professionals only.
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH) US Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the GHS SDS format and the requirements of Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Specifically Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.