

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name LYSOL® IC™ Foaming Disinfectant Cleaner (Aerosol)

UPC CODES Refer to section 16

CAS # Mixture
Product use Disinfectant

Distributed by Reckitt Benckiser

Morris Corporate Center IV 399 Interpace Parkway

P.O. Box 225

Parsippany, NJ 07054-0225

In Case of Emergency: 1-800-228-4722 Transportation Emergencies: 24 Hour Number:

North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND
HMIS/NFPA

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0





2. Hazards Identification

Emergency overview

This product is regulated by the US EPA as a disinfectant.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION

MAY CAUSE EYE IRRITATION. Avoid contact with eyes or skin.

PHYSICAL AND CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 120°F or in sun or discarding can in fire or incinerator may cause bursting.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes May cause eye irritation. Avoid contact with eyes.

Skin May cause skin irritation. Avoid skin contact.

Not expected to be a skin sensitizer.

InhalationNone expected during normal conditions of use.IngestionNone expected during normal conditions of use.

Target organs Skin. Eyes. Respiratory system.

Chronic effectsThe finished product is not expected to have chronic health effects.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

Ingredient(s)	CAS#	Percent
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	2.5 - 10
Isobutane	75-28-5	2.5 - 10
Tetrasodium ethylenediamine tetraacetate	64-02-8	2.5 - 10
Didecyl Dimethyl Ammonium Chloride	Not Applicable	0 - 0.1
Dioctyl Dimethyl Ammonium Chloride	Not Applicable	0 - 0.1
Octyl Decyl Dimethyl Ammonium Chloride	Not Applicable	0 - 0.1

4. First Aid Measures

First aid procedures

In case of eye contact, immediately flush eyes with water, remove any contact lenses, Eye contact

and continue flushing eyes for at least 15 minutes. Consult a physician if irritation

persists.

Skin contact In case of skin contact, wash skin thoroughly with soap and water. If irritation persists,

consult a physician.

Remove to fresh air. Inhalation

Ingestion Rinse mouth with water. Contact a physician or poison control center if symptoms

persist. NEVER give an unconscious person anything to ingest.

Notes to physician Symptoms may be delayed. Treat patient symptomatically.

Do not puncture or incinerate container. If you feel unwell, seek medical advice (show the General advice

label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children. Have the product container or label with you when calling a poison control center or

doctor, or going for treatment.

5. Fire Fighting Measures

Aerosol flame extension less than 18 inches (45 cm). Flammable properties

Extinguishing media

Suitable extinguishing media Water spray. Foam. Dry chemical. Carbon dioxide.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or

flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products

Explosion data

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

Sensitivity to mechanical impact Not available Not available Sensitivity to static discharge

6. Accidental Release Measures

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not Personal precautions

touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements

or confined areas.

Before attempting clean up, refer to hazard data given above. Remove sources of Methods for cleaning up

ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a

non-flammable absorbent such as sand or vermiculite. Wipe up with absorbent material (e.g. cloth, fleece).

7. Handling and Storage		
Handling	CAUTION May cause eye irritation. Avoid contact with eyes, skin and clothing. Contents under pressure. When using do not eat or drink. Wash hands before breaks and immediately after handling the product. Always replace cap after use. Do not puncture or incinerate container.	
Storage	Do not contaminate water, food or feed by use or storage. Store in original container in areas inaccessible to small children. Do not use or store near heat or open flame. Do not reuse container. Exposure to temperatures above 120°F or in sun or discarding can in fire or incinerator may cause bursting.	
	It is a violation of Federal law to use this product in a manner inconsistent with its	

8. Exposure Controls / Personal Protection

labeling.

		Dilliois / Fersonal Frotection	
Exposure limits			
Ingredient(s)		Exposure Limits	
Didecyl Dimethyl Ammonium Chloride		ACGIH-TLV	
		Not established	
		OSHA-PEL	
		Not established	
Dioctyl Dimethyl Ammonium Chloride	oride	ACGIH-TLV	
		Not established	
		OSHA-PEL	
		Not established	
Ethanol, 2-(2-butoxyethoxy)-		ACGIH-TLV	
		Not established	
		OSHA-PEL	
		Not established	
Isobutane		ACGIH-TLV	
		TWA: 1000 ppm	
		OSHA-PEL	
		Not established	
Octyl Decyl Dimethyl Ammonium	Chloride	ACGIH-TLV	
		Not established	
		OSHA-PEL	
		Not established	
Tetrasodium ethylenediamine tetraacetate		ACGIH-TLV	
		Not established	
		OSHA-PEL	
		TWA: 15 mg/m3	
Engineering controls	General venti	General ventilation normally adequate.	
Personal protective equipment			
		required when used as directed. esponders should wear full eye and face protection.	

Emergency responders should wear full eye and face protection.

Hand protection

For sensitive skin or prolonged use, wear rubber gloves. Emergency responders should wear impermeable gloves.

Skin and body protection As required by employer code. **Respiratory protection** Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

operations.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

When using do not eat or drink.

Washing with soap and water after use is recommended as good hygienic practice to

prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Appearance Foamy Spray

ColorWhite.FormSprayOdorVariousOdor thresholdNot available

pH 12.35 (Basic)
Freezing point Not available
Boiling point Not available
Pour point Not available
Evaporation rate Not available

Flash point > 200 °F (> 93.33 °C) Tag Closed Cup

Gas

Auto-ignition temperature Flammability limits in air, lower, %

by volume

Physical state

Not available Not available

Flammability limits in air, upper, %

by volume

Not available

Vapor pressure34 - 40 psig @ 70°FVapor density> 1 (concentrate)Specific gravity1.007 - 1.036Octanol/water coefficientNot availableSolubility (H2O)MiscibleVOC (Weight %)Not availableViscosityNot available

Percent volatile Not available

10. Stability and Reactivity

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Aerosol containers are unstable at temperatures above 49°C (120.2°F).

DO NOT MIX WITH BLEACH or use in conjunction with other household products.

Excessive heat.

Incompatible materials

Oxidizers. Acids.

Hazardous decomposition products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

Possibility of hazardous reactions Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50 Ingredient(s) LC50 Didecyl Dimethyl Ammonium Chloride Dioctyl Dimethyl Ammonium Chloride Not available Ethanol, 2-(2-butoxyethoxy)Not available Isobutane Octyl Decyl Dimethyl Ammonium Chloride Not available Tetrasodium ethylenediamine tetraacetate Not available

Component analysis - Oral LD50

Ingredient(s)

9. 5 4.51.1.(5)	
Didecyl Dimethyl Ammonium Chloride	Not available
Dioctyl Dimethyl Ammonium Chloride	Not available
Ethanol, 2-(2-butoxyethoxy)-	2000 mg/kg guinea pig; 3384 mg/kg rat; 2200 mg/kg rabbit
Isobutane	Not available
Octyl Decyl Dimethyl Ammonium Chloride	Not available
Tetrasodium ethylenediamine tetraacetate	2000 mg/kg rat

LD50

Effects of acute exposure

Eye May cause eye irritation. Avoid contact with eyes.

Skin May cause skin irritation. Avoid skin contact.

Not expected to be a skin sensitizer.

InhalationNone expected during normal conditions of use.IngestionNone expected during normal conditions of use.

Sensitization
The finished product is not expected to have chronic health effects.
Chronic effects
The finished product is not expected to have chronic health effects.
Carcinogenicity
The finished product is not expected to have chronic health effects.
Mutagenicity
The finished product is not expected to have chronic health effects.
Reproductive effects
The finished product is not expected to have chronic health effects.
Teratogenicity
The finished product is not expected to have chronic health effects.

Synergistic Materials Not available

12. Ecological Information

Ecotoxicity

Bulk quantities, if spilled, may be toxic to aquatic organisms, fish, birds and mammals. Control and clean up all exterior spills and prevent liquid from entering any streams, rivers, lakes and all other bodies of water.

Ecotoxicity - Freshwater Algae Data

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 96 Hr EC50 Desmodesmus subspicatus: >100 mg/L Tetrasodium ethylenediamine 64-02-8 72 Hr EC50 Desmodesmus subspicatus: 1.01 mg/L

tetraacetate

Ecotoxicity - Freshwater Fish Species Data

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 96 Hr LC50 Lepomis macrochirus: 1300 mg/L [static]

Tetrasodium ethylenediamine 64-02-8 96 Hr LC50 Lepomis macrochirus: 41 mg/L [static]; 96 Hr LC50 Pimephales

tetraacetate promelas: 59.8 mg/L [static]

Ecotoxicity - Water Flea Data

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 24 Hr EC50 Daphnia magna: 2850 mg/L; 48 Hr EC50 Daphnia magna: >100 mg/L

Tetrasodium ethylenediamine 64-02-8 24 Hr EC50 Daphnia magna: 610 mg/L tetrascetate

Environmental effects
Aquatic toxicity
Not available
Persistence / degradability
Bioaccumulation / accumulation
Partition coefficient
Not available
Not available

Mobility in environmental mediaNot availableChemical fate informationNot available

13. Disposal Considerations

Waste codes Not available

Disposal instructions Review federal, state and local government requirements prior to disposal.

Do not reuse empty container. Replace cap and discard in trash. Do not incinerate or

puncture.

Waste from residues / unused

products

Not available

Contaminated packaging Not available

14. Transport Information

U.S. Department of Transportation (DOT)				
	UN 1950, Aerosols, Class 2.1, Re-classed as Consumer Commodity ORM-D			
Transportation of Dangerous Goods	(TDG - Canada) UN 1950, Aerosols, Class 2.1, Re-classed as Consumer Commodity/ LTD. QTY.			
IMDG (Marine Transport)				
	UN 1950, Aerosols, Class 2.1, Limited Quantity			
IATA/ICAO (Air)	UN1950, Aerosols, Flammable, Limited Quantity			

15. Regulatory Information

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Product Registration: Registered with EPA, EPA Reg. No. 777-71-675

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

Yes

chemical

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely hazardous substance

Nο

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available
Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

U.S. - Massachusetts - Right To Know List

Isobutane 75-28-5 Present
U.S. - New Jersey - Right to Know Hazardous Substance List
Isobutane 75-28-5 sn 1040

U.S. - Pennsylvania - RTK (Right to Know) List

Isobutane 75-28-5 Present

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*United States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer This product should only be used as directed on the label and for the purpose intended.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only

hazards that exist.

Further information 36241-95524-3 - LYSOL® IC™ Foaming Disinfectant Disinfectant Cleaner (Aerosol) - 24

oz. - 0074422

Issue date20-Jul-2010Effective date15-Jul-2010

Prepared by Reckitt Benckiser Regulatory Department 800-333-3899

#20600 Page 7 of 7 Issue date 20-Jul-2010