

# SAFETY DATA SHEETS

**This SDS packet was issued with item:**

072264539

N/A

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

**Product Name** Omni II™

**Note:** After dilution, please reference ProSpray™ Ready-to-Use Safety Data Sheet for warning and precautions. Available online at: [www.Certol.com/ProSpray](http://www.Certol.com/ProSpray)

### Other Means of Identification

**SDS #** OMN/SDS/I03

**UN/ID No.** UN1993

**Product Code** OMN

### Recommended Use of the Chemical and Restrictions on Use

**Recommended Use** Concentrated Surface Disinfectant, Cleaning and Holding Solution

### Details of the Supplier of the Safety Data Sheet

**Supplier Address** Certol International, LLC  
6120 East 58th Avenue  
Commerce City, Colorado 80022  
[www.Certol.com](http://www.Certol.com)  
Phone: 303-799-9401  
Toll-Free: 1-800-843-3343  
Fax: 303-799-9408

### 24 Hour Emergency Telephone

INFOTRAC: 1-800-535-5053 (North America)  
INFOTRAC: 1-352-323-3500 (International)

## 2. HAZARDS IDENTIFICATION



### Classification

|  |            |
|--|------------|
| Serious Eye Damage / Eye Irritation              | Category 1 |
| Skin Corrosion / Irritation                      | Category 2 |
| Specific Target Organ Toxicity (Single Exposure) | Category 3 |
| Flammable Liquids                                | Category 3 |
| Acute Toxicity - Inhalation (Vapors)             | Category 4 |
| Acute Toxicity - Oral                            | Category 4 |

### Signal Word

#### Physical & Chemical Hazards:

#### Health Hazards:

#### Environmental Hazards:

Danger.

Flammable liquid and vapors.

Harmful if inhaled, swallowed. Causes skin irritation and serious eye damage. May cause respiratory irritation, drowsiness, or dizziness.

See section 12.

### GHS Label Element

#### Hazard Statements

|      |                                    |
|------|------------------------------------|
| H226 | Flammable liquid and vapor.        |
| H302 | Harmful if swallowed.              |
| H315 | Causes skin irritation.            |
| H318 | Causes serious eye damage.         |
| H332 | Harmful if inhaled.                |
| H335 | May cause respiratory irritation.  |
| H336 | May cause drowsiness or dizziness. |

**Precautionary Statements:**

|            |      |  |
|------------|------|--|
| Prevention | P201 | Obtain special instructions before use.  |
|            | P210 | Keep away from heat/sparks/open flames/hot surfaces.   |
|            | P233 | Keep container tightly closed.   |
|            | P243 | Take action to prevent static discharge.   |
|            | P260 | Do not breathe dust/fumes/gas/mist/vapors/spray.   |
|            | P271 | Use only outdoors or in a well-ventilated area.  |
| Response   | P280 | Wear protective gloves, protective clothing, eye protection and face protection.             |
|            | P314 | Get medical advice/attention if you feel unwell.   |
| Storage    | P370 | In case of fire, use CO <sub>2</sub> , dry chemical or alcohol resistant foam to extinguish. |
|            | P403 | Store in a well-ventilated place.  |
| Disposal   | P411 | Store at temperatures not exceeding 80°F (27°C) or below 45°F (7°C).                         |
|            | P501 | Dispose according to all local, state and federal regulations.                               |

**Hazard(s) not otherwise classified (HNOC):** Not determined.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                          | CAS No.    | Weight-% |
|--|------------|----------|
| o-phenylphenol                         | 90-43-7    | 9        |
| o-benzyl-p-chlorophenol                | 120-32-1   | 1        |
| Isopropyl Alcohol                      | 67-63-0    | 26       |
| Ethylenediaminetetraacetic acid (EDTA) | 60-00-4    | *        |
| Benzenesulfonic Acid                   | 68584-22-5 | *        |
| Potassium Hydroxide                    | 1310-58-3  | *        |

\* The exact percentage is a trade secret.

### 4. FIRST AID MEASURES

|                                 |   |
|---------------------------------|---|
| <b><u>Inhalation</u></b>        | Move to fresh air and keep at rest in a comfortable position for breathing. If not breathing, give artificial respiration. Consult a physician.   |
| <b><u>Eye Contact</u></b>       | Immediately flush with plenty of water. Remove any contact lenses, continue flushing for several minutes and call a physician immediately.  |
| <b><u>Ingestion</u></b>         | Do NOT induce vomiting. Never give anything by mouth to a person who is unconscious. Call a physician or Poison Control Center.   |
| <b><u>Skin Contact</u></b>      | Wash off immediately with plenty of water for several minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.  |
| <b><u>Symptoms</u></b>          | Skin contact can lead to drying, itching, stinging and irritation. Exposed individuals may experience eye tearing, redness, corneal injury and/or burns. Inhalation may cause respiratory tract irritation. Ingestion may cause burning of the mouth, throat and digestive tract. |
| <b><u>Note to Physician</u></b> | Treat symptomatically.  |

### 5. FIRE-FIGHTING MEASURES

|   |  |
|---|--|
| <b><u>Suitable Extinguishing Media</u></b>                          | Use CO <sub>2</sub> , dry chemical or alcohol resistant foam to extinguish.  |
| <b><u>Unsuitable Extinguishing Media</u></b>                        | Not Determined.  |
| <b><u>Specific Hazards Arising from the Chemical</u></b>            | None Determined.   |
| <b><u>Hazardous Combustion Products</u></b>                         | Phenolic compounds, carbon monoxide and toxic fumes of chlorine and chlorides may be emitted.  |
| <b><u>Protective Equipment and Precautions for Firefighters</u></b> | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

#### Personal Precautions

Use personal protective equipment as recommended. The wet, contaminated surface may be slippery.

#### For Emergency Responders

Restrict access to spill area. Ventilate the area.

#### Environmental Precautions

Prevent entry into waterways, sewers, basements or confined areas.

### Methods and Material for Containment and Cleaning Up

#### Methods for Containment

Prevent further leakage or spillage if safe to do so.

#### Methods for Cleaning Up

Use a non-combustible material like vermiculite, sand or clay to soak up. Place into a container for later disposal. Dispose according to all local, state and federal regulations.

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

#### Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practices.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Do not breathe dust/fumes/gas/mist/vapors/spray.

Keep cool.

Keep out of reach of children and pets.

### Conditions for Safe Storage, Including any Incompatibilities

#### Storage Conditions

Store in a closed container in a cool, dry, well-ventilated place away from incompatible materials. Do not store below 45°F (7°C) or above 80°F (27°C).

#### Incompatible Materials

Acids and oxidizing agents.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Exposure Guidelines

| Chemical Name                    | ACGIH TLV                     | OSHA PEL  | NIOSH IDLH  |
|----------------------------------|-------------------------------|---|---|
| Isopropyl Alcohol<br>67-63-0     | STEL: 400 ppm<br>TWA: 200 ppm | TWA: 400 ppm<br>TWA: 980 mg/m <sup>3</sup><br>TWA: 400 ppm (Vacated)<br>TWA: 980 mg/m <sup>3</sup> (Vacated)<br>STEL: 500 ppm (Vacated)<br>STEL: 1225 mg/m <sup>3</sup> (Vacated) | IDLH: 2000 ppm<br>TWA: 400 ppm<br>TWA: 980 mg/m <sup>3</sup><br>STEL: 500 ppm<br>STEL: 1225 mg/m <sup>3</sup> |
| Potassium Hydroxide<br>1310-58-3 | Ceiling: 2 mg/m <sup>3</sup>  | Ceiling: 2 mg/m <sup>3</sup> (Vacated)  | Ceiling: 2 mg/m <sup>3</sup>  |

#### Eye/Face Protection

Wear goggles, chemical safety glasses or a face protection shield.

### Exposure Guidelines

See above occupational exposure limits.

### Appropriate Engineering Controls

Eyewash stations and showers.

### Individual Protection Measures, such as Personal Protective Equipment

#### Eye/Face Protection

Wear goggles, chemical safety glasses or a face protection shield.

#### Skin and Body Protection

Chemical resistant, non-latex and impermeable gloves. Wear appropriate clothing to prevent repeated or prolonged skin contact.

#### Respiratory Protection

Under normal conditions a respirator is not normally required. A mask or respirator may be used if vapor concentration is high.

#### General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practices. Wash face, hands and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

|                       |        |                   |                        |              |               |             |                         |
|-----------------------|--------|-------------------|------------------------|--------------|---------------|-------------|-------------------------|
| <b>Physical State</b> | Liquid | <b>Appearance</b> | Natural Colored Liquid | <b>Color</b> | Natural Color | <b>Odor</b> | Alcohol, Phenol & Lemon |
|-----------------------|--------|-------------------|------------------------|--------------|---------------|-------------|-------------------------|

| Property                              | Values                 | Property                         | Values              |
|---------------------------------------|------------------------|----------------------------------|---------------------|
| pH                                    | 9.5 - 10.5 (77°F/25°C) | <b>Specific Gravity</b>          | 0.997 (60°F/15.5°C) |
| <b>Melting Point / Freezing Point</b> | <32°F / < 0°C          | <b>Water Solubility</b>          | Completely Soluble  |
| <b>Boiling Point / Boiling Range</b>  | 188°F / 87°C           | <b>Partition Coefficient</b>     | Not Determined.     |
| <b>Flash Point</b>                    | 80°F / 27°C            | <b>Autoignition Temperature</b>  | Not Determined.     |
| <b>Evaporation Rate</b>               | <1                     | <b>Decomposition Temperature</b> | Not Determined.     |
| <b>Flammability (Solid/Gas)</b>       | N/A-Liquid             | <b>Kinematic Viscosity</b>       | Not Determined.     |
| <b>Flammability Limits In Air</b>     | Not Determined.        | <b>Dynamic Viscosity</b>         | Not Determined.     |
| <b>Vapor Pressure</b>                 | Not Determined.        | <b>Explosive Properties</b>      | Not Determined.     |
| <b>Vapor Density</b>                  | >1                     | <b>Oxidizing Properties</b>      | Not Determined.     |

## 10. STABILITY AND REACTIVITY

|   |  |
|---|--|
| <b>Reactivity</b>                         | Not reactive under normal conditions.  |
| <b>Chemical Stability</b>                 | Stable under recommended storage conditions.   |
| <b>Possibility of Hazardous Reactions</b> | None under normal processing.  |
| <b>Hazardous Polymerization</b>           | Hazardous polymerization will not occur.   |
| <b>Conditions to Avoid</b>                | Avoid direct sunlight. Avoid temperatures below 45°F (7°C) and above 80°F (27°C).                              |
| <b>Incompatible Materials</b>             | Acids and oxidizing agents.  |
| <b>Hazardous Decomposition Products</b>   | Combustion products may include phenolic compounds, carbon monoxide and toxic fumes of chlorine and chlorides. |

## 11. TOXICOLOGICAL INFORMATION

**Routes of Exposure** Eye. Skin Contact. Inhalation. Ingestion.

### Information on Likely Routes of Exposure

|                     |                              |
|---------------------|------------------------------|
| <b>Ingestion</b>    | May be harmful if swallowed. |
| <b>Inhalation</b>   | Harmful if inhaled.          |
| <b>Skin Contact</b> | Causes skin irritation.      |
| <b>Eye Contact</b>  | Causes serious eye damage.   |

### Component Information

| Chemical Name                       | Oral LD <sub>50</sub> | Dermal LD <sub>50</sub> | Inhalation LC <sub>50</sub>        |
|-------------------------------------|-----------------------|-------------------------|------------------------------------|
| Isopropyl Alcohol<br>67-63-0        | 5840 mg/kg (Rat)      | >12800 mg/kg (Rat)      | >10,000 ppm (Rat) 6 hrs            |
| o-benzyl-p-chlorophenol<br>120-32-1 | >2500 mg/kg (Rat)     | >5000 mg/kg (Rat)       | 2500 mg/m <sup>3</sup> (Rat) 4 hrs |
| o-phenylphenol<br>90-43-7           | 2980 mg/kg (Rat)      | >5000 mg/kg (Rat)       | >36 mg/m <sup>3</sup> (Rat) 4 hrs  |
| Potassium Hydroxide<br>1310-58-3    | 214 mg/kg (Rat)       | N/A                     | N/A                                |
| Benzenesulfonic Acid<br>68584-22-15 | N/A                   | N/A                     | 33920 mg/L (Rat)                   |

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

**Carcinogenicity** The product as a whole has not been tested.

| Chemical Name                | ACGIH | IARC    | NTP | OSHA |
|------------------------------|-------|---------|-----|------|
| Isopropyl Alcohol<br>67-63-0 | A4    | Group 3 | N/A | N/A  |
| o-phenylphenol<br>90-43-7    | N/A   | Group 3 | N/A | N/A  |

### ACGIH (The American Conference of Governmental Industrial Hygienists)

A4 - Not Classifiable as a Human Carcinogen.

### IARC (International Agency for Research on Cancer)

Group 3 - Not Carcinogenic to Humans.

### Numerical Measures of Toxicity

Not Determined.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

| Chemical Name                       | Algae/aquatic plants | Fish           | Toxicity to microorganisms | Crustacea   |
|-------------------------------------|----------------------|----------------|----------------------------|-------------|
| Isopropyl Alcohol<br>67-63-0        | Known Toxin          | Known Toxin    | No Information             | Known Toxin |
| o-benzyl-p-chlorophenol<br>120-32-1 | Known Toxin          | Known Toxin    | Known Toxin                | Known Toxin |
| o-phenylphenol<br>90-43-7           | Known Toxin          | Known Toxin    | Known Toxin                | Known Toxin |
| Benzenesulfonic Acid<br>68584-22-15 | No Information       | No Information | No Information             | Known Toxin |

**Persistence and Degradability**

Not Determined.

**Bioaccumulation**

Not Determined.

**Mobility**

| Chemical Name                | Partition Coefficient |
|------------------------------|-----------------------|
| Isopropyl Alcohol<br>67-63-0 | 1.1                   |
| o-phenylphenol<br>90-43-7    | 3.09                  |

**Other Adverse Effects** Not Determined.

## 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods**

**Disposal of Wastes**

Dispose according to all local, state and federal regulations.

**Contaminated Packaging**

Dispose according to all local, state and federal regulations.

| Chemical Name                    | California Hazardous Waste Status |
|----------------------------------|-----------------------------------|
| Isopropyl Alcohol<br>67-63-0     | Toxic/Ignitable                   |
| Potassium Hydroxide<br>1310-58-3 | Toxic/Corrosive                   |

## 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

**UN/ID No.**

UN1993

**Proper Shipping Name**

Flammable Liquid, n.o.s (Contains Isopropyl Alcohol)

**Hazard Class**

3

**Packing Group**

III

**IATA**

**UN/ID No.**

UN1993

**Proper Shipping Name**

Flammable Liquid, n.o.s (Contains Isopropyl Alcohol)

**Hazard Class**

3

**Packing Group**

III

**IMDG**

**UN/ID No.**

UN1993

**Proper Shipping Name**

Flammable Liquid, n.o.s (Contains Isopropyl Alcohol)

**Hazard Class**

3

**Packing Group**

III

## 15. REGULATORY INFORMATION

### International Inventories

Not Determined.

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*  
*DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List*  
*EINECS/ELINCS - European Inventory of Existing Chemical Substances/  
 European List of Notified Chemical Substances*  
*ENCS - Japan Existing and New Chemical Substances*  
*IECSC - China Inventory of Existing Chemical Substances*  
*KECL - Korean Existing and Evaluated Chemical Substances*  
*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

### US Federal Regulations

#### Comprehensive Environmental Response Compensation Liability Act of 1980 (CERCLA)

| Chemical Name   | Hazardous Substances RQs | CERCLA / SARA RQ | Reportable Quantity (RQ)                    |
|---|--------------------------|------------------|---|
| Potassium Hydroxide<br>1310-58-3                      | 1000 lb.                 | N/A              | RQ 1000 lb. final RQ<br>RQ 454 kg final RQ  |
| Benzenesulfonic Acid<br>68584-22-15                   | 1000 lb.                 | N/A              | RQ 1000 lb. final RQ<br>RQ 454 kg final RQ  |
| Ethylene Diaminetetraacetic Acid<br>(EDTA)<br>60-00-4 | 5000 lb.                 | N/A              | RQ 5000 lb. final RQ<br>RQ 2270 kg final RQ |

#### SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazard Categories

| Chemical Name           | CAS No   | Weight % | SARA 313 -<br>Threshold Values % |
|-------------------------|----------|----------|----------------------------------|
| Isopropyl Alcohol       | 67-63-0  | 26%      | 1.0%                             |
| o-phenylphenol          | 90-43-7  | 9%       | 1.0%                             |
| o-benzyl-p-chlorophenol | 120-32-1 | 1%       | 0.1%                             |

#### Clean Water Act (CWA)

| Chemical Name   | CWA - Reportable Quantities | CWA -<br>Toxic<br>Pollutants | CWA - Priority<br>Pollutants | CWA - Hazardous<br>Substances |
|---|-----------------------------|------------------------------|------------------------------|-------------------------------|
| Potassium Hydroxide<br>1310-58-3                      | 1000 lb.                    | N/A                          | N/A                          | X                             |
| Benzenesulfonic Acid<br>68584-22-15                   | 1000 lb.                    | N/A                          | N/A                          | X                             |
| Ethylene Diaminetetraacetic Acid<br>(EDTA)<br>60-00-4 | 5000 lb.                    | N/A                          | N/A                          | X                             |

### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical Name             | California Proposition 65 |
|---------------------------|---------------------------|
| o-phenylphenol<br>90-43-7 | See Note Below            |

**NOTE:** In a letter dated September 10, 2008, from Lanxess, Certol International, LLC's Supplier of 2-phenylphenol (OPP), Lanxess Stated: "As none of the organizations/programs below have 2-phenylphenol (OPP) listed as a carcinogen, we do not see the legal authority to have 2-phenylphenol (OPP) listed under Proposition 65 in the State of California. National Toxicology Program (NTP); International Agency for Research on Cancer (IARC); Occupational Safety and Health Administration (OSHA); Environmental Protection Agency (EPA)."

**U.S. State Right-to-Know Regulations**

| Chemical Name   | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Isopropyl Alcohol<br>67-63-0                          | X          | X             | X            |
| o-phenylphenol<br>90-43-7                             | X          | X             | X            |
| Potassium Hydroxide<br>1310-58-3                      | X          | X             | X            |
| Benzenesulfonic Acid<br>68584-22-15                   | X          | X             | X            |
| Ethylene Diaminetetraacetic Acid<br>(EDTA)<br>60-00-4 | X          | X             | X            |
| o-benzyl-p-chlorophenol<br>120-32-1                   | X          | N/A           | X            |

**16. OTHER INFORMATION**

**NFPA**

|                            |                          |                         |   |
|----------------------------|--------------------------|-------------------------|---|
| <b>Health Hazards</b><br>2 | <b>Flammability</b><br>1 | <b>Instability</b><br>0 | <b>Special Hazards</b><br>Not Determined. |
|----------------------------|--------------------------|-------------------------|---|

**HMIS**

|  |  |  |   |
|--|--|--|---|
| <b>Health Hazards</b><br>Not Determined. | <b>Flammability</b><br>Not Determined. | <b>Physical Hazards</b><br>Not Determined. | <b>Personal Protection</b><br>Not Determined. |
|--|--|--|---|

**Issue Date** November 2016.

**Revision Date** March 2019.

**Revision Note**

**Disclaimer**

This Safety Data Sheet was prepared to comply with the current OSHA hazard Communication Standard adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.

End of Safety Data Sheet