

according to Regulation (EC) No 1907/2006

SDB\_10044

# KaVo Spray 2112

Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

KaVo Spray 2112

Product code:

0.411.9630 0.411.9640

Further trade names

KaVo Spray, KaVo Spray 2112 A

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Company name: Kaltenbach & Voigt GmbH

Street: Bismarckring 39
Place: D-88400 Biberach

Telephone: +49 (0) 7351 56 0 Telefax: + 49 (0) 7351 56 1488

e-mail: sdb@kavo.com
Internet: http://www.kavo.com/

**1.4. Emergency telephone** +49 (0) 7351 56 4000 (24 h)

number:

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: F+ - Extremely flammable

R phrases:

Extremely flammable.

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Aerosol: Aerosol 1 Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

## 2.2. Label elements

Signal word: Danger Pictograms: GHS02



#### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.



according to Regulation (EC) No 1907/2006

SDB 10044

# KaVo Spray 2112

Page 2 of 8

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### Special labelling of certain mixtures

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Contains:

propane CAS No.: 74-98-6 butane CAS No.: 106-97-8 isobutane CAS No.: 75-28-5

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a doctor if you feel unwell.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

# After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Call a

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder. Water spray jet

#### Unsuitable extinguishing media

High power water jet.



according to Regulation (EC) No 1907/2006

SDB\_10044

# KaVo Spray 2112

Page 3 of 8

#### 5.2. Special hazards arising from the substance or mixture

Extremely flammable. Vapours can form explosive mixtures with air.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear protective gloves/protective clothing/eye protection/face protection.

### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Wear personal protection equipment.

#### 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Stop leak if safe to do so. Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Do not pierce or burn, even after use.

#### Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F. Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharge. Vapours can form explosive mixtures with air.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

## Further information on storage conditions

Do not expose to temperatures above 50 °C.

# 7.3. Specific end use(s)

Articles releasing polishes and cleaners: Aerosol

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters



according to Regulation (EC) No 1907/2006

SDB 10044

# KaVo Spray 2112

Page 4 of 8

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL

#### 8.2. Exposure controls









#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

#### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable material: NBR (Nitrile rubber). NR (natural rubber, natural latex).

# Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **Environmental exposure controls**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light yellow
Odour: odourless

Test method

pH-Value: not determined

Changes in the physical state

Melting point: not determined
Initial boiling point and boiling range: not determined
Flash point: -80 °C

**Flammability** 

Solid: not applicable
Gas: not applicable



according to Regulation (EC) No 1907/2006

SDB\_10044

## KaVo Spray 2112

Page 5 of 8

#### **Explosive properties**

not determined

Lower explosion limits: 1,8 vol. % Upper explosion limits: 11,2 vol. % Ignition temperature: > 350 °C

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: 4200 hPa
Density (at 20 °C): 0,853 g/cm³
Water solubility: slightly soluble

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

Viscosity / kinematic:

Not determined

Vapour density:

not determined

rot determined

not determined

not determined

rot determined

#### 9.2. Other information

No information available.

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Extremely flammable, Ignition hazard.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

# 10.5. Incompatible materials

Do not mix with other chemicals.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

SDB\_10044

# KaVo Spray 2112

Page 6 of 8

#### Sensitising effects

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

## Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

## 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

# 12.6. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es): 2
14.4. Packing group: -

Hazard label: 2.1





according to Regulation (EC) No 1907/2006

SDB 10044

# KaVo Spray 2112

Page 7 of 8

Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

Inland waterways transport (ADN)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es): 2
14.4. Packing group:

Hazard label: 2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L Excepted quantity: E0

Marine transport (IMDG)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es): 2.1
14.4. Packing group:

Hazard label: 2.1



Special Provisions: 63, 190, 277, 327, 344, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger: 203 IATA-max. quantity - Passenger: 75 kg



according to Regulation (EC) No 1907/2006

SDB\_10044

# KaVo Spray 2112

Page 8 of 8

IATA-packing instructions - Cargo: 203 IATA-max. quantity - Cargo: 150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Warning: Flammable gases.

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU regulatory information** 

2010/75/EU (VOC): 84,46 %

**National regulatory information** 

Employment restrictions: Observe employment restrictions for young people.

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

# Relevant H- and EUH-phrases (Number and full text)

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The provision of safety data sheets for medical devices is not mandatory. If the cited product is a medical device, the safety data sheet is offered on a voluntary basis without any associated legal obligations.