



Safety Data Sheet
acc. to OSHA HCS

Printing date 07/08/2025

Reviewed on 07/08/2025

1 Identification

· **Product identifier**

· Trade name: **dima Print Denture Base 2**

· -

· **Application of the substance / the mixture** Dental applications

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)0800 4372522

· **Information department:**

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545

e-mail: customer.servicehkna@kulzer-dental.com

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545

e-mail: customer.servicehkna@kulzer-dental.com

· **Emergency telephone number:**

Emergency CONTACT (24-Hour-Number)

ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard(s) identification

· **Classification of the substance or mixture**

Skin Irritation 2

H315 Causes skin irritation.

Eye Irritation 2A

H319 Causes serious eye irritation.

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

Toxic to Reproduction 1B

H360 May damage fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

May cause respiratory irritation.

(Contd. on page 2)

US



Safety Data Sheet
acc. to OSHA HCS

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 1)

· **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system**

· **NFPA ratings for USA (scale 0-4)**



Health = 2

Fire = 1

Reactivity = 0

· **HMIS-Ratings (Scale 0-4)**



Health = *2

Fire = 1

Reactivity = 0

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description: -**

· **Dangerous components:**

41637-38-1	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	50-70%
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate Sensitization - Skin 1B, H317	20-30%

(Contd. on page 3)

US



Safety Data Sheet
acc. to OSHA HCS

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 2)		
109-17-1	3,6,9-trioxaundecamethylene dimethacrylate Skin Irritation 2, H315; Eye Irritation 2A, H319	10-20%
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Toxic to Reproduction 1B, H360 Sensitization - Skin 1B, H317	<2%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **General information**

Take affected persons out into the fresh air.

Personal protection for the First Aider.

Immediately remove any clothing soiled by the product.

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· **After skin contact**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing** Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

Allergic reactions

Asthma attacks

Coughing

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents** Water with full jet.

· **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon dioxide (CO₂)

Carbon monoxide (CO)

phosphorus oxides (P_xO_y)

Nitrogen oxides (NO_x)

· **Advice for firefighters**

· **Protective equipment:**

Wear fully protective suit.

Wear self-contained respiratory protective device.

US

(Contd. on page 4)



Safety Data Sheet
acc. to OSHA HCS

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 3)

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes and skin.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Keep contaminated washing water and dispose of appropriately.

· **Methods and material for containment and cleaning up:**

Dispose of the collected material according to regulations.

Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

· **Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecane-1,16-diyl bismethacrylate	120 mg/m ³
------------	--	-----------------------

· **PAC-2:**

72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecane-1,16-diyl bismethacrylate	1,300 mg/m ³
------------	--	-------------------------

· **PAC-3:**

72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecane-1,16-diyl bismethacrylate	7,900 mg/m ³
------------	--	-------------------------

7 Handling and storage

· **Handling**

do not mix with

organic peroxides

Radical initiator

reducing agent

Strong bases

Strong oxidizers

Strong acids

· **Precautions for safe handling**

Keep receptacles tightly sealed.

Open and handle receptacle with care.

Avoid contact with eyes and skin.

Wear protective equipment. Keep unprotected persons away.

Keep away from heat and direct sunlight.

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 5)



**Safety Data Sheet
acc. to OSHA HCS**

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 4)

- **Information about protection against explosions and fires:**
 - Keep ignition sources away - Do not smoke.
 - Avoid UV radiation/sunlight.
 - Protect from heat.
 - Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and receptacles:**
 - Store in cool, dry place in tightly closed receptacles.
 - store locked up
 - Keep away from heat.
 - Protect from exposure to the light.
 - **Information about storage in one common storage facility:** Store away from foodstuffs.
 - **Further information about storage conditions:**
 - Store in a cool place.
 - Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 - Not required.
 - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
 - **Personal protective equipment**
 - **General protective and hygienic measures**
 - Keep away from foodstuffs, beverages and feed.
 - Do not eat or drink while working.
 - The usual precautionary measures for handling chemicals should be followed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes and skin.
 - **Breathing equipment:**
 - Use suitable respiratory protective device in case of insufficient ventilation.
 - filter: ABEK
 - **Protection of hands:**
 - Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 - Check protective gloves prior to each use for their proper condition.
 - **Material of gloves**
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation

(Contd. on page 6)



Safety Data Sheet
acc. to OSHA HCS

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 5)

of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Tightly sealed goggles.

· **Body protection:** Protective work clothing.

· **Limitation and supervision of exposure into the environment**

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:**

Fluid

· **Color:**

Light beige

· **Odor:**

Fruit-like

· **Odor threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

· **Melting point/Melting range:**

undetermined

· **Boiling point/Boiling range:**

140 °C (284 °F)

· **Flash point:**

>100 °C (>212 °F)

· **Flammability (solid, gaseous)**

Not applicable.

· **Auto igniting:**

320 °C (608 °F)

· **Decomposition temperature:**

Not determined.

· **Ignition temperature:**

Product is not selfigniting.

· **Danger of explosion:**

Product does not present an explosion hazard.
Not determined.

· **Explosion limits:**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Vapor pressure:**

Not determined.

· **Density at 20 °C (68 °F):**

1.1 g/cm³ (9.1795 lbs/gal)

· **Relative density**

Not determined.

· **Vapor density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with**

· **Water:**

Not miscible or difficult to mix

(Contd. on page 7)



Safety Data Sheet
acc. to OSHA HCS

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 6)

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **dynamic:**

Not determined.

· **kinematic at 20 °C (68 °F):**

0.9-3 s (DIN 53211/4)

· **Other information**

No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Possibility of hazardous reactions** Polymerization

· **Conditions to avoid** Heat, flames and sparks.

· **Incompatible materials:**

organic peroxides

Radical initiator

reducing agent

Strong bases

Strong oxidizers

Strong acids

· **Hazardous decomposition products:** none

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

41637-38-1 Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid

Oral LD50 >2,000 mg/kg /read-a (rat) (OECD 423)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecane-1,16-diyl bismethacrylate

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

109-17-1 3,6,9-trioxaundecamethylene dimethacrylate

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >3,000 mg/kg (rat)

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

1245638-61-2 2-Propenoic acid, reaction products with pentaerythritol

Oral LD50 540 mg/kg (ATE)

540 mg/kg (rat) (OECD 401)

(Contd. on page 8)

US



Safety Data Sheet
acc. to OSHA HCS

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 7)

Dermal LD50 >2,000 mg/kg (rabbit) (OECD 402)

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

41637-38-1 Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid

LL50/96h >100 mg/L (fish) (OECD 203)

EL50/48h >100 mg/L (daphnia) (OECD 202)

EL50/72h >100 mg/L (algae) (OECD 201)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecane-1,16-diyl bismethacrylate

EC50/48h >1.2 mg/l (daphnia) (OECD 202)

LC50/96h 10.1 mg/l (fish) (OECD 203)

ErC50 / 72 h >0.68 mg/l (algae) (OECD 201)

NOEC / 72h 0.21 mg/l (algae) (OECD 201)

109-17-1 3,6,9-trioxaundecamethylene dimethacrylate

EC50/48h 391 mg/l (daphnia) (OECD 202)

ErC50 / 72 h 68 mg/l (algae) (OECD 201)

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

EC50/48h 10,100 mg/l (algae)

3.53 mg/l (daphnia) (OECD 202)

LC50/96h 1.4 mg/l (fish) (OECD 203)

ErC50 / 72 h >2.01 mg/l (algae) (OECD 201)

ErC10/72h 1.56 mg/L (algae) (OECD 201)

1245638-61-2 2-Propenoic acid, reaction products with pentaerythritol

EC50/48h 13 mg/l (daphnia) (OECD 202)

(Contd. on page 9)



Safety Data Sheet
acc. to OSHA HCS

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 8)

LC50/96h	3.2 mg/l (fish) (OECD 203)
NOEC / 96h	2.2 mg/l (fish) (OECD 203)
NOELR	10 mg/L /96h (algae) (OECD 201)

· **Persistence and degradability**

41637-38-1 Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid

biodegradability 24 % /28d (not defined) (OECD 301D)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazaheptadecane-1,16-diyl bismethacrylate

biodegradability 22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

109-17-1 3,6,9-trioxaundecamethylene dimethacrylate

biodegradability 100 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

biodegradability 0-10 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

1245638-61-2 2-Propenoic acid, reaction products with pentaerythritol

biodegradability 6-14 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

· **Behavior in environmental systems:**

· **Bioaccumulative potential**

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Bloconcentration factor (BCF) 47-55 (not defined)

· **Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Danger to drinking water if even extremely small quantities leak into the ground.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Harmful to aquatic organisms

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

(Contd. on page 10)

US



Safety Data Sheet
acc. to OSHA HCS

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 9)

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· DOT, ADR, IMDG, IATA

UN3082

· **UN proper shipping name**

· DOT

Environmentally hazardous substance, liquid, n.o.s.
(7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diaza-hexadecane-1,16-diyl bismethacrylate)

· ADR

3082 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (7,7,9(or 7,9,9)-
trimethyl-4,13-dioxo-3,14-dioxo-5,12-
diaza-hexadecane-1,16-diyl bismethacrylate)

· IMDG


ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-
3,14-dioxo-5,12-diaza-hexadecane-1,16-diyl
bismethacrylate), MARINE POLLUTANT

· IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-
3,14-dioxo-5,12-diaza-hexadecane-1,16-diyl
bismethacrylate)

· **Transport hazard class(es)**

· DOT, IMDG, IATA




· Class

9 Miscellaneous dangerous substances and
articles

· Label

9

· ADR



· Class

9 (M6) Miscellaneous dangerous substances and
articles

· Label

9

· **Packing group**

· DOT, ADR, IMDG, IATA

III

(Contd. on page 11)



Safety Data Sheet
acc. to OSHA HCS

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 10)

· Environmental hazards:	
· Marine pollutant:	Yes (DOT) Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user	
Warning: Miscellaneous dangerous substances and articles	
· Hazard identification number (Kemler code):	90
· EMS Number:	F-A,S-F
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Not applicable.	
· Transport/Additional information:	
-	
· DOT	
· Remarks:	Special marking with the symbol (fish and tree).
· ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9(OR 7,9,9)-TRIMETHYL-4,13-DIOXO-3,14-DIOXA-5,12-DIAZAHEXADECANE - 1,16-DIYL BISMETHACRYLATE), 9, III	

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **SARA Section 313 (specific toxic chemical listings)**

None of the ingredients is listed.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

(Contd. on page 12)

US



**Safety Data Sheet
acc. to OSHA HCS**

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 11)

· **Proposition 65**

· **Prop 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogen categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment**

· **Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

· **Date of preparation / last revision** 07/08/2025 / -

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 13)



Safety Data Sheet
acc. to OSHA HCS

Printing date 07/08/2025

Reviewed on 07/08/2025

Trade name: dima Print Denture Base 2

(Contd. of page 12)

vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Sensitization - Skin 1: Skin sensitisation – Category 1
Sensitization - Skin 1B: Skin sensitisation – Category 1B
Toxic to Reproduction 1B: Reproductive toxicity – Category 1B
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

Sources

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.
Transport of dangerous goods by road or rail (49 CFR US DOT).
International Maritime Dangerous Goods Code (IMDG).
Dangerous Goods Regulations (DGR) for the air transport (IATA).

*** Data compared to the previous version altered.**

US