

Printing date 09/29/2016

Version US-EN-Rev 1

Reviewed on 09/29/2016

```
1 Identification
```

- · Product identifier
- · Trade name: GC LiSi PressVest SR Liquid
- · Application of the substance / the mixture Auxiliary for dental technology
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- Emergency telephone number: During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

• Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: isopropyl alcohol
 Hazard statements
- Causes serious eye irritation. May cause drowsiness or dizziness.
- Precautionary statements
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Wear eye protection / face protection.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

US

Printing date 09/29/2016

Version US-EN-Rev 1

Reviewed on 09/29/2016

Trade name: GC LiSi PressVest SR Liquid

(Contd. of page IF INHALED: Remove person to fresh air and keep comfortable for breathing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale 0 - 4)	је 1)
Health = 1 Fire = 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH1FIRE0Fire = 0REACTIVITYReactivity = 0	
 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 	
3 Composition/information on ingredients	
 Chemical characterization: Mixtures Description: Mixture of the substances listed below with nonhazardous additions. 	
· Dangerous components:	

isopropyl alcohol

90-100%

• Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Rinse with warm water.

If symptoms persist consult doctor.

After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 09/29/2016

Version US-EN-Rev 1

Reviewed on 09/29/2016

(Contd. of page 2)

Trade name: GC LiSi PressVest SR Liquid

Information for doctor:

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin.
 Wear protective clothing.
 Environmental precautions:

Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.

Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. Dispose of the collected material according to regulations.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Observe instructions for use.

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- Avoid contact with the eyes and skin.
- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.

· Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 4)

⁻ US

Printing date 09/29/2016

Version US-EN-Rev 1

Reviewed on 09/29/2016

Trade name: GC LiSi PressVest SR Liquid

Further information about storage conditions:

Observe instructions for use / storage.

Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

Control parameters

isopropyl alcohol

· Components with limit values the	t require monitoring at the workplace:
•	

-	••
PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm
	Long-term value: 980 mg/m ³ , 400 ppm
TLV	Short-term value: 984 mg/m ³ , 400 ppm
	Long-term value: 492 mg/m³, 200 ppm
	BEI
· Ingr	edients with biological limit values:
isop	propyl alcohol
BEI	40 mg/L
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Acetone (background, nonspecific)
· Add	itional information: The lists that were valid during the creation were used as basis.
·Exp	osure controls
•	sonal protective equipment:
1 010	

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

• Breathing equipment: Suitable respiratory protective device recommended.

- Protection of hands: Protective gloves
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

(Contd. on page 5)

US

(Contd. of page 3)

Printing date 09/29/2016

Version US-EN-Rev 1

Reviewed on 09/29/2016

Trade name: GC LiSi PressVest SR Liquid

(Contd. of page 4)

broperties ding to product specification cteristic stermined. etermined. ermined. eplicable. eplicable. ermined. termined. termined. termined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined.
cteristic etermined. etermined. ermined. ermined. eplicable. ermined. etermined. etermined. ct is not self-igniting. ct does not present an explosion hazard.
cteristic etermined. etermined. ermined. ermined. eplicable. ermined. etermined. etermined. ct is not self-igniting. ct does not present an explosion hazard.
cteristic etermined. etermined. ermined. ermined. eplicable. ermined. etermined. etermined. ct is not self-igniting. ct does not present an explosion hazard.
etermined. etermined. ermined. ermined. eplicable. ermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined. etermined.
ermined. ermined. ermined. oplicable. ermined. ermined. etermined. et is not self-igniting. et does not present an explosion hazard.
ermined. ermined. eplicable. ermined. ermined. et is not self-igniting. et does not present an explosion hazard.
ermined. plicable. plicable. ermined. etermined. termined. to self-igniting. ct does not present an explosion hazard. I % ol %
ermined. plicable. plicable. ermined. etermined. termined. to self-igniting. ct does not present an explosion hazard. I % ol %
plicable. plicable. ermined. etermined. ct is not self-igniting. ct does not present an explosion hazard.
plicable. ermined. etermined. ct is not self-igniting. ct does not present an explosion hazard.
ermined. etermined. ct is not self-igniting. ct does not present an explosion hazard.
etermined. et is not self-igniting. et does not present an explosion hazard. I % iol %
ct is not self-igniting. ct does not present an explosion hazard. I % iol %
ct does not present an explosion hazard. I % iol %
l % ol %
ol %
ol %
termined.
termined.
termined.
termined.
termined.
ble.
termined.
termined.
termined.
,]
e

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable at ambient temperature.

(Contd. on page 6)

US

Printing date 09/29/2016

Version US-EN-Rev 1

Reviewed on 09/29/2016

(Contd. of page 5)

Trade name: GC LiSi PressVest SR Liquid

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- **Possibility of hazardous reactions** No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No further relevant information available.
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

isopropyl alcohol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

- IARC Group 2B: The agent is possibly carcinogenic to humans.
- IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.
- IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

· Repeated dose toxicity. No further relevant information available.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

No further relevant information available.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 7)

3

Printing date 09/29/2016

Version US-EN-Rev 1

Reviewed on 09/29/2016

Trade name: GC LiSi PressVest SR Liquid

(Contd. of page 6)

- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
 [.] UN proper shipping name [.] DOT, ADR, ADN, IMDG, IATA 	Void
· Transport hazard class(es)	
[·] DOT, ADR, ADN, IMDG, IATA [·] Class	Void
 Packing group DOT, ADR, IMDG, IATA 	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	II of Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
 SARA (Superfund Amendments and Reauthorization Act)

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

isopropyl alcohol

(Contd. on page 8)

US -

Printing date 09/29/2016

Version US-EN-Rev 1

Reviewed on 09/29/2016

(Contd. of page 7)

US

Trade name: GC LiSi PressVest SR Liquid

	TSCA (Toxic Substances Control Act):
	All ingredients are listed.
· (Carcinogenic categories
	EPA (Environmental Protection Agency)
	poron nitride
	TLV (Threshold Limit Value established by ACGIH)
	sopropyl alcohol
	NIOSH-Ca (National Institute for Occupational Safety and Health)
	None of the ingredients is listed.
-	GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms
	GHS07
• (Signal word Warning
	Hazard-determining components of labeling:
	sopropyl alcohol Hazard statements
	Causes serious eye irritation.
I	May cause drowsiness or dizziness.
	Precautionary statements
	Avoid breathing dust/fume/gas/mist/vapors/spray Wear eye protection / face protection.
	f in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ea
	to do. Continue rinsing.
	F INHALED: Remove person to fresh air and keep comfortable for breathing.
	Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.
	Dispose of comenis/comainer in accordance with local/regional/national/international regulations

16 Other information

· Department issuing SDS: Regulatory Affairs · Contact: **Regulatory Affairs** Telephone No. +1 (708) 597-0900 sds@gcamerica.com · Date of preparation / last revision 09/29/2016 / -· Abbreviations and acronyms: GHS: Globally Harmonized System of Classification and Labelling of Chemicals HCS: Hazard Communication Standard (USA) MSDS: Material Safety Data Sheet SDS: Safety Data Sheet ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways) ECHA: European Chemicals Agency (Contd. on page 9)

Printing date 09/29/2016

Version US-EN-Rev 1

Reviewed on 09/29/2016

Trade name: GC LiSi PressVest SR Liquid

