

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2018

Reviewed on 02/13/2018

1 Identification

- · Product Identifier
- · Trade name: DENTCA Denture Base II for Carbon printers
- · Product Number: Dentca Base
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description light curable denture base resin
- Application of the substance / the mixture: Making denture bases
- Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:

DENTCA Inc.

357 Van Ness Way, Suite 250 Torrance, CA 90501, U.S.A. Phone; 1-424-558-8726 Fax; 1-424-558-8738

info@dentca.com www.dentca.com

· Emergency telephone number: 1-424-558-8726

2 Hazard(s) Identification

· Classification of the substance or mixture:



Eye Irrit. 2A H319 Causes serious eye irritation.

Aquatic Acute 3 H402 Harmful to aquatic life.

- · Label elements:
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

- · Signal word: Warning
- · Hazard statements:

H319 Causes serious eye irritation.

H402 Harmful to aquatic life.

Precautionary statements:

P280 Wear eye protection / face protection.
P273 Avoid release to the environment.
P264 Wash thoroughly after handling.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

(Contd. on page 2)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2018 Reviewed on 02/13/2018

Trade name: DENTCA Denture Base II for Carbon printers

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Unknown acute toxicity:

55 % of the mixture consists of component(s) of unknown toxicity.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 1 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1Fire = 0

· Hazard(s) not otherwise classified (HNOC): None known

Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

Dangerous	Components:	
	Methacrylate monomer	40-60%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
72869-86-4	Diurethane dimethacrylate	30-50%
	♦ Skin Sens. 1, H317	
3290-92-4	Propylidynetrimethyl trimethacrylate	5-10%
	Initiator	≤ 3.0%
	♦ Skin Sens. 1, H317; Aquatic Chronic 4, H413	
	Inhibitor	≤ 1.0%
	♦ Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317	
	Pigment 1	≤ 1.0%
	♦ Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Pigment 3	≤ 1.0%
	🕸 Carc. 2, H351; 🔥 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
	Pigment 5	≤ 1.0%
	Resp. Sens. 1A, H334; STOT RE 1, H372; Skin Sens. 1A, H317; Combustible Dust	

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures:
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.

(Contd. on page 3)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2018 Reviewed on 02/13/2018

Trade name: DENTCA Denture Base II for Carbon printers

· After eye contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media:
- Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling
- · Precautions for safe handling: Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep protective respiratory device available.
- · Conditions for safe storage, including any incompatibilities:
- · Storage
- Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 4)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 02/13/2018 Issue date 02/13/2018

Trade name: DENTCA Denture Base II for Carbon printers

3290-92-4 Propylidynetrimethyl trimethacrylate

WEEL Long-term value: 1 mg/m³

Skin

Ingredients with biological limit values:

Pigment 1

BEI 25 µg/L

urine

end of shift at end of workweek

Total chromium (fume)

10 µg/L urine

increase during shift Total chromium (fume)

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- Material of gloves: Not required.
- · Penetration time of glove material: Not applicable.
- Eye protection:



Tightly sealed goggles

rsical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Color: Pink Ester-like · Odor: · Odor threshold: Not determined. · pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Not determined. Boiling point/Boiling range: 101 °C (214 °F) · Flash point: 65 °C (149 °F)

(Contd. on page 5)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2018 Reviewed on 02/13/2018

Trade name: DENTCA Denture Base II for Carbon printers

Flammability (solid, gaseous): Not determined.
 Ignition temperature: 430 °C (806 °F)
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: 2.1 Vol % **Upper:** 12.5 Vol %

· Vapor pressure @ 20 °C (68 °F): 47 hPa (35 mm Hg)

Density:

Relative density:Not determined.Vapor density:Not applicable.Evaporation rate:Not applicable.

· Solubility in / Miscibility with:

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic @ 20 °C (68 °F): 1000-4000 cPs **Kinematic:** Not applicable.

Solvent content:

Organic solvents:1.5 %VOC content:1.5 %Solids content:1.8 %

· Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

LD/LC50 values that are relevant for classification:						
72869-	72869-86-4 Diurethane dimethacrylate					
Oral	LD50	>5000 mg/kg (rat)				
Inhibite	Inhibitor					
Oral	LD50	1600 mg/kg (rat)				

(Contd. on page 6)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2018 Reviewed on 02/13/2018

Trade name: DENTCA Denture Base II for Carbon printers

Pigment 1					
Oral	LD50	>10000 mg/kg (rat)			
Pigment 3					
Oral	LD50	>10000 mg/kg (rat)			
Dermal	LD50	>10000 mg/kg (rabbit)			
Inhalative	LC50/4 h	>6.82 mg/l (rat)			

- · Primary irritant effect:
- On the skin: No irritating effect.
- On the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories:

· IARC (Inter	rnational Agency for Research on Cancer):		
80-62-6	Methyl methacrylate	3	
9011-14-7	Poly(methyl methacrylate)	3	
	Pigment 1	1	
	Pigment 3	2B	
· NTP (Natio	nal Toxicology Program):		
Pigment 1	Pigment 1		
· OSHA-Ca (Occupational Safety & Health Administration):		
None of the	ingredients are listed.		

*12 Ecological Information

· Toxicity:

· Aquatic toxicity:			
72869-86-4 Diurethane dimethacrylate			
EC50 >1.2 mg/l (daphnia)			
Pigment 3			
EC50 >1000 mg/l (Water flea)			

- · Persistence and degradability: No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

(Contd. on page 7)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/13/2018 Reviewed on 02/13/2018

Trade name: DENTCA Denture Base II for Carbon printers

13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport Information

· UN-Number:

· DOT, ADR, ADN, IMDG, IATA Non-Regulated Material

UN proper shipping name:

DOT, ADR, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR, ADN, IMDG, IATA

· Class: Non-Regulated Material

Packing group:

· **DOT, ADR, IMDG, IATA** Non-Regulated Material

• Environmental hazards: Not applicable. • Special precautions for user: Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt from listing.

- · California Proposition 65:
- · Chemicals known to cause cancer:

Pigment 1

Pigment 3

· Chemicals known to cause reproductive toxicity for females:

Pigment 1

· Chemicals known to cause reproductive toxicity for males:

Pigment 1

· Chemicals known to cause developmental toxicity:

Pigment 1

(Contd. on page 8)

OSHA HazCom Standard 29 CFR 1910.1200(a) and GHS Rev 03.

Issue date 02/13/2018 Reviewed on 02/13/2018

Trade name: DENTCA Denture Base II for Carbon printers

· Carcinogenic categories:

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

Pigment 1

Pigment 3

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



· Signal word: Warning

· Hazard statements:

H319 Causes serious eye irritation.

H402 Harmful to aquatic life.

· Precautionary statements:

Wear eye protection / face protection. P280 P273 Avoid release to the environment. P264 Wash thoroughly after handling.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. P337+P313

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

- · Information about limitation of use:
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- Date of preparation / last revision: 02/13/2018 / 3
- Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 02/13/2018 Issue date 02/13/2018

Trade name: DENTCA Denture Base II for Carbon printers

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Resp. Sens. 1A: Respiratory sensitisation – Category 1A

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 1B: Carcinogenicity - Category 1B

Carc. 2: Carcinogenicity – Category 2 Repr. 1A: Reproductive toxicity – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106