

#### SAFETY DATA SHEET

### Product Name: Ciprofloxacin in 5% Dextrose Injection, USP

# **1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Manufacturer Name And Address	Hospira, Inc. 275 North Field Drive Lake Forest, Illinois 60045 USA
Emergency Telephone	CHEMTREC: North America: 800-424-9300; International 1-703-527-3887; Australia - 61-290372994; UK - 44-870-8200418
Hospira, Inc., Non-Emergency	224 212-2000
Product Name	Ciprofloxacin in 5% Dextrose Injection, USP
Synonyms	1-cyclopropyl-6-fluoro-1, 4-dihydro-4-oxo-7-(1-piperazinyl)-3-quinolinecarboxylic acid.

#### 2. HAZARD(S) IDENTIFICATION

Emergency Overview	fluoroquinolone antibiotic. In clin infections. In the workplace, this n mucus membranes, eyes, and respi known allergies to quinolone antib prior to working with open contain target organs include the gastrointe	ction is a solution containing ciprofloxacin, a ical use, this material is used to treat susceptible naterial should be considered potentially irritating to ratory system, and a possible sensitizer. Persons with iotics should consult a health and/or safety professional ters of this material. Based on clinical use, possible estinal system, nervous system, genitourinary system, hematological system, and musculoskeletal system.
Physical Hazards	Hazard Class	Hazard Category

Physical Hazards	Hazard Class	Hazard Category
	Not Classified	Not Classified
Health Hazards	Hazard Class	Hazard Category
	Sensitization – Skin	1
	Sensitization - Respiratory	1
	STOT – RE	2
Label Flowert(a)		

Label Element(s)

Pictogram



Danger

Signal Word

Hazard Statement(s)

May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction May cause damage to organs through prolonged or repeated exposure



### 2. HAZARD(S) IDENTIFICATION: continued

#### **Precautionary Statement(s)**

Prevention	Do not breathe dust/vapors/spray In case of inadequate ventilation, wear respiratory protection Wear protective gloves Wash hands thoroughly after handling Contaminated work clothing must not be allowed out of the workplace
Response	Get medical attention if you feel unwell. IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a doctor.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.
	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Active Ingredient Name	
Chemical Formula	

Ciprofloxacin C<sub>17</sub>H<sub>18</sub>FN<sub>3</sub>O<sub>3</sub>

Component	Approximate Percent by Weight	CAS Number	<b>RTECS Number</b>
Ciprofloxacin	0.2	85721-33-1	VB1993800

Non-hazardous ingredients include Water for Injection and dextrose. Hazardous ingredients present at less than 1% may include lactic acid; hydrochloric acid is added to adjust the pH.

#### **4. FIRST AID MEASURES**

Eye Contact	Remove from source of exposure. Flush with copious amounts of water. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.
Skin Contact	Remove from source of exposure. Flush with copious amounts of water. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.
Inhalation	Remove from source of exposure. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.
Ingestion	Remove from source of exposure. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.

# **5. FIRE FIGHTING MEASURES**

Flammability	None anticipated for this aqueous product.
Fire & Explosion Hazard	None anticipated for this aqueous product.
Extinguishing Media	As with any fire, use extinguishing media appropriate for primary cause of fire such as carbon dioxide, dry chemical extinguishing powder or foam.
Special Fire Fighting Procedures	No special provisions required beyond normal firefighting equipment such as flame and chemical resistant clothing and self contained breathing apparatus.



### 6. ACCIDENTAL RELEASE MEASURES

Spill Cleanup and Disposal	Isolate area around spill. Put on suitable protective clothing and equipment as specified by site spill control procedures. Absorb the liquid with suitable material and clean affected area with soap and water. Dispose of spill materials according to
	the applicable federal, state, or local regulations.

#### 7. HANDLING AND STORAGE

Handling	No special handling required for hazard control under conditions of normal product use.
Storage	No special storage required for hazard control. For product protection, follow storage recommendations noted on the product case label, the primary container label, or the product insert.
Special Precautions	No special precautions required for hazard control. Persons with known allergies to quinolone antibiotics should consult a health and/or safety professional prior to handling open containers of this material.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

		Exposure	e Limits	
Component	OSHA-PEL	ACGIH-TLV	AIHA WEEL	Hospira EEL
Ciprofloxacin	8 hr TWA: Not	8 hr TWA: Not	8-hour TWA: Not	8 hr TWA: Not
	Established	Established	Established	Established

Notes: OSHA PEL: US Occupational Safety and Health Administration – Permissible Exposure Limit

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value.

AIHA WEEL: Workplace Environmental Exposure Level

EEL: Employee Exposure Limit.

TWA: 8 hour Time Weighted Average.

Respiratory Protection	Respiratory protection is normally not needed during intended product use. However, if the generation of aerosols is likely, and engineering controls are not considered adequate to control potential airborne exposures, the use of an approved air-purifying respirator with a HEPA cartridge (N95 or equivalent) is recommended under conditions where airborne aerosol concentrations are not expected to be excessive. For uncontrolled release events, or if exposure levels are not known, provide respirators that offer a high protection factor such as a powered air purifying respirator or supplied air. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions require respirator use. Personnel who wear respirators should be fit tested and approved for respirator use as required.
Skin Protection	If skin contact with the product formulation is likely, the use of latex or nitrile gloves is recommended.
Eye Protection	Eye protection is normally not required during intended product use. However, if eye contact is likely to occur, the use of chemical safety goggles (as a minimum) is recommended.
Engineering Controls	Engineering controls are normally not needed during the normal use of this product.



# 9. PHYSICAL/CHEMICAL PROPERTIES

Appearance/Physical State	A clear, colorless to slightly yellowish solution
Odor	NA
Odor Threshold	NA
рН	3.5 - 4.6
Melting point/Freezing Point	NA
Initial Boiling Point/Boiling Point Range	NA
Flash Point	NA
Evaporation Rate	NA
Flammability (solid, gas)	NA
Upper/Lower Flammability or Explosive Limits	NA
Vapor Pressure	NA
Vapor Density (Air =1)	NA
Relative Density	NA
Solubility	Soluble in dilute (0.1N) hydrochloric acid; practically insoluble in
	water and ethanol
Partition Coefficient: n-octanol/water	NA
Auto-ignition Temperature	NA
Decomposition Temperature	NA
Viscosity	NA

# **10. STABILITY AND REACTIVITY**

Reactivity	Not determined.
Chemical Stability	Stable under standard use and storage conditions.
Hazardous Reactions	Not determined
Conditions to Avoid	Not determined
Incompatibilities	Not determined
Hazardous Decomposition Products	Not determined. During thermal decomposition, it may be possible to generate irritating vapors and/or toxic fumes of carbon oxides (COx), nitrogen oxides (NOx), and hydrogen fluoride.
Hazardous Polymerization	Not anticipated to occur with this product.

#### **11. TOXICOLOGICAL INFORMATION**

Acute Toxicity - Not determined for the product formulation. Information for the active ingredient is as follows:

Ingredient(s)	Percent	Test Type	Route of Administration	Value	Units	Species
Ciprofloxacin	100	LD50	Oral	> 2000 5000	mg/kg mg/kg	Rat Mouse
Ciprofloxacin	100	LD50	Intravenous	207 122	mg/kg mg/kg	Rat Mouse
Ciprofloxacin Hydrochloride	100	LD50	Oral	> 5000	mg/kg	Rat, Mouse, Monkey
Ciprofloxacin Hydrochloride	100	LD50	Intravenous	300 258	mg/kg mg/kg	Rat Mouse

LD 50: Dosage that produces 50% mortality.



# 11. TOXICOLOGICAL INFORMATION: continued

Occupational Exposure Potential	Information on the absorption of this product via inhalation or skin contact is not available. Avoid liquid aerosol generation and skin contact.		
Signs and Symptoms	None anticipated from normal handling of this product. In clinical use, adverse effects have included nausea, diarrhea, vomiting, headache, dizziness, rashes, urticaria, eosinophilia, fever, chills, photo-sensitivity, nephritis, dysuria, increased serum creatinine, increased serum enzymes, joint pain and inflammation, stiffness, arthropathy, leukopenia, altered platelet counts, pancytopenia, anemia, palpitation, hypertension, and angina. During therapy with quinolones, a moderate to severe phototoxicity, characterized by an exaggerated sunburn reaction, may occur following exposure to sunlight.		
Aspiration Hazard	None anticipated from normal	handling of this product.	
Dermal Irritation/Corrosion	None anticipated from normal	handling of this product.	
Ocular Irritation/Corrosion	None anticipated from normal handling of this product. However, inadvertent contact of this product with eyes may produce irritation and redness.		
Dermal or Respiratory Sensitization	None anticipated from normal and sometimes fatal anaphyla following first-time quinolone	ctic reactions have been repo	
Reproductive Effects	None anticipated from normal evidence of impairment was r Reproduction studies conduct showed no evidence of harm to ciprofloxacin at dosages of 30 maternal weight loss and an in noted at either dosage level. I was not associated with mater was observed.	noted in rats given oral dosag ed in rats and mice at oral do to the fetus due to ciprofloxa and 100 mg/kg produced genereased incidence of abortion intravenous administration a	ges up to 100 mg/kg. osages up to 100 mg/kg icin. In rabbits, oral astrointestinal toxicity, on; no teratogenicity was t dosages up to 20 mg/kg
Mutagenicity	Ciprofloxacin was negative in including the Salmonella/Mic (Negative); the Mouse Lymph Chinese Hamster V <sub>79</sub> Cell HC Transformation Assay (Negative) Transformation Assay (Negative) Conversion Assay (Negative) Ciprofloxacin was negative in DNA Repair Assay; the Mous mice.	rosome Test (Negative); the noma Cell Forward Mutation iPRT Test (Negative); the S ive); the Saccharomyces cer tromyces cerevisiae Mitotic ; and the Rat Hepatocyte DN three <i>in vivo</i> test systems in	<i>E. coli</i> DNA Repair Assay Assay (Positive); the yrian Hamster Embryo Cell <i>revisiae</i> Point Mutation Crossover and Gene VA Repair Assay (Positive). neluding the Rat Hepatocyte
Carcinogenicity	Long-term studies in rats and due to ciprofloxacin following mice, respectively. Results fr ciprofloxacin does not reduce compared to vehicle control.	g daily oral dosages up to $\overline{25}$ om photo co-carcinogenicity	0 and 750 mg/kg to rats and y testing indicate that
Carcinogen Lists	IARC: Not listed	NTP: Not listed	<b>OSHA:</b> Not listed
Specific Target Organ Toxicity – Single Exposure	NA		
Specific Target Organ Toxicity – Repeat Exposure	Based on clinical use, possible nervous system, genitourinary		-

## Product Name: Ciprofloxacin in 5% Dextrose Injection, USP



# **12. ECOLOGICAL INFORMATION**

Aquatic Toxicity	Not determined for product. Information for ciprofloxacin, an ingredient in this product, is provided below:
	EC50 = 0.61 mg/L in bacteria (activated sludge) EC50 = 2.97 mg/L in S. capricornutum (green algae, eukaryote) EC50 = 0.005 mg/L in M. aeruginosa (cyanobacteria, prokaryote) NOEC = 60 mg/L in Daphnia magna (48 hour) NOEC = 100 mg/L in B. Rerio (72 hour) (Zebrafish)
Persistence/Biodegradability	Not determined for product. Information for ciprofloxacin, an ingredient in this product, is provided below:
	Not readily degradable in a biodegradation assay.
Bioaccumulation	Not determined for product.
Mobility in Soil	Not determined for product.
Notes:	

NOEC = no-observed-effect-concentration
 LC50: Concentration in water that produces 50% mortality in fish.
 EC50: Concentration in water that produces 50% inhibition of growth in algae.

### **13. DISPOSAL CONSIDERATIONS**

Waste Disposal	All waste materials must be properly characterized. Further, disposal should be performed in accordance with the federal, state or local regulatory requirements.
Container Handling and Disposal	Dispose of container and unused contents in accordance with federal, state and local regulations.

### **14. TRANSPORTATION INFORMATION**

ADR/ADG/ DOT STATUS	Regulated, if shipment of single or inner packagings are >5L liquids, or >5KG of solids.
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (Ciprofloxacin)
Hazard Class	9
UN Number	UN3802
Packing Group	III
<b>Reportable Quantity</b>	NA
ICAO/IATA STATUS	Regulated, if shipment of single or inner packagings are >5L liquids, or >5KG of solids.
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (Ciprofloxacin)
Hazard Class	9
UN Number	UN3802
Packing Group	III
<b>Reportable Quantity</b>	NA
IMDG STATUS	Regulated, if shipment of single or inner packagings are >5L liquids, or >5KG of solids.
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (Ciprofloxacin)
Hazard Class	9
UN Number	UN3802
Packing Group	III
<b>Reportable Quantity</b>	NA

Shipments of single or inner packagings of < or = 5L liquids, or < or = 5KG solids are not regulated as long as the general packaging provisions are met.



#### Product Name: Ciprofloxacin in 5% Dextrose Injection, USP

### **15. REGULATORY INFORMATION**

US TSCA Status	Exempt
US CERCLA Status	Not listed
US SARA 302 Status	Not listed
US SARA 313 Status	Not listed
US RCRA Status	Not listed
US PROP 65 (Calif.)	Not listed

TSCA, Toxic Substance Control Act; CERCLA, US EPA law, Comprehensive Environmental Response, Compensation, and Notes: Liability Act; SARA, Superfund Amendments and Reauthorization Act; RCRA, US EPA, Resource Conservation and Recovery Act; Prop 65, California Proposition 65

#### **GHS/CLP Classification\***

**Transport Comments:** 

\*In the EU, classification under GHS/CLP does not apply to certain substances and mixtures, such as medicinal products as defined in Directive 2001/83/EC, which are in the finished state, intended for the final user.

Hazard Class	Hazard Category	Pictogram	Signal Word	Hazard Statement	
NA	NA	NA	NA	NA	
Prevention	Do not breathe dust/vapors/spray. In case of inadequate ventilation, wear respiratory protection. Wear protective gloves. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.				
Response	Get medical attention if you feel unwell.				
	<ul> <li>IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a doctor.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.</li> <li>IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.</li> <li>Collect spillage. Avoid release into the environment.</li> </ul>				
EU Classification*	*Medicinal products a Preparations Directive		e requirements of the	e EU Dangerous	
Classification(s) Symbol Indication of Danger	NA NA NA				
Risk Phrases	R42/43: May cause sensitization by inhalation and skin contact				
Safety Phrases	S23: Do not breathe v S24: Avoid contact wi S25: Avoid contact wi S37/39 Wear suitable S61: Avoid release int	th the skin th eyes gloves and eye/fac			



#### **16. OTHER INFORMATION**

Notes:

ACGIH TLV	American Conference of Governmental Industrial Hygienists – Threshold Limit Value
CAS	Chemical Abstracts Service Number
CERCLA	US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act
DOT	US Department of Transportation Regulations
EEL	Employee Exposure Limit
IATA	International Air Transport Association
$LD_{50}$	Dosage producing 50% mortality
NA	Not applicable/Not available
NE	Not established
NIOSH	National Institute for Occupational Safety and Health
OSHA PEL	US Occupational Safety and Health Administration – Permissible Exposure Limit
Prop 65	California Proposition 65
RCRA	US EPA, Resource Conservation and Recovery Act
RTECS	Registry of Toxic Effects of Chemical Substances
SARA	Superfund Amendments and Reauthorization Act
STEL	15-minute Short Term Exposure Limit
STOT - SE	Specific Target Organ Toxicity – Single Exposure
STOT - RE	Specific Target Organ Toxicity – Repeated Exposure
TSCA	Toxic Substance Control Act
TWA	8-hour Time Weighted Average
MSDS Coordinator	Hospira GEHS

MSDS Coordinator:	Hospira GEHS
Date Prepared:	June 6, 2014
Date Revised	January 5, 2015

#### **Disclaimer:**

The information and recommendations contained herein are based upon tests believed to be reliable. However, Hospira does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. Hospira assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.