

SAFETY DATA SHEET

Issuing date 2015-04-21

Revision Date 2015-04-21

Version 4

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name: READYPRO Fixer

Product code: 1176262FIX

Supplier Carestream Health, Inc., 150 Verona Street, Rochester, New York 14608

Emergency telephone number

CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

For other information contact: 800-328-2910

Product Use: Restricted to professional users, Photographic chemical.

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2	
Serious eye damage/eye Irritation	Category 2B	

Label elements

Signal word

Emergency Overview Warning

Hazard Statements Causes skin irritation Causes eye irritation



Appearance aqueous solution

Physical state liquid

Odor Ammonia

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Hazards not otherwise classified (HNOC)

· Not applicable

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Water 7732-18-5	7732-18-5	80-90	*
Ammonium thiosulfate 7783-18-8	7783-18-8	10-15	*
Acetic acid 64-19-7	64-19-7	1-2	*
Ammonium sulfite 10196-04-0	10196-04-0	0.1-1	*
Aluminum sulfate 10043-01-3	10043-01-3	<1	*
Sodium sulfite 7757-83-7	7757-83-7	0.1-1	*
Sodium borate 1330-43-4	1330-43-4	0.1-1	*
Sodium hydroxide 1310-73-2	1310-73-2	<0.5	*

^{*}The exact percentages (concentrations) have been withheld as trade secrets.

4. FIRST AID MEASURES

First Aid Measures

General advice

Show this material safety data sheet to the doctor in attendance.

Eye contact

Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention

immediately if irritation persists.

Skin contact

Wash contaminated clothing before reuse. Get medical attention if irritation develops and

persists. Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes.

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediate medical attention is required. Administer oxygen if breathing is difficult. If not

breathing, give artificial respiration.

Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get

medical attention.

Most important symptoms and effects, both acute and delayed

Main Symptoms

Irritation.

1176262FIX - READYPRO Fixer Revision Date 2015-04-21

Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically. May cause sensitization of susceptible persons

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Dried product residue can act as a reducing agent. Reacts violently with oxidizing materials. May cause spontaneous heating and ignition when absorbed on combustible, porous material (e.g. rags, paper, sawdust, cotton, clothing).

Hazardous Combustion Products

Carbon oxides, Nitrogen oxides (NOx), Sulfur oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection see section 8. Ensure adequate ventilation. Avoid contact with skin,

eyes and clothing. Use personal protective equipment. Do not touch damaged containers or

spilled material unless wearing appropriate protective clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers,

basements or confined areas.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.

Methods for cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand,

earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure

adequate ventilation. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable

respiratory equipment. Wear personal protective equipment.

1176262FIX - READYPRO Fixer Revision Date 2015-04-21

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labeled containers.

Incompatible products

Acids. Strong bases. Oxidizing agents. Halogenated compounds. Sodium hypochlorite.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	AIHA - Workplace Environmental Exposure Levels (WEELs) - TWAs	OSHA PEL	Advisory OEL
Acetic acid 64-19-7	STEL 15 ppm TWA: 10 ppm		TWA: 10 ppm TWA: 25 mg/m ³	
Sodium borate 1330-43-4	STEL 6 mg/m ³ TWA: 2 mg/m ³		1	

Appropriate engineering controls

Engineering Measures

Ensure adequate ventilation. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with top and side-shields. If splashes are likely to occur, wear:.

Skin and body protection Long sleeved clothing. Protective gloves. Skin contact should be prevented through use of

suitable protective clothing, gloves, and footwear, selected with regard of use conditions

and exposure potential.

experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations. When workers are

facing concentrations above the exposure limit they must use appropriate certified

respirators.

Hygiene measures Remove and wash contaminated clothing before re-use. When using, do not eat, drink or

smoke. Wash hands before breaks and immediately after handling the product. Provide

regular cleaning of equipment, work area and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL AND CHEMICAL PROPERTIES

Physical state

liquid

Appearance

aqueous solution

Odor

Ammonia

Color

light yellow

Odor Threshold

No information available

Property

Values

Remarks/ • Method

Melting point/range:

4.4

No information available

Boiling point/boiling range

> 100 °C

No information available.

Flash Point

> 93.600 °C

No information available

Evaporation rate

Flammability (solid, gas)

upper flammability limit lower flammability limit

Vapor pressure

24 mbar @ 20 °C

completely soluble

0.6

No information available

Vapor density Specific Gravity

No information available

Water Solubility

No information available

Solubility in other solvents
Partition coefficient: n-octanol/water

No information available
No information available

Autoignition temperature Decomposition temperature No information available No information available

Viscosity, kinematic

No information available

Viscosity, dynamic Oxidizing Properties

No information available

No information available

Oxidizing Properties Explosive properties

No information available

Other information

No information available

Softening point Molecular Weight

No information available

Density VALUE
Bulk Density VALUE

No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

None under normal use conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing. Contact with strong acids liberates sulfur dioxide. Contact with sodium hypochlorite (bleach) may form chloramine (toxic gas). Contact with strong bases liberates ammonia.

Conditions to Avoid

Do not freeze. Extreme pH's.

Incompatible Materials

Acids. Strong bases. Oxidizing agents. Halogenated compounds. Sodium hypochlorite.

Hazardous Decomposition Products

Ammonia. Chloramine. Sulfur oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

May cause sensitization by inhalation. May cause irritation of respiratory tract.

Eye contact

Causes eye irritation.

Skin contact

Irritating to skin.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

10196-04-0 Aluminum sulfate

10043-01-3 Sodium sulfite

7757-83-7

1330-43-4

Sodium borate

22 mg/L (Rat) 1 h

Inhalation LC50 Rat >22 mg/L 1 h

(Source: IUCLID)

Toxicology data for the components					
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50		
Water 7732-18-5	90,000 mg/kg (Rat)	-	-		
Ammonium thiosulfate 7783-18-8	> 2000 mg/kg (Rat)	-	-		
Acetic acid 64-19-7	3310 mg/kg(Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat)4 h Inhalation LC50 Rat 11.4 mg/L 4 h (Source: NLM CIP)		
Ammonium sulfite	2500 mg/kg (Rat)		-		

> 5000 mg/kg (Rat)

820 mg/kg (Rat)

Oral LD50 Rat 820 mg/kg (Source:

IUCLID)

2660 mg/kg (Rat)

Oral LD50 Rat 2660 mg/kg (Source:

JAPAN GHS)

Chemical Name	Other applicable information
Acetic acid	Severe eye irritation Severe skin irritation Acute overexposure to extremely high airborne concentrations of respiratory irritants has been associated with development of an asthma-like reactive airways syndrome (RADS) in susceptible individuals. Extremely high airborne concentrations are not generated during normal conditions of use but may occur following a spill. The potential to generate extremely high airborne concentrations in a spill situation depends upon physical factors such as the concentration of the solution, the volume of the spill, the surface area of the spill, the size of the room where the spill occured, and the ventilation rate in the room.
Aluminum sulfate Sodium sulfite	Severe eye irritation No skin irritation Cell transformation assay: negative Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea No skin irritation
Goddin Suinte	Mild eye irritation
Sodium borate	Based on repeated-dose ingestion studies in animals, may cause adverse reproductive and developmental effects. However, the doses administered were many times those to which humans would normally be exposed.

Information on toxicological effects

Symptoms

Irritant.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

May cause sensitization by inhalation.

mutagenic effects

No information available.

Carcinogenicity

Contains no ingredients above reportable quantities listed as a carcinogen.

Reproductive toxicity

Contains a known or suspected reproductive toxin. However, based on available data the

2000 mg/kg (Rabbit)

Dermal LD50 Rabbit >2000 mg/kg

(Source: IUCLID)

product should not be classified for reproductive effects.

STOT - single exposure STOT - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure No information available

Target Organ Effects

Eyes, Skin, Respiratory system.

Aspiration Hazard

No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)

16263 mg/kg 57923 mg/kg

ATEmix (dermal)
ATEmix (inhalation-dust/mist)

623 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

<20% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Acetic acid 64-19-7		75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L LC50 static		65: 48 h Daphnia magna mg/L EC50 Static
Sodium borate 1330-43-4	2.6 - 21.8: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 158: 96 h Desmodesmus subspicatus mg/L EC50	340: 96 h Limanda limanda mg/L LC50		1085 - 1402: 48 h Daphnia magna mg/L LC50

Persistence and degradability

Expected to be readily biodegradable.

Bioaccumulation:

No information available.

Chemical Name	log Pow
Acetic acid 64-19-7	-0.31
Sodium sulfite 7757-83-7	-4

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods

Dispose of in accordance with local regulations.

Contaminated packaging

Do not re-use empty containers. Dispose of in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Acetic acid	Toxic
64-19-7	Corrosive
	Ignitable
Sodium hydroxide	Toxic
1310-73-2	Corrosive

14. TRANSPORT INFORMATION

1176262FIX - READYPRO Fixer

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

DOT Not regulated

TDG Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

For transportation information, go to: http://ship.carestream.com

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies KECL Complies **PICCS** Complies **AICS** Complies **NZIoC** Complies

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Ammonium thiosulfate - 7783-18-8	1.0
Ammonium sulfite - 10196-04-0	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21

and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic acid	5000 lb			X
Ammonium sulfite	5000 lb			X
Aluminum sulfate	5000 lb			Х

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Acetic acid - 64-19-7		Group II		

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	SARA Product RQ
Acetic acid	5000 lb		
Ammonium sulfite	5000 lb		
Aluminum sulfate	5000 lb		

TSCA

This product does not contain any chemicals regulated under TSCA Section 4, Section 5(a), Section 8(a) or Section 8(d).

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ammonium thiosulfate	Х		X		
Acetic acid	X	X	X		X
Ammonium sulfite	Х	X	X		
Aluminum sulfate	Х	X	X		
Sodium borate	X		X	,	

International Regulations

Mexico - Grade Moderate risk, Grade 2

Chemical Name	Carcinogen Status	Exposure Limits
Acetic acid		Mexico: TWA 10 ppm Mexico: TWA 25 mg/m³ Mexico: STEL 15 ppm Mexico: STEL 37 mg/m³
Aluminum sulfate		Mexico: TWA 2 mg/m ³
Sodium borate		Mexico: TWA 1 mg/m ³

16. OTHER INFORMATION

1176262FIX - READYPRO Fixer

NFPA HMIS	Health Hazard 2	Flammability 1	Instability 0
TIVIIO	Health Hazard 2	Flammability 1	Physical Hazard 0

 Issuing date
 2014-02-05

 Revision Date
 2015-04-21

Revision Note Update to OSHA GHS SDS format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet