

**3M General Offices** 3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (651) 737-6501 (24 hours)

# Safety Data Sheet

2024-12-26 21:30:06.237

Purchase Order #:919070Customer Number:0020351632

32 SDS Coordinator DHPI DHP 1631 GILLINGH

SDS Coordinator DHPI DHP 1631 GILLINGHAM LN STE 100 SUGAR LAND, TX 77478-2984 USA

Dear SDS Coordinator

Enclosed is the Safety Data Sheet (SDS)\* for the product that your company recently purchased from 3M.

Please forward the attached document(s) to the individual in your organization responsible for hazard communication.

If you are a distributor and resell this product, OSHA and EPA require that you transmit this SDS information to your customers at the time of first shipment or whenever you receive revised SDSs from 3M.

3M SDSs are available over the Internet at www.3m.com/MSDSSearch.

3M is committed to meeting our customer requirements. Please contact your 3M customer service or sales representative if you have any questions. If you do not know whom to contact, please call the 3M Product Information Center at 1-800-364-3577.

# If you are not currently receiving 3M SDSs by e-mail and would like to do so, please contact our eSDS Administrator at emsdsadmin@mmm.com

\*An Article Information Sheet (AIS) or Article Information Letter (AIL) may be enclosed in place of an SDS if the product is an article which does not require an SDS under the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.



# **Safety Data Sheet**

#### Copyright,2016,3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	28-4017-1	Version Number:	3.00
Issue Date:	02/25/16	Supercedes Date:	12/22/14

# **SECTION 1: Identification**

#### 1.1. Product identifier

12116/12216/12117 SERIES 3MTM ESPETM CLINPROTM TOOTH CREME 0.21% w/w SODIUM FLUORIDE ANTICAVITY PASTE WITH TRI-CALCIUM PHOSPHATE

#### **Product Identification Numbers**

70-2010-5657-2, 70-2010-7844-4, 70-2010-7885-7, 70-2010-7986-3, 70-2010-8601-7, 70-2010-8602-5, 70-2010-8886-4, 70-2010-8934-2, 70-2010-9742-8, 70-2010-9743-6, 70-2010-9744-4, 70-2010-9745-1, 70-2010-9746-9, 70-2014-0022-6, 70-2014-0023-4, 70-2014-0024-2

#### 1.2. Recommended use and restrictions on use

#### **Recommended use** Dental Product, Dental Preventative **Restrictions on use** For use only by dental professionals

1.3. Supplier's details	
<b>MANUFACTURER:</b>	3M
<b>DIVISION:</b>	Oral Care Solutions Division
ADDRESS:	3M Center, St. Paul, MN 55144-1000, USA
Telephone:	1-888-3M HELPS (1-888-364-3577)

#### **1.4.** Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

# **SECTION 2: Hazard identification**

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

#### 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

2.2. Label elements Signal word Not applicable.

# Symbols

Not applicable.

## Pictograms

Not applicable.

# **2.3.** Hazards not otherwise classified

None.

# **SECTION 3: Composition/information on ingredients**

Ingredient	C.A.S. No.	% by Wt
WATER	7732-18-5	30 - 40 Trade Secret *
NON-CRYSTALLIZING SORBITOL SOLUTION	50-70-4	20 - 30 Trade Secret *
SYNTHETIC AMORPHOUS PRECIPITATED SILICA	112926-00-8	10 - 20 Trade Secret *
(CRYSTALLINE-FREE)		
GLYCERIN	56-81-5	1 - 10 Trade Secret *
AMORPHOUS SILICA	7631-86-9	1 - 10 Trade Secret *
POLYETHYLENE-POLYPROPYLENE GLYCOL	9003-11-6	1 - 10 Trade Secret *
POLYETHYLENE GLYCOL	25322-68-3	1 - 5 Trade Secret *
SODIUM SACCHARIN	128-44-9	< 2 Trade Secret *
TITANIUM DIOXIDE	13463-67-7	< 2 Trade Secret *
FLAVORINGS	Mixture	< 2 Trade Secret *
SODIUM CARBOXYMETHYL CELLULOSE	9004-32-4	< 2 Trade Secret *
SODIUM LAURYL SULFATE	151-21-3	< 2 Trade Secret *
SODIUM FLUORIDE	7681-49-4	< 1 Trade Secret *
MODIFIED TRICALCIUM PHOSPHATE	None	< 1 Trade Secret *

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

## Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

## Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

## If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

# $12116/12216/12117 \ SERIES \ 3M^{\rm TM} \ ESPE^{\rm TM} \ CLINPRO^{\rm TM} \ TOOTH \ CREME \ 0.21\% \ w/w \ SODIUM \ FLUORIDE \ ANTI-CAVITY \ PASTE \ WITH \ TRI-CALCIUM \ PHOSPHATE \ 02/25/16$

# **4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### Hazardous Decomposition or By-Products

Substance	<b><u>Condition</u></b>
Carbon monoxide	During Combustion
Carbon dioxide	During Combustion

## **5.3. Special protective actions for fire-fighters**

No special protective actions for fire-fighters are anticipated.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

## **6.2. Environmental precautions**

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

#### 7.2. Conditions for safe storage including any incompatibilities

Store away from oxidizing agents.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## **Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
TITANIUM DIOXIDE	13463-67-7	ACGIH	TWA:10 mg/m3	A4: Not class. as human
				carcin

# 12116/12216/12117 SERIES 3M<sup>™</sup> ESPE<sup>™</sup> CLINPRO<sup>™</sup> TOOTH CREME 0.21% w/w SODIUM FLUORIDE ANTI-CAVITY PASTE WITH TRI-CALCIUM PHOSPHATE 02/25/16

TITANIUM DIOXIDE	13463-67-7	CMRG	TWA(as respirable dust):5 mg/m3	
TITANIUM DIOXIDE	13463-67-7	OSHA	TWA(as total dust):15 mg/m3	
POLYETHYLENE GLYCOL	25322-68-3	AIHA	TWA(as particulate):10 mg/m3	
GLYCERIN	56-81-5	OSHA	TWA(as total dust):15 mg/m3;TWA(respirable fraction):5 mg/m3	
AMORPHOUS SILICA	7631-86-9	CMRG	TWA(as respirable dust):3 mg/m3	
FLUORIDES	7681-49-4	ACGIH	TWA(as F):2.5 mg/m3	A4: Not class. as human carcin
FLUORIDES	7681-49-4	OSHA	TWA(as dust):2.5 mg/m3;TWA(as F):2.5 mg/m3	

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

#### **8.2. Exposure controls**

#### 8.2.1. Engineering controls

No engineering controls required.

### 8.2.2. Personal protective equipment (PPE)

#### **Eye/face protection**

None required.

#### **Skin/hand protection**

See Section 7.1 for additional information on skin protection.

#### **Respiratory protection**

None required.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Paste Opaque paste with characteristic flavor. *No Data Available Not Applicable Not Applicable* 201 °C No flash point *Not Applicable* Not Classified *Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable* 

Solid

# $\frac{12116}{12216} \text{ Series 3M^{\text{TM}} ESPE^{\text{TM}} CLINPRO^{\text{TM}} TOOTH CREME 0.21\% \text{ w/w SODIUM FLUORIDE ANTI-CAVITY PASTE WITH TRI-CALCIUM PHOSPHATE} 02/25/16$

Vapor Density
Density
Specific Gravity
Solubility in Water
Solubility- non-water
Partition coefficient: n-octanol/ water
Autoignition temperature
Decomposition temperature
Viscosity
Molecular weight

Not Applicable 1.04 g/cm3 1.04 [Ref Std: WATER=1] Appreciable No Data Available No Data Available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

# 10.2. Chemical stability

Stable.

# **10.3.** Possibility of hazardous reactions

Hazardous polymerization will not occur.

# 10.4. Conditions to avoid

None known.

#### **10.5. Incompatible materials** Strong oxidizing agents

# 10.6. Hazardous decomposition products

Substance None known. **Condition** 

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

No known health effects.

### **Skin Contact:**

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

# Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

#### **Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

# **Additional Health Effects:**

#### **Carcinogenicity:**

Exposures needed to cause the following health effect(s) are not expected during normal, intended use:

Contains a chemical or chemicals which can cause cancer.

Ingredient	CAS No.	Class Description	Regulation
TITANIUM DIOXIDE	13463-67-7	Grp. 2B: Possible human carc.	International Agency for Research on Cancer

# **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE > 5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE > 5,000 mg/kg
NON-CRYSTALLIZING SORBITOL SOLUTION	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
NON-CRYSTALLIZING SORBITOL SOLUTION	Ingestion	Rat	LD50 15,900 mg/kg
SYNTHETIC AMORPHOUS PRECIPITATED SILICA (CRYSTALLINE-FREE)	Dermal	Rabbit	LD50 > 5,000 mg/kg
SYNTHETIC AMORPHOUS PRECIPITATED SILICA (CRYSTALLINE-FREE)	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
SYNTHETIC AMORPHOUS PRECIPITATED SILICA (CRYSTALLINE-FREE)	Ingestion	Rat	LD50 > 5,110 mg/kg
GLYCERIN	Dermal	Rabbit	LD50 estimated to be $> 5,000 \text{ mg/kg}$
GLYCERIN	Ingestion	Rat	LD50 > 5,000 mg/kg
AMORPHOUS SILICA	Dermal	Rabbit	LD50 > 5,000 mg/kg
AMORPHOUS SILICA	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
AMORPHOUS SILICA	Ingestion	Rat	LD50 > 5,110 mg/kg
POLYETHYLENE-POLYPROPYLENE GLYCOL	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
POLYETHYLENE-POLYPROPYLENE GLYCOL	Ingestion	Rat	LD50 5,700 mg/kg
SODIUM LAURYL SULFATE	Inhalation- Dust/Mist		LC50 > 0.975 mg/l
SODIUM SACCHARIN	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
POLYETHYLENE GLYCOL	Dermal	Rabbit	LD50 > 20,000 mg/kg
SODIUM CARBOXYMETHYL CELLULOSE	Dermal	Rabbit	LD50 > 2,000 mg/kg

# 12116/12216/12117 SERIES 3M<sup>TM</sup> ESPE<sup>TM</sup> CLINPRO<sup>TM</sup> TOOTH CREME 0.21% w/w SODIUM FLUORIDE ANTI-CAVITY PASTE WITH TRI-CALCIUM PHOSPHATE 02/25/16

SODIUM LAURYL SULFATE	Dermal	Rabbit	LD50 580 mg/kg
TITANIUM DIOXIDE	Dermal	Rabbit	LD50 > 10,000 mg/kg
POLYETHYLENE GLYCOL	Ingestion	Rat	LD50 32,770 mg/kg
SODIUM CARBOXYMETHYL CELLULOSE	Ingestion	Rat	LD50 > 27,000 mg/kg
SODIUM LAURYL SULFATE	Ingestion	Rat	LD50 1,650 mg/kg
SODIUM SACCHARIN	Ingestion	Rat	LD50 14,200 mg/kg
TITANIUM DIOXIDE	Inhalation-	Rat	LC50 > 6.82 mg/l
	Dust/Mist		
	(4 hours)		
TITANIUM DIOXIDE	Ingestion	Rat	LD50 > 10,000 mg/kg
SODIUM FLUORIDE	Dermal	Rat	LD50 > 2,000 mg/kg
SODIUM FLUORIDE	Inhalation-	Rat	LC50 1 mg/l
	Dust/Mist		
SODIUM FLUORIDE	Ingestion	Rat	LD50 148.5 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
SYNTHETIC AMORPHOUS PRECIPITATED SILICA (CRYSTALLINE-	Rabbit	No significant irritation
FREE)		
GLYCERIN	Rabbit	No significant irritation
AMORPHOUS SILICA	Rabbit	No significant irritation
POLYETHYLENE GLYCOL	Rabbit	Minimal irritation
SODIUM LAURYL SULFATE	Rabbit	Irritant
TITANIUM DIOXIDE	Rabbit	No significant irritation
SODIUM FLUORIDE	official	Irritant
	classifica	
	tion	

#### **Serious Eye Damage/Irritation**

Name	Species	Value
SYNTHETIC AMORPHOUS PRECIPITATED SILICA (CRYSTALLINE-FREE)	Rabbit	No significant irritation
GLYCERIN	Rabbit	No significant irritation
AMORPHOUS SILICA	Rabbit	No significant irritation
POLYETHYLENE GLYCOL	Rabbit	Mild irritant
SODIUM LAURYL SULFATE	Rabbit	Corrosive
TITANIUM DIOXIDE	Rabbit	No significant irritation
SODIUM FLUORIDE	official	Severe irritant
	classifica	
	tion	

#### **Skin Sensitization**

Name	Species	Value
SYNTHETIC AMORPHOUS PRECIPITATED SILICA (CRYSTALLINE-	Human	Not sensitizing
FREE)	and	
	animal	
GLYCERIN	Guinea	Not sensitizing
	pig	
AMORPHOUS SILICA	Human	Not sensitizing
	and	
	animal	
POLYETHYLENE GLYCOL	Guinea	Not sensitizing
	pig	
TITANIUM DIOXIDE	Human	Not sensitizing
	and	
	animal	

# **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

# 12116/12216/12117 SERIES 3M<sup>TM</sup> ESPE<sup>TM</sup> CLINPRO<sup>TM</sup> TOOTH CREME 0.21% w/w SODIUM FLUORIDE ANTI-CAVITY PASTE WITH TRI-CALCIUM PHOSPHATE 02/25/16

#### Germ Cell Mutagenicity

Name	Route	Value
SYNTHETIC AMORPHOUS PRECIPITATED SILICA (CRYSTALLINE-	In Vitro	Not mutagenic
FREE)		
AMORPHOUS SILICA	In Vitro	Not mutagenic
POLYETHYLENE GLYCOL	In Vitro	Not mutagenic
POLYETHYLENE GLYCOL	In vivo	Not mutagenic
TITANIUM DIOXIDE	In Vitro	Not mutagenic
TITANIUM DIOXIDE	In vivo	Not mutagenic

## Carcinogenicity

Name	Route	Species	Value
SYNTHETIC AMORPHOUS PRECIPITATED SILICA	Not	Mouse	Some positive data exist, but the data are not
(CRYSTALLINE-FREE)	Specified		sufficient for classification
GLYCERIN	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification
AMORPHOUS SILICA	Not Specified	Mouse	Some positive data exist, but the data are not sufficient for classification
POLYETHYLENE GLYCOL	Ingestion	Rat	Not carcinogenic
TITANIUM DIOXIDE	Ingestion	Multiple animal species	Not carcinogenic
TITANIUM DIOXIDE	Inhalation	Rat	Carcinogenic

# **Reproductive Toxicity**

# **Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test Result	Exposure Duration
SYNTHETIC AMORPHOUS PRECIPITATED SILICA (CRYSTALLINE-FREE)	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
SYNTHETIC AMORPHOUS PRECIPITATED SILICA (CRYSTALLINE-FREE)	Ingestion	Not toxic to male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
SYNTHETIC AMORPHOUS PRECIPITATED SILICA (CRYSTALLINE-FREE)	Ingestion	Not toxic to development	Rat	NOAEL 1,350 mg/kg/day	during organogenesi s
GLYCERIN	Ingestion	Not toxic to female reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
GLYCERIN	Ingestion	Not toxic to male reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
GLYCERIN	Ingestion	Not toxic to development	Rat	NOAEL 2,000 mg/kg/day	2 generation
AMORPHOUS SILICA	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
AMORPHOUS SILICA	Ingestion	Not toxic to male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
AMORPHOUS SILICA	Ingestion	Not toxic to development	Rat	NOAEL 1,350 mg/kg/day	during organogenesi s
POLYETHYLENE GLYCOL	Ingestion	Not toxic to female reproduction	Rat	NOAEL 1,125 mg/kg/day	during gestation
POLYETHYLENE GLYCOL	Ingestion	Not toxic to male reproduction	Rat	NOAEL 5699 +/- 1341 mg/kg/day	5 days
POLYETHYLENE GLYCOL	Not Specified	Some positive reproductive/developmental data exist, but the data are not sufficient for classification		NOEL N/A	
POLYETHYLENE GLYCOL	Ingestion	Some positive developmental data exist, but the data are not sufficient for classification	Mouse	NOAEL 562 mg/animal/da y	during gestation

# Target Organ(s)

# Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
POLYETHYLENE GLYCOL	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1.008 mg/l	2 weeks
SODIUM LAURYL SULFATE	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	
SODIUM FLUORIDE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure

# Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
SYNTHETIC AMORPHOUS PRECIPITATED SILICA (CRYSTALLINE-FREE)	Inhalation	respiratory system   silicosis	All data are negative	Human	NOAEL Not available	occupational exposure
GLYCERIN	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 3.91 mg/l	14 days
GLYCERIN	Inhalation	heart   liver   kidney and/or bladder	All data are negative	Rat	NOAEL 3.91 mg/l	14 days
GLYCERIN	Ingestion	endocrine system   hematopoietic system   liver   kidney and/or bladder	All data are negative	Rat	NOAEL 10,000 mg/kg/day	2 years
AMORPHOUS SILICA	Inhalation	respiratory system   silicosis	All data are negative	Human	NOAEL Not available	occupational exposure
POLYETHYLENE GLYCOL	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1.008 mg/l	2 weeks
POLYETHYLENE GLYCOL	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 5,640 mg/kg/day	13 weeks
POLYETHYLENE GLYCOL	Ingestion	heart   endocrine system   hematopoietic system   liver   nervous system	All data are negative	Rat	NOAEL 5,640 mg/kg/day	13 weeks
TITANIUM DIOXIDE	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
TITANIUM DIOXIDE	Inhalation	pulmonary fibrosis	All data are negative	Human	NOAEL Not available	occupational exposure
SODIUM FLUORIDE	Inhalation	bone, teeth, nails, and/or hair	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
SODIUM FLUORIDE	Ingestion	bone, teeth, nails, and/or hair	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL 0.33 mg/kg/day	environmenta 1 exposure

#### Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

### **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

#### **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

#### **13.1.** Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility.

#### EPA Hazardous Waste Number (RCRA): Not regulated

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

# **SECTION 15: Regulatory information**

## **15.1. US Federal Regulations**

Contact 3M for more information.

#### 311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

## **15.2. State Regulations**

Contact 3M for more information.

# **15.3.** Chemical Inventories

The components of this product are in compliance with the new substance notification requirements of CEPA.

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

## **15.4. International Regulations**

Contact 3M for more information.

# This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# **SECTION 16: Other information**

#### NFPA Hazard Classification

## Health: 1 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group:	28-4017-1	Version Number:	3.00
Issue Date:	02/25/16	Supercedes Date:	12/22/14

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

#### 3M USA SDSs are available at www.3M.com