

Material Safety Data Sheet

1.1% NEUTRAL BRUSH ON GEL

Page 1 of 5

Section 1 – Identification

Product Name: Gelato Vivid 1.1% Neutral Fluoride

Brush-on Gel (Various Flavors)

Active Ingredient: Sodium Fluoride

Manufacturer: Keystone Industries

480 S Democrat Rd, Gibbstown, NJ 08027

Information Contacts: (856) 663-4700 **Toll Free:** (800) 333-3131

Emergency Phone Numbers: (800) 535-5053

Family: Fluoride Treatment

Product Use: Professional Dental Preventive Care

Product #: Various

Section 2 – Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Will cause eye irritation.
- May cause skin irritation.
- Prolong exposure may cause respiratory system irritation.
- Ingestion of large amounts may cause nausea, vomiting, headaches, or dizziness.
- Please read entire MSDS for additional information.





Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, and ingestion.

Eye Concentrated vapors are irritating to the eyes. Splashes may cause redness of the eye.

Skin Repeated/prolonged contact may cause mild irritation of the skin. Symptoms include redness,

burning, or itching.

Ingestion Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing

large amounts may be harmful. Symptoms include irritation of the throat, nausea, dizziness, and upset

stomach.

Inhalation If fine small particles are inhaled, irritation of the throat with a feeling of tightness in the chest may

occur.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA	Limits ACGIH	Carcinogen	%
Identity	Numbers			TWA/STEL	TWA/STEL	IARC/NTP/OSHA	
Glycerol	56-81-5	200-289-5	Glycerin	(as respirable, mist) TWA = 5 mg/ m^3	(as mist) TWA = 5 mg/ m^3	Not listed	10-20
Sodium Fluoride	7681-49-4	231-667-8	Sodium Fluoride	3ppm / 6ppm	2.5 mg / m^3	Not Listed	1-3
Sodium Hexameta Phosphate	68915-31-1	272-808-3	Sodium Hexametaphosphate	TWA = 15 mg/m ³ (total dust)	TWA = 10 mg/m^3	Not Listed	0-3

N/E – None N/DA – No Data Available
Established N/A – Not Applicable
N/R – Not Reviewed

(items in parenthesis relate to 1999/45/EC)

Sodium Fluoride: Danger Symbol – GHS06 (T), GHS07 (Xi) Hazard Statement – H301 (R25), EUH032 (R32), H315 (R38), H319 (R36)

Precautionary Statement – P102 (S2), P260 (S23), P280 (S36/37/39), P309+314 (S45)

Glycerol: Danger Symbol – GHS07 (Xi) Hazard Statement – H315 (R38), H319 (R36) Precautionary Statement – P404 (S7), P403+ 235 (S3/9)

Sodium Hexameta Phosphate: Danger Symbol – None Hazard Statement – H319+335+315 (R36/37/38) Precautionary

Statement - P305+334 (S26), P280 (S36)

See Section 16 for Hazard and Precautionary Statement Key.

Section 4 – First Aid Measures

First Aid for Eye Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.



Material Safety Data Sheet 1.1% NEUTRAL BRUSH ON GEL

First Aid for Skin Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort

persists.

First Aid for Ingestion If greater than normal dose is swallowed, do not induce vomiting. Drink large quantity of water or

milk. Seek medical attention.

Move to fresh air. If having breathing difficulty, give oxygen. Seek medical attention if discomfort First Aid for Inhalation

persists.

Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

Method:

Extinguishing Media: Suitable extinguishing media for the surrounding fire should be used.

During a fire, irritating or highly toxic gases may be generated by thermal decomposition. If potential Fire Fighting **Instructions:** for exposure, wear complete personal protective equipment including self contained breathing

apparatus, with full face operated in pressure demand. Fight fire from a safe distance/protected

location.

Unusual Hazards: Evacuate all personnel.

Section 6 – Accidental Release Measures

Minor spills - Clean up immediately, avoid contact with skin and eyes. Mop area and clean with soapy water Spill or Release

Major spills - Clear area of personnel. Restrict access to area. Avoid contact with skin and eyes, and mop / squeegee area Procedures

with soapy water. Collect contaminated water and dispose of properly.

See section 8 & section 12.

Section 7 – Handling and Storage

Limit all unnecessary personal contact. Avoid breathing dust / vapors. Wear appropriate PPE. Handling

Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when not Storage

in use. Keep in original container provided by manufacturer.

Explosion Hazard None.

Section 8 – Exposure Controls / Personal Protection

Engineering General exhaust is adequate under normal operating conditions.

Controls

Personal Protective Equipment

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a

hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard

EN166 be conducted before using this product.

Eye/ Face Safety glasses / goggles or splash shields are required when handling. Ensure eye bath is on hand.

Protection

No special equipment for minor exposure (i.e. when handling small quantities), but is recommended to use Skin Protection

impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body

suit.

Respiratory In case of insufficient ventilation, wear suitable respiratory equipment.

Protection

Section 9 – Physical and Chemical Properties

Appearance O		dor & Odor Threshold	PН	Spec	cific Gravity	Viscosity	% V	olatile
Colored	Gel	Odor of Stated Flavor	6-8	(H2	O = 1): N/A	N/A	N	//A
					1 1		1	
Boiling Point/	Decomposition	Octanol/Water	V	por	Vapor	Evaporation	Ignition	Solubility

Freezing Point Temperature Partitioning Coefficient Pressure: Density Rate In Water Log Po/w (20°C) N/A N/DA N/DA N/A N/A N/A N/A N/A



Material Safety Data Sheet 1.1% NEUTRAL BRUSH ON GEL

Page 3 of 5

Flash Point (°F/°C)		Flammable Limit (vol%)	Auto-ignition Temperature (vol%)	
	N/A	N/A	N/A	

Section 10 – Stability and Reactivity

Stability: Incompatibility (Materials to Avoid):

Stable Strong Acids

Hazardous Decomposition Products: Hazardous Polymerization:

Toxic Fumes (HF) Will not occur

Conditions to Avoid: Heat and incompatible materials

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
N/DA	N/DA	N/DA	N/DA	N/ DA

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/ DA	N/DA	N/ DA

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability	N/A. This material is not expected to significantly bioaccumulate.
Chemical Oxygen Demand	N/ DA

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-regulated material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	Non-regulated material
Proper Shipping Name:	N/A
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	N/A
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	Non-regulated material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	N/A
Emergency Schedule (EmS)#:	N/A
Other Information:	N/A



Material Safety Data Sheet

1.1% NEUTRAL BRUSH ON GEL

Page 4 of 5

Section 15 – Regulatory Information

US Fe	deral	Regul	lations
-------	-------	-------	---------

Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	• NONE
Clean Water Act: Priority	This product contains the following chemicals listed under the U. S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other
	applications as an indirect food-packaging additive.
Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are: None
RCRA	This product contains the following chemicals considered to be hazardous waste under
	RCRA (40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.
SARA Title III: Section 302	This product contains chemicals regulated under Section 304 as extremely hazardous
(TPQ)	chemicals for emergency release notification ("CERCLA" List):
	• Sodium Fluoride – CAS #7681-49-4 1000 # RQ
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication
	Standard and is regulated under Section 311-312 (40 CFR 370). It's hazards are:
	• Sodium Fluoride – CAS# 7681-49-4 (Corrosive)
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting
	requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization
	Act of 1986 and 40 CFR Part 372:
	• None
TSCA Section 8(b): Inventory:	This product does contain chemicals listed on the TSCA inventory or otherwise complies
•	with TSCA pre-manufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations

State Regulations	
CA Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
California No Significant Risk	None
Rule:	
MA Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
	Glycerol – CAS # 56-81-5
NJ Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
	Glycerol – CAS # 56-81-5
	Sodium Hexameta Phosphate – CAS #68915-31-1
PA Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
	Glycerol – CAS # 56-81-5
	Sodium Hexameta Phosphate – CAS #68915-31-1
FL Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
MN Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
	Glycerol – CAS # 56-81-5

International Regulations

CDSL: Canadian Inventory	Sodium Fluoride – CAS# 7681-49-4
(on Canadian Transitional List)	Glycerol – CAS # 56-81-5
(* * * * * * * * * * * * * * * * * * *	Sodium Hexameta Phosphate – CAS #68915-31-1

Labeling according to EC directives - 1272/2008 (CLP) AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)



Material Safety Data Sheet 1.1% NEUTRAL BRUSH ON GEL

European Community:



For Gelato Vivid 1.1% Neutral Sodium Fluoride Brush On Gel(finished product):

- DANGER SYMBOLS: GHS07 (Xi) Warning / Irritant
- HAZARD STATEMENT: H316 (N/A), Causes mild skin irritation. H319 (R36), Causes serious eye irritation H335 (R37), May cause respiratory irritation. H303 (N/A), May be harmful if swallowed.
- PRECAUTIONARY STATEMENT: P102 (S2), Keep out of reach of children. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention.

Section 16 – Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

(items in parenthesis relate to 1999/45/EC)

Danger Symbols:


GHS06 (T) – Toxic; GHS07 (Xi) – Warning / Irritants

Hazard Statement: H301 (R25), Toxic if swallowed. H315 (R38), Causes skin irritation. H316 (N/A) Causes mild skin irritation. H319 (R36), Causes serious eye irritation. H335 (R37), May cause respiratory irritation. H336 (R67), May cause drowsiness or dizziness. EUH032 (R32), Contact with acid liberates very toxic gas. H303 (N/A), May be harmful if swallowed. H319+335+315 (R36/37/38), Irritating to eyes, respiratory system, and skin.

Precautionary Statement:

P102 (S2), Keep out of reach of children. P260 (S23), Do not breathe dust/fume/gas/mist/vapors/spray. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention. P404 (S7), Store in a closed container. P403+235 (S3/9), Store in a well ventilated place. Keep cool. P305+360 (S26), If on clothing, rinse immediately contaminated clothing and skin with plenty of water before removing clothing.

Hazard Rating System (Pictograms)



MSDS Prepared by:	WME
Revision History:	03/02/11 Initial
	05/01/13 Changed manufacturer from Deepak to Keystone, changed address and telephone
	number SWR

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone components.



Page 1 of 6

Section 1 – Identification

Product Name: Gelato Neutral Gel (Various

Flavors)

Active Ingredient: Sodium Fluoride

Manufacturer: Keystone Industries

480 S Democrat Rd, Gibbstown, NJ 08027

Information Contacts: (856) 663-4700 **Toll Free:** (800) 333-3131

Emergency Phone Numbers: (800) 535-5053

Family: Fluoride Treatment

Product Use: Professional Dental Preventive Care

Product #: Various

Section 2 – Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Will cause eye irritation.
- May cause skin irritation.
- Prolong exposure may cause respiratory system irritation.
- Ingestion of large amounts may cause nausea, vomiting, headaches, or dizziness.
- Please read entire MSDS for additional information.





Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, and ingestion.

Eye Vapors are irritating to the eyes. Splashes may cause redness of the eye.

Skin Repeated/prolonged contact may cause mild irritation of the skin. Symptoms include redness,

burning, or itching.

Ingestion Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing

large amounts may be harmful. Symptoms include irritation of the throat, nausea, dizziness, and upset

stomach.

Inhalation If fine small particles are inhaled, irritation of the throat with a feeling of tightness in the chest may

occur.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA	Limits ACGIH	Carcinogen	%
•				TWA/STEL	TWA/STEL	IARC/NTP/OSHA	
Potassium	1310-58-3	215-181-3	Potassium	N/E	N/E	Not Listed	1-5
Hydroxide			Hydroxide		$TLV = 2 \text{ mg/ m}^3$		
Phosphoric Acid	7664-38-2	231-633-2	Phosphoric Acid	TWA = 1 mg/	$TWA = 1 \text{ mg/ m}^3$	Not listed	1-5
				m^3	$STEL = 3 \text{ mg/ m}^3$		
Sodium Fluoride	7681-49-4	231-667-8	Sodium Fluoride	TWA = 3ppm /	2.5 mg / m^3	Not Listed	1-3
				бррт			

N/E – None N/DA – No Data Available Established N/A – Not Applicable N/R – Not Reviewed

(items in parenthesis relate to 1999/45/EC)

Potassium Hydroxide: Danger Symbol – GHS05 (C) Hazard Statement – H314 (R35) Precautionary Statement – P102 (S1/2), P305+334

(S26), P280 (S36/37/39), P309+314 (S45) **Phosphoric Acid**: Danger Symbol – GHS05 (C)

Hazard Statement – H314 (R34)

Precautionary Statement – P102 (S1/2), P305+334

(S26), P309+314 (S45) **Sodium Fluoride:** Danger Symbol – GHS06 (T), GHS07 (Xi) Hazard Statement – H301 (R25), EUH032 (R32), H315 (R38), H319 (R36)

Precautionary Statement - P102 (S2), P260 (S23), P280 (S36/37/39), P309+314 (S45)

See Section 16 for Hazard and Precautionary Statement Key.

Section 4 – First Aid Measures

First Aid for Eye Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.



Page 2 of 6

First Aid for Skin Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort

persists.

milk. Seek medical attention.

First Aid for Inhalation Move to fresh air. If having breathing difficulty, give oxygen. Seek medical attention if discomfort

persists.

Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

Method:

Extinguishing Media: Carbon dioxide, dry chemical foam

Fire Fighting During a fire, irritating or highly toxic gases may be generated by thermal decomposition. If potential Instructions: for exposure, wear complete personal protective equipment including self contained breathing

apparatus, with full face operated in pressure demand.

Unusual Hazards: Evacuate all personnel.

Section 6 – Accidental Release Measures

Spill or Release Minor spills – Clean up immediately, avoid contact with skin and eyes. Mop / wipe area and clean with soapy water

Procedures Major spills – Clear area of personnel. Restrict access to area. Avoid contact with skin and eyes, and dilute area with soapy

water. Collect contaminated water and dispose of properly.

See section 8 & section 12.

Section 7 – Handling and Storage

Handling Limit all unnecessary personal contact. Avoid breathing vapors. Wear appropriate PPE.

Storage Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when

not in use. Keep in original container provided by manufacturer.

Explosion Hazard None.

Section 8 – Exposure Controls / Personal Protection

Engineering General exhaust is adequate under normal operating conditions.

Controls

Personal Protective Equipment

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a

hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard

EN166 be conducted before using this product.

Eye/ Face Safety glasses / goggles or splash shields are required when handling. Ensure eye bath is on hand.

Protection

Skin Protection Use impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole

body suit.

Respiratory In case of insufficient ventilation, wear suitable respiratory equipment.

Protection

Section 9 – Physical and Chemical Properties

Appearance		Odor	* & Odor Threshold	PН	H Spe	cific Gravity	Viscosity	% V	olatile
Gel		Od	Odor of Stated Flavor $6-8$ $(H2O = 1)$: N/A		2O = 1): N/A	N/A	N	[/A	
Boiling Point/	Decompositi	on	Octanol/Water		Vapor	Vapor	Evaporation	Ignition	Solubility
Freezing Point	Temperatu		Partitioning Coefficie	ent	Pressure:	Density	Rate	Igintion	In Water
Freezing Point	Temperatur		Partitioning Coefficient Log Po/w	ent		-	-	Igmuon	

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A



Page 3 of 6

Section 10 – Stability and Reactivity

Stability: Incompatibility (Materials to Avoid):

Stable Strong Acids

Hazardous Decomposition Products: Hazardous Polymerization:

Toxic Fumes (HF) Will not occur

Conditions to Avoid: Heat and incompatible materials

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
N/DA	N/DA	N/DA	N/DA	N/ DA

Sensitization	Mutagenicity	Sub-chronic Toxicity	
N/ DA	N/DA	N/ DA	

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to
Fish				Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability	Biodegradable. This material is not expected to significantly bio-accumulate.
Chemical Oxygen Demand	N/ DA

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-regulated material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-regulated material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	N/A
Emergency Response Guidance (ICAO)#:	N/A
IMO (IMDG):	
Proper Shipping Name:	Non-regulated material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	N/A
Emergency Schedule (EmS)#:	N/A
Other Information:	N/A



Page 4 of 6

Section 15 – Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	• NONE
Clean Water Act: Priority	This product contains the following chemicals listed under the U. S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other
	applications as an indirect food-packaging additive.
Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are:
	Phosphoric Acid CAS # 7664-38-2 (Corrosive)
	Potassium Hydroxide – CAS # 1310-58-3 (Corrosive)
RCRA	This product contains the following chemicals considered to be hazardous waste under
	RCRA (40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.
SARA Title III: Section 302	This product contains chemicals regulated under Section 304 as extremely hazardous
(TPQ)	chemicals for emergency release notification ("CERCLA" List):
	• Sodium Fluoride – CAS #7681-49-4 1000 # RQ
	Potassium Hydroxide – CAS # 1310-58-3 1000 # RQ
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication
	Standard and is regulated under Section 311-312 (40 CFR 370). It's hazards are:
	Sodium Fluoride – CAS# 7681-49-4 (Corrosive)
	Phosphoric Acid CAS #7664-38-2 (Corrosive)
	Potassium Hydroxide – CAS # 1310-58-3 (Corrosive)
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting
	requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization
	Act of 1986 and 40 CFR Part 372:
	• None
TSCA Section 8(b): Inventory:	This product does contain chemicals listed on the TSCA inventory or otherwise complies
	with TSCA pre-manufacture notification requirements.
TSCA Significant New Use Rule:	Sodium Fluoride – CAS# 7681-49-4
	 Potassium Hydroxide – CAS # 1310-58-3
	Phosphoric Acid CAS #7664-38-2
	None of the chemicals in this material have a SNUR under TSCA.

State Regulations

State Regulations	
CA Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
California No Significant Risk	None
Rule:	
MA Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
	Phosphoric Acid CAS # 7664-38-2
	Potassium Hydroxide – CAS # 1310-58-3
NJ Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
	Phosphoric Acid CAS # 7664-38-2
	Potassium Hydroxide – CAS # 1310-58-3
PA Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
	Phosphoric Acid CAS # 7664-38-2
	Potassium Hydroxide – CAS # 1310-58-3
FL Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
MN Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
_	Phosphoric Acid CAS # 7664-38-2



Page 5 of 6

International Regulations

CDSL: Canadian Inventory
(on Canadian Transitional List)

Sodium Fluoride – CAS# 7681-49-4
Phosphoric Acid CAS # 7664-38-2
Potassium Hydroxide – CAS # 1310-58-3

Labeling according to EC directives – 1272/2008 (CLP) AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:





For Gelato Neutral Fluoride Gel (finished product):

- DANGER SYMBOLS: GHS07 (Xi) Warning / Irritant
- HAZARD STATEMENT: **H316** (N/A), Causes mild skin irritation. **H319** (R36), Causes serious eye irritation. **H335** (R37), May cause respiratory irritation. **H303** (N/A), May be harmful if swallowed.
- PRECAUTIONARY STATEMENT: P102 (S2), Keep out of reach of children. P210 (S15), Keep away from heat/sparks/open flames/hot surfaces. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention.

Section 16 – Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

(items in parenthesis relate to 1999/45/EC)


Danger Symbols:

GHS06 (T) - Toxic. GHS07 (Xi) - Warning / Irritants. GHS05 (C) - Corrosive

Hazard Statement: H301 (**R25**), Toxic if swallowed. **H314** (**R34** or **35**), Causes severe skin burns and eye damage. **H315** (**R38**), Causes skin irritation. **H316** (**N/A**) Causes mild skin irritation. **H319** (**R36**), Causes serious eye irritation. **H335** (**R37**), May cause respiratory irritation. **H336** (**R67**), May cause drowsiness or dizziness. **EUH032** (**R32**), Contact with acid liberates very toxic gas. **H303** (**N/A**), May be harmful if swallowed.

Precautionary Statement: P102 (S1 or S2), Keep out of reach of children. P210 (S15), Keep away from heat/sparks/open flames/hot surfaces. P260 (S23), Do not breathe dust/fume/gas/mist/vapors/spray. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P305+334 (S26), In case of contact with eyes, rinse immediately with water. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention. P404 (S7), Store in a closed container. P403+235 (S3/9), Store in a well ventilated place. Keep cool. P361 (S27), Remove/ Take off immediately all contaminated clothing. P301+315 (S46), If swallowed, get immediate medical advice / attention.

Hazard Rating System (Pictograms)



MSDS Prepared by:	WME
Revision History:	02/03/11 Initial
	05/01/13 Changed manufacturer from Deepak to Keystone, changed address and telephone
	number SWR

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the



Page 6 of 6

materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone components.