


MATERIAL SAFETY DATA SHEET

24-Hour Emergency #: (U.S.) 1-800-535-5053 / (Outside U.S.) 352-323-3500



Section I: Product & Company Identification

Product Name: Oral-B® Prophylaxis Paste

Catalog Numbers: 295187, 295188, 295189, 295190, 295191, 295192, 295193, 295194,

295195, 295196

Product Class: Dental Prophylaxis Paste
Manufactured for: Young Dental Manufacturing

13705 Shoreline Court East

Earth City, MO 63045 1.800.325.1881

Section II: Hazardous Ingredients

Hazardous Components: Fluoride Ion, Sodium Fluoride Active

% (optional): 1.23%

Section III: Physical/Chemical Characteristics

DOES NOT APPLY

Section IV: Fire and Explosion Hazard Data

DOES NOT APPLY

Section V: Reactivity Data

Stability: Stable

Incompatibility (Materials to Avoid): N/A Hazardous Decomposition of Byproducts: N/A

Hazardous Polymerization: N/A

Conditions to Avoid: N/A

Section VI: Health Hazard Data

Route(s) of Entry:

Inhalation: N/A Skin: N/A Ingestion: Yes

Health Hazards (Acute and Chronic): N/A

Monographs? N/A

Signs and Symptoms of Exposure: N/A

Emergency and First Aid Procedures:

Eye: Flush with water. If irritation persists, contact physician. Ingestion: Induce vomiting, consult physician.

Section VII: Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled: N/A

Waste Disposable Method: N/A

Precautions to be Taken in Handling and Storing: N/A

Other Precautions: N/A

Section VIII: Control Measures

DOES NOT APPLY

DENTAL PROPHYLAXIS PASTE

CONTAINS:

Dental Prophylaxis Paste contains a unique blend of polishing and cleaning agents. Dental Prophylaxis Paste is for professional use only and is designed for application during standard dental practice hygiene procedures.

Contains fluoride at a concentration of 1.23% fluoride ion.

INDICATIONS:

For cleaning and polishing procedures as part of a professionally administered prophylaxis treatment.

NOTE: Prophylaxis pastes containing fluoride are not considered a replacement for other forms of fluoride therapy.

PRECAUTIONS:

Excessive ingestion of fluoride ion can cause nausea. Dental Prophylaxis Paste should be expectorated and **NOT SWALLOWED.**

SUGGESTED APPLICATIONS:

Medium: Normal cleansing, polishing and plaque removal.

Course: Heavy stain and plaque removal. Stain build-up due to heavy smoking and enamel polishing.

ADMINISTRATION:

For use only by individuals who are professionally trained in the performance of dental prophylaxis.

DIRECTIONS FOR USE:

BULK JARS: Remove sufficient paste for one procedure and place in a clean dappen dish or other suitable container.

UNIT DOSE: Each unit dose cup contains enough prophylaxis paste for one (1) prophylaxis procedure.

Use any commercially available prophy angle, rubber cup combination. To fill the cup, press the cup face into the paste while running the angle at low speed. To avoid overheating the tooth surface, maintain sufficient paste in the cup throughout the procedure. Evacuate saliva to avoid swallowing and/or excessive dilution of the paste.

CAUTION:

U.S. Federal Law prohibits dispensing without prescription.

The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Young Dental Manufacturing makes no recommendation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for particular purpose.

NO REPRESENTATIONS, OR WARRANTIES, EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR TO THE PRODUCT TO WHICH THE INFORMATION REFERS.