

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version	Revision Date:	SDS Number:	Date of last issue: -
6.0	10/01/2026	300000000048	Date of first issue: 10/01/2026

SECTION 1. IDENTIFICATION

Product name : 3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Product code : 000000007100313700

Manufacturer or supplier's details

Company name of supplier : Solventum US LLC

Address : IH 10 West 12930
San Antonio TX 78249

Emergency telephone : In case of emergency call CHEMTREC US: 1-800-424-9300,
CHEMTREC WORLD: 1-703-527-3887.

E-mail address : psops_supportteam@solventum.com

Website : Solventum.com

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Eye irritation : Category 2A

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

Precautionary Statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version	Revision Date:	SDS Number:	Date of last issue: -
6.0	10/01/2026	300000000048	Date of first issue: 10/01/2026

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
sodium fluoride	7681-49-4*	$\geq 1 - \leq 5$	TSC
ethanol	64-17-5*	$\geq 0.5 - \leq 1.5$	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Notes to physician	: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: No hazardous combustion products are known
Further information	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version	Revision Date:	SDS Number:	Date of last issue: -
6.0	10/01/2026	300000000048	Date of first issue: 10/01/2026

cumstances and the surrounding environment.

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary for fire-fighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sodium fluoride	7681-49-4	TWA	2.5 mg/m ³ (Fluorine)	OSHA Z-1
		TWA	2.5 mg/m ³ (Fluorine)	ACGIH

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version 6.0 Revision Date: 10/01/2026 SDS Number: 300000000048 Date of last issue: -
Date of first issue: 10/01/2026

		TWA	2.5 mg/m3 (Fluorine)	OSHA P0
		TWA	2.5 mg/m3 (Fluorine)	NIOSH REL
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
sodium fluoride	7681-49-4	Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Wear face-shield and protective suit for abnormal processing problems.
Safety glasses with side-shields
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version 6.0	Revision Date: 10/01/2026	SDS Number: 300000000048	Date of last issue: - Date of first issue: 10/01/2026
----------------	------------------------------	-----------------------------	--

Color	:	colorless
Odor	:	Bubble gum
Flash point	:	Not applicable
Relative density	:	1
Density	:	1 g/cm3

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Hazardous polymerization does not occur. No decomposition if stored and applied as directed.
Conditions to avoid	:	None known. No data available
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 45.45 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Components:

sodium fluoride:

Acute oral toxicity	:	LD50 (RAT, Female): 148.5 mg/kg
Acute inhalation toxicity	:	LC50 (RAT): 1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version	Revision Date:	SDS Number:	Date of last issue: -
6.0	10/01/2026	300000000048	Date of first issue: 10/01/2026

Acute dermal toxicity : LD50 (RAT): > 2,000 mg/kg
Method: OPPTS 870.1200

ethanol:

Acute oral toxicity : LD50 (RAT): 10,470 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (RAT, Male): 116.9 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (RABBIT): > 15,800 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

sodium fluoride:

Result : Skin irritation
Remarks : Based on national or regional regulation.

ethanol:

Species : RABBIT
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May cause irreversible eye damage.

Components:

sodium fluoride:

Species : RABBIT
Result : Irreversible effects on the eye

ethanol:

Species : RABBIT
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version	Revision Date:	SDS Number:	Date of last issue: -
6.0	10/01/2026	300000000048	Date of first issue: 10/01/2026

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Components:

sodium fluoride:

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	Negative

ethanol:

Test Type	:	Mouse ear swelling test (MEST)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	Negative

Germ cell mutagenicity

Not classified due to lack of data.

Components:

sodium fluoride:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: Positive
		Test Type: In vitro mammalian cell gene mutation test Result: Negative
		Test Type: Bacterial reverse mutation assay (AMES) Result: Negative

Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Result: Negative
----------------------	---	--

ethanol:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: Negative
		Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version 6.0	Revision Date: 10/01/2026	SDS Number: 300000000048	Date of last issue: - Date of first issue: 10/01/2026
----------------	------------------------------	-----------------------------	--

Result: Negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: Negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: RAT
Application Route: Ingestion
Result: Negative

Carcinogenicity

Not classified due to lack of data.

Components:

sodium fluoride:

Species : RAT
Application Route : Ingestion
Exposure time : 2 yr
Result : Negative

ethanol:

Carcinogenicity - Assessment : Not applicable
Remarks: Ethanol in alcoholic beverages is carcinogenic according to IARC.

IARC Group 1: Carcinogenic to humans
ethanol 64-17-5

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:

sodium fluoride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: RAT
Application Route: Ingestion
Result: Negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: RAT

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version 6.0	Revision Date: 10/01/2026	SDS Number: 300000000048	Date of last issue: - Date of first issue: 10/01/2026
----------------	------------------------------	-----------------------------	--

Application Route: Ingestion
Result: Negative

ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: Negative

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

sodium fluoride:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 51 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 97 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Scenedesmus quadricauda (Green algae)): 50 mg/l Exposure time: 7 d EbC50 (Scenedesmus subspicatus): 43 mg/l Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 4 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 3.7 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	NOEC (Protozoa): 7.1 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version	Revision Date:	SDS Number:	Date of last issue: -
6.0	10/01/2026	300000000048	Date of first issue: 10/01/2026

Exposure time: 20 h

ethanol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l Exposure time: 72 h ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l Exposure time: 100 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to microorganisms	:	EC50 (Protozoa): 5,800 mg/l Exposure time: 4 h

Persistence and degradability

Components:

ethanol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
------------------	---	---

Bioaccumulative potential

Components:

sodium fluoride:

Bioaccumulation	:	Species: Fish Bioconcentration factor (BCF): < 500 Remarks: Based on data from similar materials
-----------------	---	--

ethanol:

Partition coefficient: n-octanol/water	:	log Pow: -0.35
--	---	----------------

Mobility in soil

No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version	Revision Date:	SDS Number:	Date of last issue: -
6.0	10/01/2026	300000000048	Date of first issue: 10/01/2026

Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Serious eye damage or eye irritation

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC


Version
6.0

Revision Date:
10/01/2026

SDS Number:
300000000048

Date of last issue: -
Date of first issue: 10/01/2026

NFPA 704:



HMIS® IV:

HEALTH	/	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI -

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



3M™ Clinpro™ Clear Fluoride Treatment, 7200W, Watermelon Flavor, 0.5 mL Unit Dose, 50/PAC

Version	Revision Date:	SDS Number:	Date of last issue: -
6.0	10/01/2026	300000000048	Date of first issue: 10/01/2026

Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/01/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN